

BIOS Release Notes

TITLE

SUBJECT: MC13-BL0 BIOS Release Notes version F13
System: MC13-BL0-000, MC13-BL1-000, R133-C11-AAB1-000, R133-C13-AAB1-000, R133-C10-AAA1-000, E133-C10-AAA1-000, R133-C11-AAG1-000, R133-C13-AAG1-000, R133-C10-AAG1-000, E133-C10-AAG1-000

About This Release

Build Date: 2023/09/22
BIOS Checksum: 0xB09AF411(32M)
Release Owner: Ian.Liu

BIOS Components/Contents

Processor stepping(s) supported: AMD Raphael Processors
System hardware configurations supported: MC13-BL0-000, MC13-BL1-000
Microcode updates versions:

CPUID	Family	Microcode Update ID
00A60F00	Raphael A0	0A600005
00A60F00	Raphael A1\B0	0A60110E

IPMI support:
AMI Kernel version: 5.26_1AYFL_PI1.0.0.7_020
AMD AGESA PI version: AGESA-V9 ComboAm5 1.0.0.7
Platform version: 1.X
OPROM version:

OPROM	Version
AST2600 VGA	1.13.01

Installation Notes

IMPORTANT NOTES:

1. Please extract the MC13-BL0_F13.zip to a bootable diskette that use FAT/FAT32 format

BIOS UPDATE INSTRUCTIONS FOR EFI Shell:

1. Insert USB flash drive to system for BIOS upgrade.
2. Power on system and boot to Build-In Shell.
3. Enter your USB filesystem, like "fs0:" or "fsx:", "x" is your USB filesystem number
4. Execute F.nsh for bios update
5. After bios flash finish, system must Power-Off to have the changes take effect.

BIOS UPDATE INSTRUCTIONS FOR Windows:

1. Insert bios update USB flash drive.

BIOS Release Notes

2. Use Command Shell.
3. Enter \Tool\Win32 and execute f.bat for Windows 32bit.
Or
Enter \Tool\Win64 and execute f.bat for Windows 64bit.
4. After bios flash finish, system must Power-Off to have the changes take effect.

BIOS UPDATE FOR Easy BIOS Refresh:

1. The system supports remotely update BIOS if BMC existent.
2. Please download the Easy BIOS Refresh User Guide from Gigabyte website, target system support page.

BIOS Version CHECK INSTRUCTIONS:

1. Power on system and press during POST
2. The bios version shows on the first main page

Known Issues/Workarounds

Issues fixed in this version

F03

- 1.Add MAX temperature control performance function.
-

F12

- 1.Fine tune Redfish function.
-

F11

- 1.Update SKU information.
-

F10

- 1.Update setup PCIe item and WebUI PCIe information by SKU.
-

F09

- 1.Fine tune SVID\SSID information.
 - 2.Update DIMM information.
 - 3.Fine tune setup item.
-

F08

- 1.Fine tune WebUI.
 - 2.Fine tune setup item.
-

F07

BIOS Release Notes

- 1.Update AMD kernel AGESA-V9 ComboAm5 1.0.0.7.
 - 2.Fine tune setup memory information.
 - 3.Set CPU PPT data.
-

F06

1. Fine tune setup item behavior.
 2. Fine tune RedFish function.
-

F05

1. Set CPU PPT data.
-

F04

1. Add “SMT Control” item.
 2. Add “Assign resource for X16 slot” item.
-

F03

1. Fine tune Setup to fix boot option issue.
 2. Set CPU PPT data.
-

F02

1. Fine tune AC Loss function.
 2. Set year default.
 3. Add New SKU.
-

F01

1. PVT BIOS release.
-