

2400	GALAX	4GB	1Rx8	GAM4BXLBS240016JE164C	SS		16-16-16-36	1.2v	v	v	v	v	2133
2400	GALAX	4GB	1Rx8	HOF4BLBM240012FD041C	SS		12-12-12-28	1.35v	v	v	v	v	2133
2400	HYUNDAI.Inc	4GB	1Rx8	HYE4G24C17	SS		17-17-17-39	1.2v	v	v	v	v	2400
2400	HYUNDAI.Inc	16GB	2Rx8	HYE16G24C17	DS		17-17-17-39	1.2v	v	v	v	v	2400
2400	KLEVV	4GB	1Rx8	KM4B4GX1N-2400-15-15-15-35-0	SS		15-15-15-35	1.2v	v	v	v	v	2400
2400	KLEVV	4GB	1Rx8	KM4Z4GX1N-2400-15-15-15-35-1	SS		15-15-15-35	1.2v	v	v	v	v	2400
2400	KLEVV	8GB	1Rx8	KM4B8GX1N-2400-15-15-15-35-0	SS		15-15-15-35	1.2v	v	v	v	v	2400
2400	KLEVV	8GB	1Rx8	KM4Z8GX1N-2400-15-15-15-35-1	SS		15-15-15-35	1.2v	v	v	v	v	2400
2400	KINGMAX	4GB	1Rx16	GLLF62F-DAKZIG CLBU Z11C	SS	Spectek	17-17-17-39	1.2v	v	v	v	v	2400
2400	KINGMAX	4GB	1Rx16	GLLF62F-DAKZIG CLBU Z11B	SS	Spectek	17-17-17-39	1.2v	v	v	v	v	2400
2400	KINGMAX	16GB	2Rx8	GLLH22F-18KIIA CFBUE2 Z11B	DS	Spectek	17-17-17-39	1.2v	v	v	v	v	2400
2400	ORCA	4GB	1Rx8	RUD404GS2400CG12	SS		16-16-16-36	1.2v	v	v	v	v	2400
2400	ORCA	8GB	1Rx8	RUD408GS2400CG12	SS		16-16-16-36	1.2v	v	v	v	v	2400
2400	PATRIOT	4GB	1Rx8	PVE48G240C5KRD	SS		CL15	1.2v	v	v	v	v	2133
2400	PATRIOT	4GB	1Rx8	PSP48G2400KH1	SS	PSC	17-17-17-39	1.2v	v	v	v	v	2400
2400	PATRIOT	8GB	1Rx8	PVE416G240C5KRD	SS		CL15	1.2v	v	v	v	v	2133
2400	PATRIOT	8GB	1Rx8	PSD48G240081	SS		CL17	1.2v	v	v	v	v	2400
2400	PATRIOT	16GB	2Rx8	PSD416G24002	DS		CL17	1.2v	v	v	v	v	2400
2400	Samsung	4GB	1Rx16	M378A5244CB0-CRC	SS	Samsung	CL17	1.2v	v	v	v	v	2400
2400	Team	4GB	1Rx8	TED416G2400C16QC01	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	4GB	1Rx8	TPD416G2400HC16QC01	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	4GB	1Rx8	TPRD416G2400HC16QC01	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	4GB	1Rx8	TED48G2400C16DC01	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	4GB	1Rx8	TPD48G2400HC16DC01	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	4GB	1Rx8	TPRD48G2400HC16DC01	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	4GB	1Rx8	TED44G2400C1601	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	4GB	1Rx8	TPD44G2400HC1601	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	4GB	1Rx8	TPRD44G2400HC1601	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	8GB	1Rx8	TLGD432G2400HC14QC01	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TLRED432G2400HC14QC01	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TDRED432G2400HC14QC01	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TGDED432G2400HC14QC01	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TLGD416G2400HC14DC01	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TLRED416G2400HC14DC01	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TDRED416G2400HC14DC01	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TGDED416G2400HC14DC01	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TLGD48G2400HC1401	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TLRED48G2400HC1401	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TDRED48G2400HC1401	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TGDED48G2400HC1401	SS		14-16-16-31	1.2v	v	v	v	v	2133
2400	Team	8GB	1Rx8	TF3D416G2400HC15BDC01	SS		15-17-17-35	1.2v	v	v	v	v	2133 v
2400	Team	8GB	1Rx8	TF4D416G2400HC15BDC01	SS		15-17-17-35	1.2v	v	v	v	v	2133 v
2400	Team	8GB	1Rx8	TF3D48G2400HC15B01	SS		15-17-17-35	1.2v	v	v	v	v	2133 v
2400	Team	8GB	1Rx8	TF4D48G2400HC15B01	SS		15-17-17-35	1.2v	v	v	v	v	2133 v
2400	Team	8GB	1Rx8	TED432G2400C16QC01	SS	Micron	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	8GB	1Rx8	TPD432G2400HC16QC01	SS	Micron	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	8GB	1Rx8	TPRD432G2400HC16QC01	SS	Micron	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	8GB	1Rx8	TED416G2400C16DC01	SS	Micron	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	8GB	1Rx8	TPD416G2400HC16DC01	SS	Micron	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	8GB	1Rx8	TPRD416G2400HC16DC01	SS	Micron	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	8GB	1Rx8	TED48G2400C1601	SS	Micron	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	8GB	1Rx8	TPD48G2400HC1601	SS	Micron	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	8GB	1Rx8	TPRD48G2400HC1601	SS	Micron	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	16GB	1Rx8	TED432G2400C16DC01	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	16GB	1Rx8	TED416G2400C1601	SS	Hynix	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	32GB	2Rx8	TPD432G2400HC1601	DS	Spectek	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	32GB	2Rx8	TPRD432G2400HC1601	DS	Spectek	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	32GB	2Rx8	TPD464G2400HC16DC01	DS	Spectek	16-16-16-39	1.2v	v	v	v	v	2400
2400	Team	32GB	2Rx8	TPRD464G2400HC16DC01	DS	Spectek	16-16-16-39	1.2v	v	v	v	v	2400
2400	V-Color	8GB	1Rx8	TC48G24S817	SS		CL17	1.2v	v	v	v	v	2400
2400	VISENТА	8GB	1Rx8	DDR4 2400 8G	SS		17-17-17-40	1.2v	v	v	v	v	2400
2400	VISENТА	16GB	2Rx8	DDR4 2400 16G	DS		15-15-15-35	1.2v	v	v	v	v	2400
2133	CORSAIR	8GB	2Rx8	CMK64GX4M8A2133C13	DS		13-15-15-28	1.2v	v	v	v	v	2133
2133	CORSAIR	8GB	1Rx8	CMV8GX4M1A2133C15-ESS	SS	Samsung	C15	1.2v	v	v	v	v	2133
2133	CORSAIR	16GB	2Rx8	CMV16GX4M1A2133C15	DS		C15	1.2v	v	v	v	v	2133
2133	CORSAIR	16GB	2Rx8	CMK32GX4M2A2133C13	DS		13-15-15-28	1.2v	v	v	v	v	2133
2133	CORSAIR	16GB	2Rx8	CMK128GX4M8A2133C13	DS		13-15-15-28	1.2v	v	v	v	v	2133
2133	G.SKILL	8GB	1Rx8	F4-2133C15S-8GIS	SS		15-15-15-35	1.2v	v	v	v	v	2133
2133	Apacer	4GB	1Rx8	AU04GGB13CDT BGH	SS		CL15	1.2v	v	v	v	v	2133
2133	CRUCIAL	8GB	1Rx8	CT8G4DFS8213.8FB1	SS	Micron	CL15	1.2v	v	v	v	v	2133
2133	CRUCIAL	16GB	2Rx8	CT16G4DFD8213.16FB1	DS	Micron	CL15	1.2v	v	v	v	v	2133
2133	KLEVV	4GB	1Rx8	KM4B4GX1N-2133-15-15-15-35-0	SS		15-15-15-35	1.2v	v	v	v	v	2133
2133	KLEVV	8GB	1Rx8	KM4B8GX1N-2133-15-15-15-35-0	SS		15-15-15-35	1.2v	v	v	v	v	2133
2133	Samsung	8GB	1Rx8	M378A1K43BB1-CPB	SS		15-15-15-36	1.2v	v	v	v	v	2133
2133	Samsung	16GB	2Rx8	M378A2K43BB1-CPB	DS		15-15-15-36	1.2v	v	v	v	v	2133

• 2 DIMM: Supports one pair of modules inserted into the same color slots as one pair of Dual-channel memory configuration. Install the modules into **DDR4_A2, DDR4_B2** for better compatibility.
2 DIMM: 請將兩支記憶體模組安裝在同樣顏色記憶體插槽以啟動雙通道設定,並優先安裝在**DDR4_A2, DDR4_B2**插槽以確保更好的相容性

• Memory modules listed as above is for reference only. Due to massive memory models in market, we can only verify some of them.
以下所列的記憶體模組僅供參考,因市面上的記憶體模組眾多,我們無法一一驗證

• When enabling Dual Channel mode with two or four memory modules, it is recommended that using the same capacity, brand, speed, and chips of memory modules and also installed in the same color of DDR4 slots.
若要安裝兩支或四支DDR4記憶體模組,建議您使用相同容量/廠牌/速度/顆粒等之記憶體模組。

• Intel 10th Core i9/i7 processors : Support for DDR4 2933/2666/2400/2133 MHz memory modules
Intel 10th Core i5/i3/Pentium/ Celeron processors : Support for DDR4 2666/2400/2133 MHz memory modules