

Qualification Vendor List

Intel CPU											
Product Name	Vendor	Code Name	Q-Spec	Stepping	Cache	# of Cores	Processor Base Frequency	Max Turbo Frequency	TDP	Memory Types	Note
Sapphire Rapids											
Don't write "Test Items" under this line!!!											
Intel® Xeon® Processor Gold 5415+	Intel	Sapphire Rapids	Q27C	S-3	22.5	8	2.9	4.1	150	4400	
Intel® Xeon® Processor Gold 5416S	Intel	Sapphire Rapids	Q281	S-3	30	16	2	4	150	4400	
Intel® Xeon® Processor Gold 5418N	Intel	Sapphire Rapids	Q1WJ	S-2	45	24	1.8	3.8	165	4000	
Intel® Xeon® Processor Gold 5418Y	Intel	Sapphire Rapids	Q27G	S-3	45	24	2	3.8	185	4400	
Intel® Xeon® Processor Gold 5420+	Intel	Sapphire Rapids	Q1VU	S-2	52.5	28	2	4.1	205	4400	
Intel® Xeon® Processor Gold 6416H	Intel	Sapphire Rapids	Q1WF	S-2	45	18	2.2	4.2	165	4800	
Intel® Xeon® Processor Gold 6418H	Intel	Sapphire Rapids	Q27R	S-3	60	24	2.1	4	185	4800	
Intel® Xeon® Processor Gold 6426Y	Intel	Sapphire Rapids	Q27E	S-3	37.5	16	2.5	4.1	185	4800	
Intel® Xeon® Processor Gold 6428N	Intel	Sapphire Rapids	Q1WL	S-2	60	32	1.8	3.8	185	4800	
Intel® Xeon® Processor Gold 6430	Intel	Sapphire Rapids	Q23B	E-5	60	32	2.1	3.4	270	4400	
Intel® Xeon® Processor Gold 6434	Intel	Sapphire Rapids	Q273	S-3	22.5	8	3.7	4.1	195	4800	
Intel® Xeon® Processor Gold 6434H	Intel	Sapphire Rapids	Q27P	S-3	22.5	8	3.7	4.1	195	4800	
Intel® Xeon® Processor Gold 6438M	Intel	Sapphire Rapids	Q282	S-3	60	32	2.2	3.9	205	4800	
Intel® Xeon® Processor Gold 6438N	Intel	Sapphire Rapids	Q1WN	S-2	60	32	2	3.6	205	4800	
Intel® Xeon® Processor Gold 6438Y+	Intel	Sapphire Rapids	Q27L	S-3	60	32	2	4	205	4800	
Intel® Xeon® Processor Gold 6442Y	Intel	Sapphire Rapids	Q27J	S-3	60	24	2.6	4	225	4800	
Intel® Xeon® Processor Gold 6444Y	Intel	Sapphire Rapids	Q27T	S-3	45	16	3.6	4.1	270	4800	
Intel® Xeon® Processor Gold 6448H	Intel	Sapphire Rapids	Q27S	S-3	60	32	2.4	4.1	250	4800	
Intel® Xeon® Processor Gold 6448Y	Intel	Sapphire Rapids	Q27M	S-3	60	32	2.1	4.1	225	4800	
Intel® Xeon® Processor Gold 6454S	Intel	Sapphire Rapids	Q23C	E-5	60	32	2.2	3.4	270	4800	
Intel® Xeon® Processor Platinum 8444H	Intel	Sapphire Rapids	Q23W	E-5	45	16	2.9	4	270	4800	
Intel® Xeon® Processor Platinum 8450H	Intel	Sapphire Rapids	Q244	E-5	75	28	2	3.5	250	4800	
Intel® Xeon® Processor Platinum 8454H	Intel	Sapphire Rapids	Q23R	E-5	82.5	32	2.1	3.4	270	4800	
Intel® Xeon® Processor Silver 4410T	Intel	Sapphire Rapids	Q27V	S-3	26.25	10	2.7	4	150	4000	
Intel® Xeon® Processor Silver 4410Y	Intel	Sapphire Rapids	Q27D	S-3	30	12	2	3.9	150	4000	
Intel® Xeon® Processor Silver 4416+	Intel	Sapphire Rapids	Q27F	S-3	37.5	20	2	3.9	165	4000	
Don't write "Test Items" under this line!!!											
Memory											
Product Name	Vendor	Memory Type	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins	Note
RDIMM											
Don't write "Test Items" under this line!!!											
M393A4K40DB2-CVFBQ	Samsung	DDR4	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	288-pin		
M393A8G40AB2-CVFBY	Samsung	DDR4	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	288-pin		
KSM32RD9/16MRR	Kingston	DDR4	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	288-pin		
KSM32RS4/32MER	Kingston	DDR4	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	288-pin		
MTA18ASF2G72PZ-3G2R1T1	Micron	DDR4	16GB	Micron-Montage	1Rx4	1.2v	3200MHz	ECC Registered	288-pin		
MTA9ASF2G72PZ-3G2F1U1	Micron	DDR4	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	288-pin		
MTA18ASF4G72PZ-3G2F1U1	Micron	DDR4	32GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	288-pin		
MTA18ASF4G72PZ-3G2F1U1	Micron	DDR4	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	288-pin		
MTA36ASF4G72PZ-3G2R1V1	Micron	DDR4	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	288-pin		
MTA36ASF8G72PZ-3G2E1V1	Micron	DDR4	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	288-pin		
M393A2K43EB3-CWEBQ	Samsung	DDR4	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	288-pin		
M393A4K40DB3-CWECQ	Samsung	DDR4	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	288-pin		
M393A4K40EB3-CWEGQ	Samsung	DDR4	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	288-pin		
M393A4G40B3-CWEGQ	Samsung	DDR4	32GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	288-pin		
M393A4K40EB3-CWECQ	Samsung	DDR4	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	288-pin		
M393A8G40B4-CWEBY	Samsung	DDR4	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	288-pin		
HMA82GR7DJR8N-XN TG	SKhynix	DDR4	16GB	SKhynix-IDT	2Rx8	1.2v	3200MHz	ECC Registered	288-pin		
A04V48UCV1-BHRS	ADATA	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
A04V48UCTV2-BHSS	ADATA	DDR5	32GB	Samsung-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC10F1084S1RC48BA1 HCCG	Micron	DDR5	16GB	Micron-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F2085S1RC48BA1 HCCG	Micron	DDR5	32GB	Micron-Rambus	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F2085S1RC48BA1 HCCG	Micron	DDR5	32GB	Micron-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F1045S1RC48BA2 HCCG	Micron	DDR5	32GB	Micron-Rambus	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F1045S1RC48BA2 HCCG	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC40F2046S1RC48BA1 CCGC	Micron	DDR5	64GB	Micron-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC40F2046S1RC48BA1 FCGI	Micron	DDR5	64GB	Micron-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R2GA3B6-CQKVS	Samsung	DDR5	16GB	Samsung-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R2GA3B0-CQKVG	Samsung	DDR5	16GB	Samsung-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R4GA0B0-CQKVG	Samsung	DDR5	32GB	Samsung-Montage	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R4GA0B0-CQKMG	Samsung	DDR5	32GB	Samsung-Montage	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B0-CQKEG	Samsung	DDR5	64GB	Samsung-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B0-CQKVS	Samsung	DDR5	64GB	Samsung-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B0-CQKVG	Samsung	DDR5	64GB	Samsung-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B0-CQKDG	Samsung	DDR5	64GB	Samsung-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG78AEBRA15N AA	SKhynix	DDR5	16GB	SKhynix-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG78AEBRA168N AA	SKhynix	DDR5	16GB	SKhynix-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG78AEBRA107N AA	SKhynix	DDR5	16GB	SKhynix-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA15N AA	SKhynix	DDR5	32GB	SKhynix-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA15N AA	SKhynix	DDR5	32GB	SKhynix-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA168N AA	SKhynix	DDR5	32GB	SKhynix-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG94MEBRA109N AA	SKhynix	DDR5	64GB	SKhynix-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG94AEBRA109N AA	SKhynix	DDR5	64GB	SKhynix-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG94AEBRA123N AA	SKhynix	DDR5	64GB	SKhynix-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
Don't write "Test Items" under this line!!!											
SATA/SAS HDD											
Product Name	Vendor	Type	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encription	FW
SATA											
Don't write "Test Items" under this line!!!											
ST2000NX0253	Seagate	SATA	2.5"	512e	2TB	6Gb/s	Exos 7E2000	128MB	7200	N/A	
ST2000NX0243	Seagate	SATA	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000	128MB	7200	N/A	
ST1000NM0016	Seagate	SATA	3.5"	512e	10TB	6Gb/s	Exos X10	256MB	7200	N/A	
ST1400NM0018	Seagate	SATA	3.5"	512e/4Kn	14TB	6Gb/s	Exos X14	256MB	7200	N/A	
ST1600NM001G	Seagate	SATA	3.5"	512e/4Kn	16TB	6Gb/s	Exos X16	256MB	7200	N/A	
ST1800NM000J	Seagate	SATA	3.5"	512e/4Kn	18TB	6Gb/s	Exos X18	256MB	7200	N/A	
ST2000NM007D	Seagate	SATA	3.5"	512e/4Kn	20TB	6Gb/s	Exos X20	256MB	7200	N/A	
MG08ADA900E	Toshiba	SATA	3.5"	512e	8TB	6Gb/s	MG08-D	256MB	7200	N/A	
MG09ACA18TE	Toshiba	SATA	3.5"	512e	18TB	6Gb/s	MG09	512MB	7200	N/A	
HUS722T2TALAE04	WD	SATA	3.5"	512e	2TB	6Gb/s	Ultrastar DC HA210	128MB	7200	N/A	
HUS728T6TALAE04	WD	SATA	3.5"	512e	6TB	6Gb/s	Ultrastar DC HC310	256MB	7200	N/A	
HUK722020B.EQL4	WD	SATA	3.5"	512e	20TB	6Gb/s	Ultrastar DC HC580	512MB	7200	N/A	
Don't write "Test Items" under this line!!!											
SATA/SAS SSD											
Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note				
SATA											
Don't write "Test Items" under this line!!!											
MTFDDAK1T9TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	1.92TB	6Gb/s	5400 PRO Series				
MTFDDAK1T9TGB-1BC1ZABYY	Micron	SSD	2.5"	SATA	1.92TB	6Gb/s	5400 MAX Series				
ESB1K9GTLCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	1.92TB	6Gb/s	ESM1720 Series				
ESB1K9GTLCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	1.92TB	6Gb/s					
ESB240GTLCW-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	240GB	6Gb/s	ESW1710 Series				
ESB480GTLCW-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	480GB	6Gb/s	ESW1710 Series				
ESB480GTLCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	480GB	6Gb/s	ESM1720 Series				
ESB960GTLCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	960GB	6Gb/s	ESM1720 Series				
ESB960GTLCW-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	960GB	6Gb/s	ESW1710 Series				
MZ7L31T9H8NA-00A07	Samsung	SSD	2.5"	SATA	1.92TB	6Gb/s	PM897 Series				
MZ7L33T8HBLT-00A07 PM893 Series	Samsung	SSD	2.5"	SATA	3.84TB	6Gb/s					
MZ7L3480HCHQ-00A07	Samsung	SSD	2.5"	SATA	480GB	6Gb/s	PM893 Series				
SSDSC2K8019TZ	Solidigm	SSD	2.5"	SATA	1.92TB	6Gb/s	D3-S4520 Series				
SSDSC2K6019TZ	Solidigm	SSD	2.5"	SATA	1.92TB	6Gb/s	D3-S4620 Series				
SSDSC2K6038TZ	Solidigm	SSD	2.5"	SATA	3.84TB	6Gb/s	D3-S4620 Series				
SSDSC2K8240GZ	Solidigm	SSD	2.5"	SATA	240GB	6Gb/s	D3-S4520 Series				
SSDSC2K8490GZ	Solidigm	SSD	2.5"	SATA	480GB	6Gb/s	D3-S4520 Series				

SSDSC2K6480GZ01	Solidigm	SSD	2.5"	SATA	480GB	6Gb/s	D3-S4620 Series
SSDSC2K6960GZ01	Solidigm	SSD	2.5"	SATA	960GB	6Gb/s	D3-S4620 Series
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	Micron	SSD	2.5"	SATA	1.92TB	6Gb/s	
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	Micron	SSD	2.5"	SATA	3.84TB	6Gb/s	
MZ7L3480HCJQ-00A07 PM893 Series	Samsung	SSD	2.5"	SATA	480GB	SATAIII 6Gb/s	

Don't write "Test Items" under this line!!!

M.2

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
--------------	--------	------	-------------	-----------	----------	-----------------	------

Don't write "Test Items" under this line!!!

MZ-1LB1T9N 983 DCT Series	Samsung	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen3 x4	
MZ-1LB1T9N	Samsung	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen3 x4	983 DCT Series
MTFDKBG1T9TDZ	Micron	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	7400 Pro Series
MTFDKBG1T9TDZ 1.92TB 7400 Pro Series	Micron	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	
MTFDKBG3T8TDZ 3.84TB 7400 Pro Series	Micron	M.2	22110	PCIe(NVMe)	3.84TB	PCIe Gen4 x4	
MTFDKBG3T8TFR 3.84TB 7450 Pro Series	Micron	M.2	22110	PCIe(NVMe)	3.84TB	PCIe Gen4 x4	
MTFDKBG3T8TDZ	Micron	M.2	22110	PCIe(NVMe)	3.84TB	PCIe Gen4 x4	7400 Pro Series
MTFDKBG3T8TFR	Micron	M.2	22110	PCIe(NVMe)	3.84TB	PCIe Gen4 x4	7450 Pro Series
MTFDKBA800TFS	Micron	M.2	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4	7450 Max Series
MTFDKBA800TFC 800GB 7400 Max Series	Micron	M.2	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4	
MZ1L21T9HCLS	Samsung	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	PM9A3 Series
MZ1L21T9HCLS PM9A3 Series	Samsung	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	
MZ1L2960HCJR PM9A3 Series	Samsung	M.2	22110	PCIe(NVMe)	960GB	PCIe Gen4 x4	
MZ1L2960HCJR	Samsung	M.2	22110	PCIe(NVMe)	960GB	PCIe Gen4 x4	PM9A3 Series
CA6-8D1024	SSSTC	M.2	2280	PCIe(NVMe)	1TB	PCIe Gen4 x4	CA6 Series

Don't write "Test Items" under this line!!!

NVMe

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
--------------	--------	------	-------------	-----------	----------	-----------------	------

Don't write "Test Items" under this line!!!

MTFDHAL3T2DTR 9300 Max Series	Micron	U.2	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4	
MZWLJ3T8HCLS PM1733 Series	Samsung	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	
MZQL23T8HCLS PM9A3 Series	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	
SSDPF2KX038TZ D7-P5510 Series	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	
SSDPF2NV153TZ D5-P5316 Series	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	15.35TB	PCIe Gen4 x4	

Don't write "Test Items" under this line!!!

Msata

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
--------------	--------	------	-------------	-----------	----------	-----------------	------

Don't write "Test Items" under this line!!!

PCIe SSD

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
--------------	--------	------	-------------	-----------	----------	-----------------	------

Don't write "Test Items" under this line!!!

PCIe

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
--------------	--------	------	-------------	-----------	----------	-----------------	------

Don't write "Test Items" under this line!!!

RAID Card

Product Name	Vendor	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	Extrenal Ports	External Connectors	Data Transfer Rate	Note
--------------	--------	-------------------------	---------------	----------------	---------------------	----------------	---------------------	--------------------	------

Don't write "Test Items" under this line!!!

Broadcom

HBA 9500-16i Tri-Mode Storage Adapter (NVMe)	Broadcom	SAS3816	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
HBA 9500-16i Tri-Mode Storage Adapter (SAS/SATA mode)	Broadcom	SAS3816	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
HBA 9500-8e Tri-Mode Storage Adapter	Broadcom	SAS3908	PCIe Gen4 x8	-	-	8	2 SFF-8644	Up to 12Gb/s per port	
MegaRAID 9560-16i Tri-Mode (NVMe)	Broadcom	SAS3916 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 24Gb/s per port	
MegaRAID 9560-8i Tri-Mode (NVMe)	Broadcom	SAS3908 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	8	1 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	

Don't write "Test Items" under this line!!!

LSI

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
--------------	--------	------	-------------	-----------	----------	-----------------	------

Don't write "Test Items" under this line!!!

LAN Card

Product Name	Vendor	Connector	System InterfaceType	# of Ports	Data Rate	Note
--------------	--------	-----------	----------------------	------------	-----------	------

Don't write "Test Items" under this line!!!

Broadcom

BCM957416A4160C	Broadcom	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	BCM5741 (P210TP)
-----------------	----------	-------	--------------	------	-----------------	------------------

Don't write "Test Items" under this line!!!

GIGABYTE

Product Name	Vendor	Connector	System InterfaceType	# of Ports	Data Rate	Note
--------------	--------	-----------	----------------------	------------	-----------	------

Don't write "Test Items" under this line!!!

Intel

Product Name	Vendor	Connector	System InterfaceType	# of Ports	Data Rate	Note
--------------	--------	-----------	----------------------	------------	-----------	------

Don't write "Test Items" under this line!!!

NVIDIA

Product Name	Vendor	Connector	System InterfaceType	# of Ports	Data Rate	Note
--------------	--------	-----------	----------------------	------------	-----------	------

Don't write "Test Items" under this line!!!

PSU

Product Name	Vendor	Input Voltage	Wattage	Application	Efficiency	Note
--------------	--------	---------------	---------	-------------	------------	------

Don't write "Test Items" under this line!!!

USB

Product Name	Vendor	Type	Spec	Capacity	Note
--------------	--------	------	------	----------	------

Don't write "Test Items" under this line!!!

USB 3.1 Type A

Product Name	Vendor	Type	Spec	Capacity	Note
--------------	--------	------	------	----------	------

Don't write "Test Items" under this line!!!

USB 3.1 Type A

Product Name	Vendor	Type	Spec	Capacity	Note
--------------	--------	------	------	----------	------

Don't write "Test Items" under this line!!!

USB 3.1 Type A

Product Name	Vendor	Type	Spec	Capacity	Note
--------------	--------	------	------	----------	------

Don't write "Test Items" under this line!!!

USB 3.1 Type A

Product Name	Vendor	Type	Spec	Capacity	Note
--------------	--------	------	------	----------	------

Don't write "Test Items" under this line!!!

USB 3.1 Type A

Product Name	Vendor	Type	Spec	Capacity	Note
--------------	--------	------	------	----------	------

Don't write "Test Items" under this line!!!

USB 3.1 Type A

Product Name	Vendor	Type	Spec	Capacity	Note
--------------	--------	------	------	----------	------

Don't write "Test Items" under this line!!!

USB 3.1 Type A

Product Name	Vendor	Type	Spec	Capacity	Note
--------------	--------	------	------	----------	------

Don't write "Test Items" under this line!!!

USB 3.1 Type A

Product Name	Vendor	Type	Spec	Capacity	Note
--------------	--------	------	------	----------	------

SST-TS13	Silver Stone	Device	USB 3.1 Type A		
I310-SB3(6G)	STARDOM	Device	USB 3.1 Type A		
Don't write "Test Items" under this line!!!					