

"G492-ID0" Qualification Vender List

Please contact FAE support for below orange blocks

| Intel CPU | | | | | | | | | | |
|---------------------------------------|-----------|--------|----------|-------|------------|------------|--------------------------|---------------------|-------|--------------|
| Product Name | Code Name | Q-Spec | Stepping | Cache | System Bus | # of Cores | Processor Base Frequency | Max Turbo Frequency | TDP | Memory Types |
| Intel® Xeon® Processor Platinum 8380 | IceLake | QXC0 | D1 | 60MB | 11.2GT/s | 40 | 2.30 GHz | 3.40 GHz | 270 W | DDR4-3200 |
| Intel® Xeon® Processor Platinum 8368 | IceLake | QWLL | D1 | 57MB | 11.2GT/s | 38 | 2.40 GHz | 3.40 GHz | 270 W | DDR4-3200 |
| Intel® Xeon® Processor Platinum 8360Y | IceLake | QXBZ | D1 | 54MB | 11.2GT/s | 36 | 2.40 GHz | 3.50 GHz | 250 W | DDR4-3200 |
| Intel® Xeon® Processor Platinum 8358P | IceLake | QXCM | D1 | 48MB | 11.2GT/s | 32 | 2.60 GHz | 3.40 GHz | 240 W | DDR4-3200 |
| Intel® Xeon® Processor Platinum 8352Y | IceLake | QWM3 | D1 | 48MB | 11.2GT/s | 32 | 2.20 GHz | 3.40 GHz | 205 W | DDR4-3200 |
| Intel® Xeon® Processor Platinum 8352M | IceLake | QXZ0 | D2 | 48MB | 11.2GT/s | 32 | 2.30 GHz | 3.50 GHz | 185W | DDR4-3200 |
| Intel® Xeon® Processor Gold 6354 | IceLake | SRKH7 | D2 | 39MB | 11.2GT/s | 18 | 3.00 GHz | 3.60 GHz | 205 W | DDR4-3200 |
| Intel® Xeon® Processor Gold 6346 | IceLake | QWMD | D1 | 36MB | 11.2GT/s | 16 | 3.10 GHz | 3.60 GHz | 205 W | DDR4-3200 |
| Intel® Xeon® Processor Gold 6342 | IceLake | QXRU | M1 | 36MB | 11.2GT/s | 24 | 2.80 GHz | 3.50 GHz | 230 W | DDR4-3200 |
| Intel® Xeon® Processor Gold 6338T | IceLake | QXS3 | M1 | 36MB | 11.2GT/s | 24 | 2.10 GHz | 3.40 GHz | 165 W | DDR4-3200 |
| Intel® Xeon® Processor Gold 6338N | IceLake | QWM6 | D1 | 48MB | 11.2GT/s | 32 | 2.20 GHz | 3.50 GHz | 185 W | DDR4-2667 |
| Intel® Xeon® Processor Gold 6338 | IceLake | SRKJ9 | D2 | 48MB | 11.2GT/s | 32 | 2.00 GHz | 3.20 GHz | 205 W | DDR4-3200 |
| Intel® Xeon® Processor Gold 6336Y | IceLake | QXRV | M1 | 36MB | 11.2GT/s | 24 | 2.40 GHz | 3.60 GHz | 185 W | DDR4-3200 |
| Intel® Xeon® Processor Gold 6334 | IceLake | QXRQ | M1 | 18MB | 11.2GT/s | 8 | 3.60 GHz | 3.70 GHz | 165 W | DDR4-3200 |
| Intel® Xeon® Processor Gold 6330N | IceLake | QWLP | D1 | 42MB | 11.2GT/s | 28 | 2.20 GHz | 3.40 GHz | 165 W | DDR4-2667 |
| Intel® Xeon® Processor Gold 6330 | IceLake | QWMC | D1 | 42MB | 11.2GT/s | 28 | 2.00 GHz | 3.10 GHz | 205 W | DDR4-2933 |
| Intel® Xeon® Processor Gold 6326 | IceLake | QXS7 | M1 | 24MB | 11.2GT/s | 16 | 2.90 GHz | 3.50 GHz | 185 W | DDR4-3200 |
| Intel® Xeon® Processor Gold 5320T | IceLake | QXS6 | M1 | 30MB | 11.2GT/s | 20 | 2.30 GHz | 3.50 GHz | 150 W | DDR4-2993 |
| Intel® Xeon® Processor Gold 5320 | IceLake | QXRT | M1 | 39MB | 11.2GT/s | 26 | 2.20 GHz | 3.40 GHz | 185 W | DDR4-2933 |
| Intel® Xeon® Processor Gold 5318Y | IceLake | QXS2 | M1 | 36MB | 11.2GT/s | 24 | 2.10 GHz | 3.40 GHz | 165 W | DDR4-2933 |
| Intel® Xeon® Processor Gold 5318S | IceLake | QXRX | M1 | 36MB | 11.2GT/s | 24 | 2.10 GHz | 3.40 GHz | 165 W | DDR4-2933 |
| Intel® Xeon® Processor Gold 5318N | IceLake | QXS4 | M1 | 36MB | 11.2GT/s | 24 | 2.10 GHz | 3.40 GHz | 150 W | DDR4-2667 |
| Intel® Xeon® Processor Gold 5317 | IceLake | QXRM | M1 | 18MB | 11.2GT/s | 12 | 3.00 GHz | 3.60 GHz | 150 W | DDR4-2933 |
| Intel® Xeon® Processor Gold 5315Y | IceLake | QXRR | M1 | 12MB | 11.2GT/s | 8 | 3.20 GHz | 3.60 GHz | 140 W | DDR4-2933 |
| Intel® Xeon® Processor Silver 4316 | IceLake | QXS5 | M1 | 30MB | 10.4GT/s | 20 | 2.30 GHz | 3.40 GHz | 150 W | DDR4-2667 |
| Intel® Xeon® Processor Silver 4314 | IceLake | QXS8 | M1 | 24MB | 11.2GT/s | 16 | 2.40 GHz | 3.40 GHz | 135 W | DDR4-2667 |
| Intel® Xeon® Processor Silver 4310T | IceLake | QXRP | M1 | 15MB | 11.2GT/s | 10 | 2.30 GHz | 3.40 GHz | 105 W | DDR4-2667 |
| Intel® Xeon® Processor Silver 4310 | IceLake | QXRN | M1 | 18MB | 10.4GT/s | 12 | 2.10 GHz | 3.30 GHz | 120 W | DDR4-2667 |
| Intel® Xeon® Processor Silver 4309Y | IceLake | QXRS | M1 | 12MB | 11.2GT/s | 8 | 2.80 GHz | 3.60 GHz | 105 W | DDR4-2667 |

Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)

| Product Name | Memory Type | Module Supplier | Size | Chip Brand | Rank | Voltage | Data Transfer Rate | Error Correction | CAS Latency | Pins |
|-----------------------|-------------|-----------------|------|---------------|------|---------|--------------------|------------------|-------------|---------|
| RDIMM | | | | | | | | | | |
| M393A2K43DB2-CVFBQ | DDR4 | Samsung | 16GB | Samsung-IDT | 2Rx8 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| M393A4K40DB2-CVFBQ | DDR4 | Samsung | 32GB | Samsung-IDT | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| M393A8G40AB2-CVFBY | DDR4 | Samsung | 64GB | Samsung-IDT | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| MTA9ASF2G72PZ-2G9E1UI | DDR4 | Micron | 16GB | Micron-Rambus | 1Rx8 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |

| | | | | | | | | | | |
|-------------------------|------|---------|------|-----------------|------|------|---------|----------------|----|---------|
| CT32G4RFD4293.2G9E2.001 | DDR4 | CRUCIAL | 32GB | Micron | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| CT32G4RFD4293.36FE2 | DDR4 | CRUCIAL | 32GB | Micron | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| MTA36ASF4G72PZ-2G9E2TG | DDR4 | Micron | 32GB | Micron-Montage | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| MTA36ASF4G72PZ-2G9E2VG | DDR4 | Micron | 32GB | Micron-IDT | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| MTA36ASF4G72PZ-2G9E2UG | DDR4 | Micron | 32GB | Micron-Rambus | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| MTA36ASF4G72PZ-2G9E2TI | DDR4 | Micron | 32GB | Micron-Rambus | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| MTA18ASF4G72PDZ-2G9E1TI | DDR4 | Micron | 32GB | Micron-Montage | 2Rx8 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| MTA36ASF8G72PZ-2G9E1TI | DDR4 | Micron | 64GB | Micron-Montage | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| MTA36ASF8G72PZ-2G9E1VI | DDR4 | Micron | 64GB | Micron-IDT | 2Rx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| NT16GA72D8PBX3P-IX | DDR4 | Nanya | 16GB | Nanya-IDT | 2Rx8 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| HMA82GR7DJR8N-XN T8 | DDR4 | SKhynix | 16GB | SKhynix-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| HMA82GR7DJR8N-XN TG | DDR4 | SKhynix | 16GB | SKhynix -IDT | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| HMA84GR7DJR4N-XN T4 | DDR4 | SKhynix | 32GB | SKhynix-Montage | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| HMA84GR7DJR4N-XN TG | DDR4 | SKhynix | 32GB | SKhynix-Montage | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| HMAA8GR7AJR4N-XN TG | DDR4 | SKhynix | 64GB | SKhynix-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| HMAA8GR7AJR4N-XN T8 | DDR4 | SKhynix | 64GB | SKhynix-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| HMAA8GR7CJR4N-XN T4 | DDR4 | SKhynix | 64GB | SKhynix-Montage | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| HMAA8GR7CJR4N-XN TG | DDR4 | SKhynix | 64GB | SKhynix-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| HMAA8GR7CJR4N-XN T8 | DDR4 | SKhynix | 64GB | SKhynix-Rambus | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |

| | | | | | | | | | | |
|-------------------------|------|---------|------|----------------|------|------|---------|----------------|----|---------|
| CT16G4RFD832A.3G2E1.001 | DDR4 | Crucial | 16GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF2G72PDZ-3G2E1UK | DDR4 | Micron | 16GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA9ASF1G72PZ-3G2R1VI | DDR4 | Micron | 8GB | Micron-IDT | 1Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA9ASF1G72PZ-3G2R1TI | DDR4 | Micron | 8GB | Micron-Montage | 1Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA9ASF2G72PZ-3G2F1UI | DDR4 | Micron | 16GB | Micron-Rambus | 1Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA9ASF2G72PZ-3G2E1TI | DDR4 | Micron | 16GB | Micron-Montage | 1Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF2G72PZ-3G2E2TI | DDR4 | Micron | 16GB | Micron-Montage | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF2G72PDZ-3G2R1UI | DDR4 | Micron | 16GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF2G72PDZ-3G2R1VI | DDR4 | Micron | 16GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF2G72PDZ-3G2R1TI | DDR4 | Micron | 16GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF2G72PDZ-3G2R1UI | DDR4 | Micron | 16GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF2G72PDZ-3G2R1VI | DDR4 | Micron | 16GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF4G72PDZ-3G2B2TI | DDR4 | Micron | 32GB | Micron-Montage | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA36ASF4G72PZ-3G2J3UI | DDR4 | Micron | 32GB | Micron-Rambus | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF4G72PDZ-3G2E1UI | DDR4 | Micron | 32GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF4G72PDZ-3G2E1TI | DDR4 | Micron | 32GB | Micron-Montage | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF4G72PDZ-3G2E1VI | DDR4 | Micron | 32GB | Micron | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF4G72PDZ-3G2F1VI | DDR4 | Micron | 32GB | Micron-IDT | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF4G72PDZ-3G2F1UI | DDR4 | Micron | 32GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF4G72PZ-3G2F1TI | DDR4 | Micron | 32GB | Micron-Montage | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF4G72PZ-3G2F1UI | DDR4 | Micron | 32GB | Micron-Rambus | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA36ASF4G72PZ-3G2R1UI | DDR4 | Micron | 32GB | Micron-Rambus | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA36ASF8G72PZ-3G2F1VI | DDR4 | Micron | 64GB | Micron-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA36ASF8G72PZ-3G2E1VI | DDR4 | Micron | 64GB | Micron-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |

| | | | | | | | | | | |
|------------------------|------|-----------------|-------|-----------------|--------|------|---------|----------------|----|---------|
| M393A2K43DB3-CWEBQ | DDR4 | Samsung | 16GB | Samsung-IDT | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF2G72PZ-3G2R1UI | DDR4 | Micron | 16GB | Micron-Rambus | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| MTA18ASF2G72PZ-3G2R1TI | DDR4 | Micron | 16GB | Micron-Rambus | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| STB724G8GGB32P2-SA | DDR4 | SGH-Zefr Memory | 32GB | Samsung-Montage | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4G40AB3-CWEBQ | DDR4 | Samsung | 32GB | Samsung-IDT | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4G43AB3-CWECO | DDR4 | Samsung | 32GB | Samsung-Montage | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A2K40DB3-CWEGQ | DDR4 | Samsung | 16GB | Samsung-Rambus | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A2K40DB3-CWEBQ | DDR4 | Samsung | 16GB | Samsung-IDT | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A2K40DB3-CWECQ | DDR4 | Samsung | 16GB | Samsung- | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4K40DB3-CWECQ | DDR4 | Samsung | 32GB | Samsung-Montage | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4K40DB3-CWEBQ | DDR4 | Samsung | 32GB | Samsung-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4K40DB3-CWEBY | DDR4 | Samsung | 32GB | Samsung-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4K40DB3-CWEGQ | DDR4 | Samsung | 32GB | Samsung-Rambus | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4G40BB3-CWEGQ | DDR4 | Samsung | 32GB | Samsung-Rambus | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4K40EB3-CWEGQ | DDR4 | Samsung | 32GB | Samsung-Rambus | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4K40EB3-CWECQ | DDR4 | Samsung | 32GB | Samsung-Montage | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A4K40EB3-CWEBY | DDR4 | Samsung | 32GB | Samsung-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A8G40AB2-CWEBQ | DDR4 | Samsung | 64GB | Samsung-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A8G40AB2-CWEBY | DDR4 | Samsung | 64GB | Samsung-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A8G40BB4-CWEBY | DDR4 | Samsung | 64GB | Samsung-IDT | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393AAG40M32-CAEBQ | DDR4 | Samsung | 128GB | Samsung | 2S2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393AAG40M32-CAEBY | DDR4 | Samsung | 128GB | Samsung | 2S2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M393A2K43EB3-CWEBQ | DDR4 | Samsung | 16GB | Samsung-IDT | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| KSM32RS8/16MER | DDR4 | Kingston | 16GB | Micron-Rambus | 1Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| KSM32RD8/16MRR | DDR4 | Kingston | 16GB | Micron-Rambus | 2Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| KSM32RD4/32MRR | DDR4 | Kingston | 32GB | Micron-Rambus | 2Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |

| | | | | | | | | | | |
|---|-------|----------|-------------|-----------------|----------|-----------------|---------------------------------------|----------------|------|------------|
| KSM32RS4/32MER | DDR4 | Kingston | 32GB | Micron-Rambus | 1Rx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| AD4R3200716G22-BHYA | DDR4 | ADATA | 16GB | SKhynix-Montage | 1Rx8 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| LRDIMM | | | | | | | | | | |
| M386AAG40MMB-CVFC0 | DDR4 | Samsung | 128GB | Samsung | 4DRx4 | 1.2v | 2933MHz | ECC Registered | 21 | 288-pin |
| M386A8K40DM2-CWELQ | DDR4 | Samsung | 64GB | Samsung-IDT | 4DRx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| M386A8K40DM2-CWEZY | DDR4 | Samsung | 64GB | Samsung-IDT | 4DRx4 | 1.2v | 3200MHz | ECC Registered | 22 | 288-pin |
| Intel Optane™ Persistent Memory 200 Series (Barlow PASS) Due to thermal limitaiton, please mark as orange color if test pass | | | | | | | | | | |
| NMB1XBD128GQS QVSN | DDR-T | Intel | 128GB | | | | 3200MHz | | | 288-pin |
| NMB1XBD256GQS QVSP | DDR-T | Intel | 256GB | | | | 3200MHz | | | 288-pin |
| NMB1XBD512GQS QVSQ | DDR-T | Intel | 512GB | | | | 3200MHz | | | 288-pin |
| HDD (if the system build-in with RAID card ,please refer to RAID card QVL list) | | | | | | | | | | |
| Product Name | Type | Vendor | Form Factor | Format | Capacity | Interface Speed | Series | Cache | RPM | Encryption |
| Seagate Enterprise Capacity 2.5 HDD | | | | | | | | | | |
| ST1000NX0313 | SATA | Seagate | 2.5" | 512e | 1TB | 6Gb/s | Exos 7E2000 (Enterprise Capacity V.3) | 128MB | 7200 | N/A |
| ST2000NX0243 | SATA | Seagate | 2.5" | 4Kn | 2TB | 6Gb/s | Exos 7E2000 (Enterprise Capacity V.3) | 128MB | 7200 | N/A |
| ST2000NX0253 | SATA | Seagate | 2.5" | 512E | 2TB | 6Gb/s | Exos 7E2000 (Enterprise Capacity V.3) | 128MB | 7200 | N/A |
| SATA/SAS SSD | | | | | | | | | | |
| Product Name | Type | Vendor | Form Factor | Interface | Capacity | Interface Speed | FW | | | Note |
| SATA SSD | | | | | | | | | | |
| SSDSC2KB240GZ | SSD | Solidigm | 2.5" | SATA | 240GB | 6Gb/s | D3-S4520 Series | | | |
| SSDSC2KB480GZ | SSD | Solidigm | 2.5" | SATA | 480GB | 6Gb/s | D3-S4520 Series | | | |
| SSDSC2KG019TZ | SSD | Solidigm | 2.5" | SATA | 1.92TB | 6Gb/s | D3-S4620 Series | | | |
| SSDSC2KG038TZ | SSD | Solidigm | 2.5" | SATA | 3.84TB | 6Gb/s | D3-S4620 Series | | | |
| MTFDDAK1T9TGB-1BC1ZABYY | SSD | Micron | 2.5" | SATA | 1.92TB | 6Gb/s | 5400 MAX | | | |
| MTFDDAK1T9TGA-1BC1ZABYY | SSD | Micron | 2.5" | SATA | 1.92TB | 6Gb/s | 5400 PRO | | | |
| MTFDDAK1T9TDD-1AT1ZABYY (5200 PRO) | SSD | Micron | 2.5" | SATA | 1.92TB | 6Gb/s | | | | |
| MTFDDAK1T9TDN-1AT1ZABYY (5200 MAX) | SSD | Micron | 2.5" | SATA | 1.92TB | 6Gb/s | | | | |
| MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO) | SSD | Micron | 2.5" | SATA | 3.84TB | 6Gb/s | | | | |
| MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO) | SSD | Micron | 2.5" | SATA | 1.92TB | 6Gb/s | | | | |
| MZ-7LH1T9NE 883 DCT Series | SSD | Samsung | 2.5" | SATA | 1.92TB | 6Gb/s | | | | |
| SSDSC2KG019T8 D3-S4610 Series | SSD | Intel | 2.5" | SATA | 1.92TB | 6Gb/s | | | | |
| SSDSC2KB019T8 D3-S4510 Series | SSD | Intel | 2.5" | SATA | 1.92TB | 6Gb/s | | | | |

| | | | | | | | | | |
|---|------|----------|-------------|---------------|----------|-----------------|-------------------------|--|--|
| SSDSC2KB019TZ D3-S4520 Series | SSD | Intel | 2.5" | SATA | 1.92TB | 6Gb/s | | | |
| XA960LE10063 | SSD | Seagate | 2.5" | SATA | 960GB | 6Gb/s | | | |
| XA480LE10063 | SSD | Seagate | 2.5" | SATA | 480GB | 6Gb/s | | | |
| SSB240GTLGC-D2-SME520GBT ESM1220 Series | SSD | Phison | 2.5" | SATA | 240GB | 6Gb/s | | | |
| SSB480GTLGC-D2-SME520GBT ESM1220 Series | SSD | Phison | 2.5" | SATA | 480GB | 6Gb/s | | | |
| SSB960GTLGC-D2-SME520GBT ESM1220 Series | SSD | Phison | 2.5" | SATA | 960GB | 6Gb/s | | | |
| SSB1K9GTLGC-D2-SME520GBT ESM1220 Series | SSD | Phison | 2.5" | SATA | 1.92TB | 6Gb/s | | | |
| SSB480GTLWC-D2-SME1720GBT ESM1720 Series | SSD | Phison | 2.5" | SATA | 480GB | 6Gb/s | | | |
| SSB960GTLWC-D2-SME1720GBT ESM1720 Series | SSD | Phison | 2.5" | SATA | 960GB | 6Gb/s | | | |
| SSB1K9GTLWC-D2-SME1720GBT ESM1720 Series | SSD | Phison | 2.5" | SATA | 1.92TB | 6Gb/s | | | |
| SSB240GTLWC-D2-ESW1710GBT ESW1710 Series | SSD | Phison | 2.5" | SATA | 240GB | 6Gb/s | | | |
| SSB480GTLWC-D2-ESW1710GBT ESW1710 Series | SSD | Phison | 2.5" | SATA | 480GB | 6Gb/s | | | |
| SSB960GTLWC-D2-ESW1710GBT ESW1710 Series | SSD | Phison | 2.5" | SATA | 960GB | 6Gb/s | | | |
| MZ7L31T9HBNA-00A07 PM897 Series | SSD | Samsung | 2.5" | SATA | 1.92TB | 6Gb/s | | | |
| MZ7L3480HCHQ-00A07 PM893 Series | SSD | Samsung | 2.5" | SATA | 480GB | 6Gb/s | | | |
| MZ7L33T8HBLT-00A07 PM893 Series | SSD | Samsung | 2.5" | SATA | 3.84TB | 6Gb/s | | | |
| PCIe SSD | | | | | | | | | |
| Product Name | Type | Vendor | Form Factor | Interface | Capacity | Interface Speed | Note | | |
| PCIe SSD | | | | | | | | | |
| SSDPEDKX040T701 P4500 Series PCIe Gen3 x4 4TB | PCIe | Intel | PCI-E 3.0 | PCIe(NVMe) | 4TB | PCIe Gen3 x4 | | | |
| Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB | PCIe | Samsung | PCI-E 3.0 | PCIe(NVMe) | 3.2TB | PCIe Gen3 x8 | | | |
| U.2 | | | | | | | | | |
| Product Name | Type | Vendor | Form Factor | Interface | Capacity | Interface Speed | Note | | |
| U.2 | | | | | | | | | |
| SSDPF2KE064T1 | U.2 | Solidigm | 2.5" 15mm | SFF8639(NVMe) | 6.4TB | PCIe Gen4 x4 | D7-P5620 Series | | |
| SSDPF2KX153T1 D7-P5520 Series | U.2 | Intel | 2.5" 15mm | SFF8639(NVMe) | 15.36TB | PCIe Gen4 x4 | | | |
| DPRD3104T0T503T8 R5100 Series | U.2 | DapuStor | 2.5" | SFF8639(NVMe) | 3.84TB | PCIe Gen4 x4 | | | |
| SSDPF2KX038TZ D7-P5510 Series | U.2 | Intel | 2.5" | SFF8639(NVMe) | 3.84TB | PCIe Gen4 x4 | | | |
| SSDPF2NV307TZ D5-P5316 Series | U.2 | Intel | 2.5" | SFF8639(NVMe) | 30.72TB | PCIe Gen4 x4 | | | |
| SSDPF2NV153TZ D5-P5316 Series | U.2 | Intel | 2.5" | SFF8639(NVMe) | 15.35TB | PCIe Gen4 x4 | | | |
| SSDPE2KE032T801 P4610 Series | U.2 | Intel | 2.5" | SFF8639(NVMe) | 3.2TB | PCIe Gen3 x4 | | | |
| SSDPE2KX020T801 P4510 Series | U.2 | Intel | 2.5" | SFF8639(NVMe) | 2TB | PCIe Gen3 x4 | | | |
| MZWLL3T2HAJQ PM1725b Series | U.2 | Samsung | 2.5" | SFF8639(NVMe) | 3.2TB | PCIe Gen3 x4 | | | |
| MZQLW1T9HMJP PM963 Series | U.2 | Samsung | 2.5" | SFF8639(NVMe) | 1.92TB | PCIe Gen3 x4 | | | |
| MZQL23T8HCLS PM9A3 Series | U.2 | Samsung | 2.5" | SFF8639(NVMe) | 3.84TB | PCIe Gen4 x4 | | | |
| MTFDHAL3T2TDR 9300 Max Series | U.2 | Micron | 2.5" | SFF8639(NVMe) | 3.2TB | PCIe Gen3 x4 | | | |
| MTFDHBE3T8TDF 7300 Pro Series | U.2 | Micron | 2.5" | SFF8639(NVMe) | 3.84TB | PCIe Gen3 x4 | MTFDHBE3T8TDF-1AW4ZABYY | | |
| U.3 | | | | | | | | | |
| MTFDKCB7T6TFR 7450 Pro Series | U.3 | Micron | 2.5" 7mm | SFF8639(NVMe) | 7.68TB | PCIe Gen4 x4 | | | |
| MTFDKCC6T4TFS 7450 Max Series | U.3 | Micron | 2.5" 15mm | SFF8639(NVMe) | 6.4TB | PCIe Gen4 x4 | | | |
| EU36K4GTLcV-X1-EPW5970GBT EPW5970 Series | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 6.4TB | PCIe Gen4 x4 | | | |
| EU33K2GTLcV-X1-EPW5970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 3.2TB | PCIe Gen4 x4 | EPW5970 Series | | |
| EU31K6GTLcV-X1-EPW5970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 1.6TB | PCIe Gen4 x4 | EPW5970 Series | | |
| EU37K6GTLcV-X1-EPM5970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 7.68TB | PCIe Gen4 x4 | EPM5970 Series | | |
| EU33K8GTLcV-X1-EPM5970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 3.84TB | PCIe Gen4 x4 | EPM5970 Series | | |
| EU31K9GTLcV-X1-EPM5970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 1.92TB | PCIe Gen4 x4 | EPM5970 Series | | |

| | | | | | | | | | |
|-------------------------------|-----|--------|-----------|---------------|--------|--------------|----------------|--|--|
| EU36K4GTLcV-P1EPW0970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 6.4TB | PCIe Gen4 x4 | EPW0970 Series | | |
| EU33K2GTLcV-P1EPW0970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 3.2TB | PCIe Gen4 x4 | EPW0970 Series | | |
| EU31K6GTLcV-P1EPW0970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 1.6TB | PCIe Gen4 x4 | EPW0970 Series | | |
| EU37K6GTLcV-P1EPM0970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 7.68TB | PCIe Gen4 x4 | EPM0970 Series | | |
| EU33K8GTLcV-P1EPM0970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 3.84TB | PCIe Gen4 x4 | EPM0970 Series | | |
| EU31K9GTLcV-P1EPM0970GBT | U.3 | PHISON | 2.5" 15mm | SFF8639(NVMe) | 1.92TB | PCIe Gen4 x4 | EPM0970 Series | | |
| MTFDKCB7T6TDZ 7400 Pro Series | U.3 | Micron | 2.5" | SFF8639(NVMe) | 7.68TB | PCIe Gen4 x4 | | | |
| MTFDKCC6T4TFC 7400 Max Series | U.3 | Micron | 2.5" | SFF8639(NVMe) | 6.4TB | PCIe Gen4 x4 | | | |
| KCM61RUL3T84 CM6-R Series | U.3 | KIOXIA | 2.5" | SFF8639(NVMe) | 3.84TB | PCIe Gen4 x4 | | | |
| KCD61LUL3T84 CD6-R Series | U.3 | KIOXIA | 2.5" | SFF8639(NVMe) | 3.84TB | PCIe Gen4 x4 | | | |

M.2

| Product Name | Type | Vendor | Form Factor | Interface | Capacity | Interface Speed | Note | | |
|--------------|------|--------|-------------|-----------|----------|-----------------|------|--|--|
|--------------|------|--------|-------------|-----------|----------|-----------------|------|--|--|

M.2

| | | | | | | | | | |
|--|-----|--------|------|------------|--------|--------------|--|--|--|
| IM2P41B8-240GC | M.2 | ADATA | 2280 | PCIe(NVMe) | 240GB | PCIe Gen4 x4 | | | |
| CA6-8D2048 CA6 Series | M.2 | SSSTC | 2280 | PCIe(NVMe) | 2TB | PCIe Gen4 x4 | | | |
| ESO480GTLcW-EC-EPR3750GBT EPR3750 Series | M.2 | PHISON | 2280 | PCIe(NVMe) | 400GB | PCIe Gen4 x4 | | | |
| IM2P41B8-480GC | M.2 | ADATA | 2280 | PCIe(NVMe) | 480GB | PCIe Gen4 x4 | | | |
| MTFDKBA800TFC 800GB 7400 Max Series | M.2 | Micron | 2280 | PCIe(NVMe) | 800GB | PCIe Gen4 x4 | | | |
| MTFDKBA800TFS 800GB 7450 Max Series | M.2 | Micron | 2280 | PCIe(NVMe) | 800 GB | PCIe Gen4 x4 | | | |
| MTFDHBA960TDF 960GB 7300 Pro Series | M.2 | Micron | 2280 | PCIe(NVMe) | 960GB | PCIe Gen3 x4 | | | |
| CA6-8D1024 CA6 Series | M.2 | SSSTC | 2280 | PCIe(NVMe) | 1TB | PCIe Gen4 x4 | | | |

M.2 Expansion PCIe Card

| Product Name | Type | Vendor | Form Factor | Interface | Max. Channels | Interface Speed | Note | | |
|--------------|------|--------|-------------|-----------|---------------|-----------------|------|--|--|
|--------------|------|--------|-------------|-----------|---------------|-----------------|------|--|--|

| | | | | | | | | | |
|---------|------|----------|-------|------------|---|---------------|---|--|--|
| CMT4034 | PCIe | Gigabyte | 22110 | PCIe(NVMe) | 4 | PCIe Gen3 x16 | - | | |
|---------|------|----------|-------|------------|---|---------------|---|--|--|

GPGPU Card (GPGPU server only)

| Product Name | Processor Cores | Memory Bandwidth (GB/sec) | VRAM | OpenGL | Microsoft DirectX | Graphics Card Power (W) | NVIDIA SLI / AMD CrossFire Ready | Note | |
|--------------|-----------------|---------------------------|------|--------|-------------------|-------------------------|----------------------------------|------|--|
|--------------|-----------------|---------------------------|------|--------|-------------------|-------------------------|----------------------------------|------|--|

NVIDIA Tesla (<http://www.nvidia.com/object/tesla-supercomputing-solutions.html>)

| | | | | | | | | | |
|-------------------------------|------|-----------|------|--|--|--------|--|--|--|
| A100-HGX 8-GPU Delta (Ampere) | 6912 | 1555 GB/s | 40GB | | | 4000 W | | | |
| A100-HGX 8-GPU Delta (Ampere) | 6912 | 1555 GB/s | 80GB | | | 4000 W | | | |

RAID Cards

| Product Name | RAID-on-Chip Controller | Host Bus Type | Internal Ports | Internal Connectors | External Ports | External Connectors | Data Transfer Rates | Note | |
|--------------|-------------------------|---------------|----------------|---------------------|----------------|---------------------|---------------------|------|--|
|--------------|-------------------------|---------------|----------------|---------------------|----------------|---------------------|---------------------|------|--|

GIGABYTE Storage Cards

| | | | | | | | | | |
|---------|--------------|--------------|---|--------------------------|---|--------------------------|-----------------------|--|--|
| CRA3338 | LSI SAS 3008 | PCIe Gen3 x8 | 8 | 2 x Mini-SAS HD SFF-8643 | - | - | Up to 12Gb/s per port | | |
| CSA3548 | LSI SAS 3008 | PCIe Gen3 x8 | - | - | 8 | 2 x Mini-SAS HD SFF-8644 | Up to 12Gb/s per port | | |
| CRA4448 | LSI SAS 3108 | PCIe Gen3 x8 | 8 | 2 x Mini-SAS HD SFF-8643 | - | - | Up to 12Gb/s per port | | |

LSI RAID Controller Cards

| | | | | | | | | | |
|--|--------------------------------------|--------------|----|--------------------------|---|---|-----------------------|--|--|
| MegaRAID SAS 9460-16i without Tri-mode | SAS3516 dual-core RAID-on-Chip (ROC) | PCIe Gen3 x8 | 16 | 4 x Mini-SAS HD SFF-8643 | - | - | Up to 12Gb/s per port | | |
| MegaRAID 9560-16i without Tri-mode | SAS3916 Tri-Mode RAID-on-Chip (ROC) | PCIe Gen4 x8 | 16 | 2 x8 SlimSAS SFF-8654 | - | - | Up to 12Gb/s per port | | |

LSI Host Bus Adapters (HBAs)

| | | | | | | | | | |
|-----------------------------------|---------|--------------|----|--------------------------|---|---|-----------------------|--|--|
| LSI SAS 9400-16i without Tri-mode | SAS3416 | PCIe Gen3 x8 | 16 | 4 x Mini-SAS HD SFF-8643 | - | - | Up to 12Gb/s per port | | |
|-----------------------------------|---------|--------------|----|--------------------------|---|---|-----------------------|--|--|

| | | | | | | | | | |
|---|--------------------------------------|---------------|--|--------------------------|---|---|-----------------------|--|--|
| LSI SAS 9500-16i without Tri-mode | SAS3816 | PCIe Gen4 x8 | 16 | 2 x8 SlimSAS SFF-8654 | - | - | Up to 12Gb/s per port | | |
| LSI NVMe Switch Adapter | | | | | | | | | |
| P411W-32P | PEX88048 | PCIe Gen4 x16 | 8 x4, 16 x2, or 32 x1 NVMe SSD connect | 4 x8 SlimSAS SFF-8654 | - | - | | | |
| Microsemi RAID Cards | | | | | | | | | |
| SmartRAID 3154-16i | PM8236 | PCIe Gen3 x8 | 16 | 4 x Mini-SAS HD SFF-8643 | - | - | Up to 12Gb/s per port | | |
| Microsemi Host Bus Adapters | | | | | | | | | |
| SmartHBA 2100-8i | PM8222 | PCIe Gen3 x8 | 8 | 2 x Mini-SAS HD SFF-8643 | - | - | Up to 12Gb/s per port | | |
| LSI Tri-mode card | | | | | | | | | |
| MegaRAID SAS 9460-8i with tri-mode | SAS3508 dual-core RAID-on-Chip (ROC) | PCIe Gen3 x8 | 8 | 2 x Mini-SAS HD SFF-8643 | - | - | Up to 12Gb/s per port | | |
| MegaRAID SAS 9460-16i with Tri-mode | SAS3516 dual-core RAID-on-Chip (ROC) | PCIe Gen3 x8 | 16 | 4 x Mini-SAS HD SFF-8643 | - | - | Up to 12Gb/s per port | | |
| MegaRAID 9560-16i with Tri-mode | SAS3916 Tri-Mode RAID-on-Chip (ROC) | PCIe Gen4 x8 | 16 | 2 x8 SlimSAS SFF-8654 | - | - | Up to 12Gb/s per port | | |
| MegaRAID 9560-8i with Tri-mode | SAS3908 Tri-Mode RAID-on-Chip (ROC) | PCIe Gen4 x8 | 8 | 1 x8 SlimSAS SFF-8654 | - | - | Up to 12Gb/s per port | | |
| LAN Cards | | | | | | | | | |
| GIGABYTE LAN Cards | | | | | | | | | |
| Intel_25GbE | | | | | | | | | |
| CLN4D40 | SFP28 | PCIe Gen3 x8 | Dual | 25Gb/s per port | Broadcom BCM57414 | | | | |
| CLN4B20 | RJ-45 | PCIe Gen3 x8 | Dual | 10Gb/s per port | Broadcom BCM57416 | | | | |
| CLN4A10 | RJ-45 | PCIe Gen3 x8 | Dual | 1Gb/s per port | Broadcom BCM5720L | | | | |
| CLN4831 | SFP+ | PCIe Gen2 x8 | Single | 10Gb/s per port | INTEL 82599EN | | | | |
| CLN4832 | SFP+ | PCIe Gen2 x8 | Dual | 10Gb/s per port | INTEL 82599ES | | | | |
| CLN4751 | QSFP+ | PCIe Gen3 x8 | Single | 40Gb/s per port | INTEL XL710 | | | | |
| CLN4752 | QSFP+ | PCIe Gen3 x8 | Dual | 40Gb/s per port | INTEL XL710 | | | | |
| CLN4222 | RJ-45 | PCIe Gen3 x4 | Dual | 10Gb/s per port | INTEL X550-AT2 | | | | |
| CLN4224 | RJ-45 | PCIe Gen3 x4 | Quad | 10Gb/s per port | INTEL X550-AT2 | | | | |
| CLN4M34 | SFP28 | PCIe Gen3 x16 | Quad | 10Gb/s per port | Mellanox ConnectX-4 | | | | |
| CLN4312 | RJ-45 | PCIe Gen2 x4 | Dual | 1Gb/s per port | INTEL i350-AM2 | | | | |
| CLN4314 | RJ-45 | PCIe Gen2 x4 | Quad | 1Gb/s per port | INTEL i350-AM4 | | | | |
| Intel_40GbE | | | | | | | | | |
| Intel® Ethernet Network Adapter E810-XXVDA4 | SFP28 | PCIe Gen4 x16 | Quad | 25Gb/s per port | | | | | |
| Intel® Ethernet Network Adapter XXV710-DA2 | SFP28 | PCIe Gen3 x8 | Dual | 25Gb/s per port | | | | | |
| Mellanox ConnectX | | | | | | | | | |
| MCX631102AN-ADAT | SFP28 | PCIe Gen4 x8 | Dual | 25Gb/s per port | ConnectX®-6 DX without Crypto | | | | |
| MCX623105AN-CDAT | QSFP56 | PCIe Gen4 x16 | Single | 100Gb/s per port | ConnectX®-6 DX No Crypto, No Secure Boot | | | | |

| | | | | | |
|--|--------|---------------|----------|------------------|---|
| MCX623106AN-CDAT | QSFP56 | PCIe Gen4 x16 | Dual | 100Gb/s per port | ConnectX®-6 DX No Crypto, No Secure Boot |
| MCX613106A-VDAT | QSFP56 | PCIe Gen4 x16 | Dual | 200Gb/s per port | Mellanox ConnectX-6 EN |
| MCX516A-CCAT | QSFP28 | PCIe Gen3 x16 | Dual | 100Gb/s per port | Mellanox ConnectX-5 EN |
| Mellanox VPI Adapter Cards | | | | | |
| MCX683105AN-HDAT | QSFP | PCIe Gen4 x16 | Single | 200Gb/s per port | Mellanox ConnectX-6 DE VPI (InfiniBand) |
| MCX653106A-HDAT | QSFP56 | PCIe Gen4 x16 | Dual | 200Gb/s per port | Mellanox ConnectX-6 Ex VPI (InfiniBand) |
| MCX653105A-ECAT | QSFP56 | PCIe Gen4 x16 | Single | 100Gb/s per port | Mellanox ConnectX-6 Ex VPI (InfiniBand) |
| MCX555A-ECAT | QSFP28 | PCIe Gen3 x16 | Single | 100Gb/s per port | Mellanox ConnectX-5 VPI (InfiniBand) |
| (Mellanox) NVIDIA BlueField-2 DPU Cards | | | | | |
| QL45611HLCU | QSFP28 | PCIe Gen3 x16 | Single | 100Gb/s per port | |
| Broadcom (Emulex) Ethernet Networking Adapters | | | | | |
| BCM957508-P2100G | QSFP56 | PCIe Gen4 x16 | Dual | 100Gb/s per port | BCM57508 |
| BCM957414A4142CC | SFP28 | PCIe Gen3 x8 | Dual | 25Gb/s per port | BCM57414 |
| BCM957416A4160C | RJ-45 | PCIe Gen3 x8 | Dual | 10Gb/s per port | BCM5741 (P210TP) |
| Broadcom FC Host Bus Adapter | | | | | |
| LPe32002-M2 | SFP+ | PCIe Gen3 x8 | Dual | 32Gb/s per port | XE501 controller |
| LPe31002-M6 | SFP+ | PCIe Gen3 x8 | Dual | 16Gb/s per port | XE501 controller |
| USB Device | | | | | |
| Product Name | Type | Vendor | Capacity | Note | |
| USB 3.0 | | | | | |
| PURE CLASSIC X176B1FWBO75 | HDD | Gigabyte | 500G | | |
| GoFlex STAA500305 | HDD | Seagate | 500G | | |
| TOSHIBA CANVIO BASIC | HDD | Toshiba | 500G | | |
| NA317U+ | Device | ineo | | | |
| SST-TS13 | Device | Silver Stone | | | |
| S1-DS3-Plus | Device | CyberSLIM | | | |
| MB981U3-1S | Device | ICYDOCK | | | |
| i310-SB3(6G) | Device | STARDOM | | | |