

"H282-ZC0" Qualification Vender List

Please contact FAE support for below orange blocks

AMD CPU										
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7H12 100-000000055	ROME	SP3	PD	256MB	64 / 128	2.60	3.40	280W	225W/280W	DDR4-3200
AMD 7742 100-000000053	ROME	SP3	B0 PR	256MB	64 / 128	2.25	3.40	225W	225W/240W	DDR4-3200
AMD 7702 100-000000038	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.35	200W	165W/200W	DDR4-3200
AMD 7662 100-000000137	ROME	SP3	PD	256MB	64 / 128	2.00	3.30	225W	225W/240W	DDR4-3200
AMD 7642 100-000000074	ROME	SP3	B0 PR	192MB	48 / 96	2.30	3.40	225W	225W/240W	DDR4-3200
AMD 7552 100-000000076	ROME	SP3	B0 PR	192MB	48 / 96	2.20	3.30	200W	165W/200W	DDR4-3200
AMD 7542 100-000000075	ROME	SP3	B0 PR	128MB	32 / 64	2.90	3.40	225W	225W/240W	DDR4-3200
AMD 7532 100-000000136	ROME	SP3	PD	256MB	32 / 64	2.40	3.30	200W	180W/200W	DDR4-3200
AMD 7502 100-000000054	ROME	SP3	B0 PR	128MB	32 / 64	2.50	3.35	180W	165W/200W	DDR4-3200
AMD 7452 100-000000057	ROME	SP3	B0 PR	128MB	32 / 64	2.35	3.35	155W	155W/180W	DDR4-3200
AMD 7F72 100-000000141	ROME	SP3	PD	192MB	24 / 48	3.20	3.70	240W	225W/240W	DDR4-3200
AMD 7402 100-000000046	ROME	SP3	B0 PR	128MB	24 / 48	2.80	3.35	180W	165W/200W	DDR4-3200
AMD 7352 100-000000077	ROME	SP3	B0 PR	128MB	24 / 48	2.30	3.20	155W	155W/180W	DDR4-3200
AMD 7F52 100-000000140	ROME	SP3	PD	256MB	16 / 32	3.50	3.90	240W	225W/240W	DDR4-3200
AMD 7302 100-000000043	ROME	SP3	B0 PR	128MB	16 / 32	3.00	3.30	155W	155W/180W	DDR4-3200
AMD 7282 100-000000078	ROME	SP3	B0 PR	64MB	16 / 32	2.80	3.20	120W	120W/150W	DDR4-2666
AMD 7272 100-000000079	ROME	SP3	PD	64MB	12 / 24	2.90	3.20	120W	120W/150W	DDR4-2666
AMD 7F32 100-000000139	ROME	SP3	B0 PR	128MB	8 / 16	3.70	3.90	180W	165W/200W	DDR4-3200
AMD 7262 100-000000041	ROME	SP3	B0 PR	128MB	8 / 16	3.20	3.40	155W	155W/180W	DDR4-3200
AMD 7252 100-000000080	ROME	SP3	PD	64MB	8 / 16	3.10	3.20	120W	120W/150W	DDR4-2666
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7763 100-000000312	Milan	SP3	PR	256MB	64 / 128	2.45	3.50	280W	225W/280W	DDR4-3200
AMD 7713 100-000000344	Milan	SP3	PR	256MB	64 / 128	2.00	3.675	225W	225W/240W	DDR4-3200
AMD 7663 100-000000318	Milan	SP3	PR	256MB	56 / 112	2.00	3.50	240W	225W/240W	DDR4-3200
AMD 7643 100-000000326	Milan	SP3	PR	256MB	48 / 96	2.30	3.60	225W	225W/240W	DDR4-3200
AMD 75F3 100-000000313	Milan	SP3	PR	256MB	32 / 64	2.95	4.00	280W	225W/280W	DDR4-3200
AMD 7543 100-000000345	Milan	SP3	PR	256MB	32 / 64	2.80	3.70	225W	225W/240W	DDR4-3200
AMD 7513 100-000000334	Milan	SP3	PR	128MB	32 / 64	2.60	3.65	200W	165W/200W	DDR4-3200
AMD 7453 100-000000319	Milan	SP3	PR	64MB	28 / 56	2.75	3.45	225W	225W/240W	DDR4-3200
AMD 74F3 100-000000317	Milan	SP3	PR	256MB	24 / 48	3.20	4.00	240W	225W/240W	DDR4-3200
AMD 7443 100-000000340	Milan	SP3	PR	128MB	24 / 48	2.85	4.00	200W	165W/200W	DDR4-3200
AMD 7413 100-000000323	Milan	SP3	PR	128MB	24 / 48	2.65	3.60	180W	165W/200W	DDR4-3200
AMD 73F3 100-000000321	Milan	SP3	PR	256MB	16 / 32	3.50	4.00	240W	225W/240W	DDR4-3200
AMD 7343 100-000000338	Milan	SP3	PR	128MB	16 / 32	3.20	3.90	190W	165W/200W	DDR4-3200
AMD 7313 100-000000329	Milan	SP3	PR	128MB	16 / 32	3.00	3.70	155W	155W/180W	DDR4-3200
AMD 72F3 100-000000327	Milan	SP3	PR	256MB	8 / 16	3.70	4.10	180W	165W/200W	DDR4-3200
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7773X 100-000000504	MilanX	SP3	PR	768MB	64 / 128	2.20	3.50	280W	225W/280W	DDR4-3200
AMD 7573X 100-000000506	MilanX	SP3	PR	768MB	32 / 64	2.80	3.60	280W	225W/280W	DDR4-3200
AMD 7473X 100-000000507	MilanX	SP3	PR	768MB	24 / 48	2.80	3.70	240W	225W/280W	DDR4-3200
AMD 7373X 100-000000508	MilanX	SP3	PR	768MB	16 / 32	3.05	3.80	240W	225W/280W	DDR4-3200

Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)

Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins
RDIMM										
M393A4K40DB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A8G40AB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF4G72PDZ-2G9E1TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9E1TI	DDR4	Micron	64GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
NT32GA72D4NBX3P-IX	DDR4	Nanya	32GB	Nanya-Montage or IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA82GR7DJR8N-XN T8	DDR4	SKhynix	16GB	SKhynix-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA82GR7DJR8N-XN TG	DDR4	SKhynix	16GB	SKhynix -IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T8	DDR4	SKhynix	64GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T8	DDR4	SKhynix	64GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1TI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1UI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1VI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2F1VI	DDR4	Micron	32GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2F1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2R1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF8G72PZ-3G2F1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin

M393A2K43DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWECQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEBY	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4G40BB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWECQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWEBY	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A8G40BB4-CWEBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS8/16MER	DDR4	Kingston	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS4/32MER	DDR4	Kingston	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
AD4R3200716G22-BHYA	DDR4	ADATA	16GB	SKhynix-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
M393AAG40M32-CAEBQ	DDR4	Samsung	128GB	Samsung	2S2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393AAG40M32-CAEBY	DDR4	Samsung	128GB	Samsung	2S2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PZ-3G2R1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PZ-3G2R1TI	DDR4	Micron	16GB	Micron-Montage	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PZ-3G2F1TI	DDR4	Micron	32GB	Micron-Montage	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PZ-3G2F1UI	DDR4	Micron	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF1G72PZ-3G2R1VI	DDR4	Micron	8GB	Micron-IDT	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF1G72PZ-3G2R1TI	DDR4	Micron	8GB	Micron-IDT	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF8G72PZ-3G2F1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2R1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF2G72PZ-3G2F1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD8/16MRR	DDR4	Kingston	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD4/32MRR	DDR4	Kingston	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
LRDIMM										
M386AAG40MMB-CVFC0	DDR4	Samsung	128GB	Samsung	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin Owen

M386A8K40DM2-CWELQ	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	3200MHz	ECC Registered	22	288-pin
M386A8K40DM2-CWEZY	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	3200MHz	ECC Registered	22	288-pin

SATA/SAS SSD

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note		
--------------	------	--------	-------------	-----------	----------	-----------------	----	------	--	--

SATA SSD

SSDSC2KB240GZ	SSD	Solidigm	2.5"	SATA	240GB	6Gb/s	D3-S4520 Series			
SSDSC2KB480GZ	SSD	Solidigm	2.5"	SATA	480GB	6Gb/s	D3-S4520 Series			
SSDSC2KG019TZ	SSD	Solidigm	2.5"	SATA	1.92TB	6Gb/s	D3-S4620 Series			
SSDSC2KG038TZ	SSD	Solidigm	2.5"	SATA	3.84TB	6Gb/s	D3-S4620 Series			
MTFDDAK1T9TGB-1BC1ZABYY	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s		5400 MAX		
MTFDDAK1T9TGA-1BC1ZABYY	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s		5400 PRO		
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s				
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s				
MZ-7LH1T9NE 883 DCT Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s				
MZ7L31T9HBNA-00A07 PM897 Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s				
MZ7L3480HCHQ-00A07 PM893 Series	SSD	Samsung	2.5"	SATA	480GB	6Gb/s				
MZ7L33T8HBLT-00A07 PM893 Series	SSD	Samsung	2.5"	SATA	3.84TB	6Gb/s				
SSDSC2KG019T8 D3-S4610 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KB019T8 D3-S4510 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KB019TZ D3-S4520 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s				
SSB240GTLGC-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	240GB	6Gb/s				
SSB480GTLGC-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s				
SSB960GTLGC-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s				
SSB1K9GTLGC-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	1.92TB	6Gb/s				
SSB1K9GTLCW-D2-SME1720GBT ESM1720 Series	SSD	Phison	2.5"	SATA	1.92TB	6Gb/s				
SSB480GTLCW-D2-SME1720GBT ESM1720 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s				
SSB960GTLCW-D2-SME1720GBT ESM1720 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s				
SSB240GTLCW-D2-ESW1710GBT ESW1710 Series	SSD	Phison	2.5"	SATA	240GB	6Gb/s				
SSB480GTLCW-D2-ESW1710GBT ESW1710 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s				
SSB960GTLCW-D2-ESW1710GBT ESW1710 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s				
SSB1K9GTLGC-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	1.92TB	6Gb/s				
KHK61RSE960G	SSD	Toshiba	2.5"	SATA	960GB	6Gb/s				

PCIe SSD

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
--------------	------	--------	-------------	-----------	----------	-----------------	------	--	--	--

PCIe SSD

SSDPEDKX040T701 P4500 Series PCIe Gen3 x4 4TB	PCIe	Intel	PCI-E 3.0	PCIe(NVMe)	4TB	PCIe Gen3 x4				
Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	PCIe Gen3 x8				

U.2

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
--------------	------	--------	-------------	-----------	----------	-----------------	------	--	--	--

U.2

MZQLW1T9HMJP PM963 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	PCIe Gen3 x4			
MZ-QLB1T9N 983 DCT Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	PCIe Gen3 x4			
MZQL23T8HCLS PM9A3 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4			
MTFDHBE3T8TDF 7300 Pro Series	U.2	Micron	2.5"	SFF8639(NVMe)	3.84TB	PCIe Gen3 x4	MTFDHBE3T8TDF-1AW4ZABYY		
MTFDHBE1T6TDG 7300 Max Series	U.2	Micron	2.5"	SFF8639(NVMe)	1.6TB	PCIe Gen3 x4	MTFDHBE1T6TDG-1AW1ZABYY		
WUS4CB016D7P3E3 Ultrastar DC SN640 Series	U.2	WD	2.5"	SFF8639(NVMe)	1.6TB	PCIe Gen3 x4			
WUS4BB096D7P3E3 Ultrastar DC SN640 Series	U.2	WD	2.5"	SFF8639(NVMe)	960GB	PCIe Gen3 x4			
WUS4CB080D7P3E3 Ultrastar DC SN640 Series	U.2	WD	2.5"	SFF8639(NVMe)	800GB	PCIe Gen3 x4			
WUS4BB019D7P3E3 Ultrastar DC SN640 Series	U.2	WD	2.5"	SFF8639(NVMe)	1.92TB	PCIe Gen3 x4			

U.3

MTFDKCB7T6TFR 7450 Pro Series	U.3	Micron	2.5" 7mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4			
MTFDKCB7T6TDZ 7400 Pro Series	U.3	Micron	2.5"	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4			

M.2

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note		
--------------	------	--------	-------------	-----------	----------	-----------------	------	--	--

M.2

CA6-8D2048 CA6 Series	M.2	SSSTC	2280	PCIe(NVMe)	2TB	PCIe Gen4 x4			
IM2P41B8-240GC	M.2	ADATA	2280	PCIe(NVMe)	240GB	PCIe Gen4 x4			
IM2P41B8-480GC	M.2	ADATA	2280	PCIe(NVMe)	480GB	PCIe Gen4 x4			
ESO480GTLWCW-EC-EPR3750GBT EPR3750 Series	M.2	PHISON	2280	PCIe(NVMe)	400GB	PCIe Gen4 x4			
MTFDKBA800TFC 800GB 7400 Max Series	M.2	Micron	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4			
MTFDKBA800TFS 800GB 7450 Max Series	M.2	Micron	2280	PCIe(NVMe)	800 GB	PCIe Gen4 x4			
MTFDHBA960TDF 960GB 7300 Pro Series	M.2	Micron	2280	PCIe(NVMe)	960GB	PCIe Gen3 x4			
CA6-8D1024 CA6 Series	M.2	SSSTC	2280	PCIe(NVMe)	1TB	PCIe Gen4 x4			

M.2 Expansion PCIe Card

Product Name	Type	Vendor	Form Factor	Interface	Max. Channels	Interface Speed	Note		
CMT4034	PCIe	Gigabyte	22110	PCIe(NVMe)	4	PCIe Gen3 x16	-		

RAID Cards

Product Name	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note	
--------------	-------------------------	---------------	----------------	---------------------	----------------	---------------------	---------------------	------	--

GIGABYTE Storage Cards

CRA3338	LSI SAS 3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
CRA4448	LSI SAS 3108	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		

LSI Host Bus Adapters (HBAs)

LSI SAS 9400-16i without Tri-mode	SAS3416	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
-----------------------------------	---------	--------------	----	--------------------------	---	---	-----------------------	--	--

Microsemi RAID Cards

SmartRAID 3154-16i	PM8236	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
--------------------	--------	--------------	----	--------------------------	---	---	-----------------------	--	--

LAN Cards

Product Name	Connector	System Interface Type	# of Ports	Data Rate	Note
--------------	-----------	-----------------------	------------	-----------	------

GIGABYTE LAN Cards

CLN4B20	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416
CLN4A10	RJ-45	PCIe Gen3 x8	Dual	1Gb/s per port	Broadcom BCM5720L
CLNCD42	SFP28	OCF PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414 / Support OCF 3.0
CLNCB22	RJ-45	OCF PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416 / Support OCF 3.0
CLNCA12	RJ-45	OCF PCIe Gen3 x8	Dual	1Gb/s per port	Broadcom BCM5720 / Support OCF 3.0
CLN4831	SFP+	PCIe Gen2 x8	Single	10Gb/s per port	INTEL 82599EN

CLN4832	SFP+	PCIe Gen2 x8	Dual	10Gb/s per port	INTEL 82599ES
CLN4751	QSFP+	PCIe Gen3 x8	Single	40Gb/s per port	INTEL XL710
CLN4D40	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414
CLN4752	QSFP+	PCIe Gen3 x8	Dual	40Gb/s per port	INTEL XL710
CLN4222	RJ-45	PCIe Gen3 x4	Dual	10Gb/s per port	INTEL X550-AT2
CLN4224	RJ-45	PCIe Gen3 x4	Quad	10Gb/s per port	INTEL X550-AT2
CLN4M34	SFP28	PCIe Gen3 x16	Quad	10Gb/s per port	Mellanox ConnectX-4
CLN4312	RJ-45	PCIe Gen2 x4	Dual	1Gb/s per port	INTEL i350-AM2
CLN4314	RJ-45	PCIe Gen2 x4	Quad	1Gb/s per port	INTEL i350-AM4
Intel_25GbE					
Intel® Ethernet Network Adapter E810-XXVDA2 for OCP	SFP28	OCF PCIe Gen4 x8	Dual	25Gb/s per port	Support OCP 3.0
Intel® Ethernet Network Adapter E810-XXVDA4	SFP28	PCIe Gen4 x16	Quad	25Gb/s per port	
Intel_100GbE					
Intel® Ethernet Network Adapter E810-CQDA2 for OCP	QSFP28	OCF PCIe Gen4 x16	Dual	100Gb/s per port	Support OCP 3.0
Intel® Ethernet Network Adapter E810-CQDA2	QSFP28	PCIe Gen4 x16	Dual	100Gb/s per port	
Mellanox ConnectX					
MCX631102AN-ADAT	SFP28	PCIe Gen4 x8	Dual	25Gb/s per port	ConnectX®-6 Dx without Crypto
MCX631432AN-ADAB	SFP28	OCF PCIe Gen4 x8	Dual	25Gb/s per port	ConnectX®-6 Lx without Crypto / Support OCP 3.0
MCX623106AN-CDAT	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	ConnectX®-6 Dx No Crypto, No Secure Boot
MCX623435AC-VDAB	QSFP56	OCF PCIe Gen4 x16	Single	200Gb/s per port	ConnectX®-6 Dx With Crypto1, With Secure Boot / Support OCP 3.0
MCX613106A-VDAT	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 EN
MCX623432AN-ADAB	SFP28	OCF PCIe Gen4 x16	Dual	25Gb/s per port	ConnectX®-6 Dx No Crypto, No Secure Boot / Support OCP 3.0
MCX566A-CDAB	QSFP28	OCF PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN / Support OCP 3.0
MCX516A-CDAT	QSFP28	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN
MCX516A-CCAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN
MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN
Mellanox VPI Adapter Cards					
MCX654106A-HCAT	QSFP56	PCIe Gen3 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand) PCIe3.0 x16 + PCIe3.0x16 aux. card Socket Direct
MCX653106A-HDAT	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653436A-HDAB	QSFP56	OCF PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand) / OCP3.0
MCX653105A-ECAT	QSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX555A-ECAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 VPI (InfiniBand)
Broadcom (Emulex) Ethernet Networking Adapters					

BCM957508-P2100G	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	BCM57508
BCM957414A4142CC	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414
BCM957508-N2100G	QSFP56	OC P PCIe 4.0	Dual	100Gb/s per port	BCM57508 / Support OC P 3.0
Broadcom FC Host Bus Adapter					
LPe32002-M2	SFP+	PCIe Gen3 x8	Dual	32Gb/s per port	XE501 controller
LPe31002-M6	SFP+	PCIe Gen3 x8	Dual	16Gb/s per port	XE501 controller
T6225-CR	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Power 13w
T6225-SQ-CR	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Power 10w
T62100-LP-CR	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 19w
T62100-SQ-CR	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 16w
USB Device					
Product Name	Type	Vendor	Capacity	Note	
USB 3.0					
PURE CLASSIC X176B1FWB075	HDD	Gigabyte	500G		
GoFlex STAA500305	HDD	Seagate	500G		
TOSHIBA CANVIO BASIC	HDD	Toshiba	500G		
S1-DS3 TURBO	Device	CyberSLIM			
NA317U+	Device	ineo			
SST-TS13	Device	Silver Stone			
S1-DS3-Plus	Device	CyberSLIM			
MB981U3-1S	Device	ICYDOCK			
i310-SB3(6G)	Device	STARDOM			