

**"R282-Z91-A00" Qualification Vender List**

**Please contact FAE support for below orange blocks**

AMD CPU										
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7H12 100-000000055	ROME	SP3	PD	256MB	64 / 128	2.60	3.40	280W	225W/280W	DDR4-3200
AMD 7742 100-000000053	ROME	SP3	B0 PR	256MB	64 / 128	2.25	3.40	225W	225W/240W	DDR4-3200
AMD 7702 100-000000038	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.35	200W	165W/200W	DDR4-3200
AMD 7662 100-000000137	ROME	SP3	PD	256MB	64 / 128	2.00	3.30	225W	225W/240W	DDR4-3200
AMD 7642 100-000000074	ROME	SP3	B0 PR	192MB	48 / 96	2.30	3.40	225W	225W/240W	DDR4-3200
AMD 7552 100-000000076	ROME	SP3	B0 PR	192MB	48 / 96	2.20	3.30	200W	165W/200W	DDR4-3200
AMD 7542 100-000000075	ROME	SP3	B0 PR	128MB	32 / 64	2.90	3.40	225W	225W/240W	DDR4-3200
AMD 7532 100-000000136	ROME	SP3	PD	256MB	32 / 64	2.40	3.30	200W	180W/200W	DDR4-3200
AMD 7502 100-000000054	ROME	SP3	B0 PR	128MB	32 / 64	2.50	3.35	180W	165W/200W	DDR4-3200
AMD 7452 100-000000057	ROME	SP3	B0 PR	128MB	32 / 64	2.35	3.35	155W	155W/180W	DDR4-3200
AMD 7F72 100-000000141	ROME	SP3	PD	192MB	24 / 48	3.20	3.70	240W	225W/240W	DDR4-3200
AMD 7402 100-000000046	ROME	SP3	B0 PR	128MB	24 / 48	2.80	3.35	180W	165W/200W	DDR4-3200
AMD 7352 100-000000077	ROME	SP3	B0 PR	128MB	24 / 48	2.30	3.20	155W	155W/180W	DDR4-3200
AMD 7F52 100-000000140	ROME	SP3	PD	256MB	16 / 32	3.50	3.90	240W	225W/240W	DDR4-3200
AMD 7302 100-000000043	ROME	SP3	B0 PR	128MB	16 / 32	3.00	3.30	155W	155W/180W	DDR4-3200
AMD 7282 100-000000078	ROME	SP3	B0 PR	64MB	16 / 32	2.80	3.20	120W	120W/150W	DDR4-2666
AMD 7272 100-000000079	ROME	SP3	PD	64MB	12 / 24	2.90	3.20	120W	120W/150W	DDR4-2666
AMD 7F32 100-000000139	ROME	SP3	B0 PR	128MB	8 / 16	3.70	3.90	180W	165W/200W	DDR4-3200
AMD 7262 100-000000041	ROME	SP3	B0 PR	128MB	8 / 16	3.20	3.40	155W	155W/180W	DDR4-3200
AMD 7252 100-000000080	ROME	SP3	PD	64MB	8 / 16	3.10	3.20	120W	120W/150W	DDR4-2666
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7303 100-000001288	Milan	SP3	B1	64MB	16 / 32	2.40	3.40	130W	120W/150W	DDR4-3200
AMD 7203 100-000001286	Milan	SP3	B1	64MB	8 / 16	2.80	3.40	120W	120W/150W	DDR4-3200
AMD 7763 100-000000312	Milan	SP3	PR	256MB	64 / 128	2.45	3.50	280W	225W/280W	DDR4-3200
AMD 7713 100-000000344	Milan	SP3	PR	256MB	64 / 128	2.00	3.675	225W	225W/240W	DDR4-3200
AMD 7663 100-000000318	Milan	SP3	PR	256MB	56 / 112	2.00	3.50	240W	225W/240W	DDR4-3200
AMD 7643 100-000000326	Milan	SP3	PR	256MB	48 / 96	2.30	3.60	225W	225W/240W	DDR4-3200
AMD 75F3 100-000000313	Milan	SP3	PR	256MB	32 / 64	2.95	4.00	280W	225W/280W	DDR4-3200
AMD 7543 100-000000345	Milan	SP3	PR	256MB	32 / 64	2.80	3.70	225W	225W/240W	DDR4-3200
AMD 7513 100-000000334	Milan	SP3	PR	128MB	32 / 64	2.60	3.65	200W	165W/200W	DDR4-3200
AMD 7453 100-000000319	Milan	SP3	PR	64MB	28 / 56	2.75	3.45	225W	225W/240W	DDR4-3200
AMD 74F3 100-000000317	Milan	SP3	PR	256MB	24 / 48	3.20	4.00	240W	225W/240W	DDR4-3200
AMD 7443 100-000000340	Milan	SP3	PR	128MB	24 / 48	2.85	4.00	200W	165W/200W	DDR4-3200
AMD 7413 100-000000323	Milan	SP3	PR	128MB	24 / 48	2.65	3.60	180W	165W/200W	DDR4-3200
AMD 73F3 100-000000321	Milan	SP3	PR	256MB	16 / 32	3.50	4.00	240W	225W/240W	DDR4-3200
AMD 7343 100-000000338	Milan	SP3	PR	128MB	16 / 32	3.20	3.90	190W	165W/200W	DDR4-3200
AMD 7313 100-000000329	Milan	SP3	PR	128MB	16 / 32	3.00	3.70	155W	155W/180W	DDR4-3200
AMD 72F3 100-000000327	Milan	SP3	PR	256MB	8 / 16	3.70	4.10	180W	165W/200W	DDR4-3200
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7773X 100-000000504	MilanX	SP3	PR	768MB	64 / 128	2.20	3.50	280W	225W/280W	DDR4-3200
AMD 7573X 100-000000506	MilanX	SP3	PR	768MB	32 / 64	2.80	3.60	280W	225W/280W	DDR4-3200
AMD 7473X 100-000000507	MilanX	SP3	PR	768MB	24 / 48	2.80	3.70	240W	225W/280W	DDR4-3200
AMD 7373X 100-000000508	MilanX	SP3	PR	768MB	16 / 32	3.05	3.80	240W	225W/280W	DDR4-3200

Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)

Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins
RDIMM										
NT32GA72D4NBX3P-IX	DDR4	Nanya	32GB	Nanya-Montage or IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A2K43DB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
M393A4K40DB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A8G40AB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293.18FE1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293.2G9E1.001	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ-2G9E1UG	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ-2G9E1VG	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF2G72PZ-2G9E1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293.2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293.36FE2	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ-2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ-2G9E2VG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ-2G9E2TI	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ-2G9E2UG	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF4G72PDZ-2G9E1TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin

MTA36ASF8G72PZ-2G9E1TI	DDR4	Micron	64GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9E1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMAA8GR7MJR4N-WM T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA82GR7DJR8N-XN T8	DDR4	SKhynix	16GB	SKhynix-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA82GR7DJR8N-XN TG	DDR4	SKhynix	16GB	SKhynix -IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7DJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7DJR4N-XN TG	DDR4	SKhynix	32GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7AJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7AJR4N-XN T8	DDR4	SKhynix	64GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T8	DDR4	SKhynix	64GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT16G4RFD832A-3G2E1.001	DDR4	Crucial	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
CT16G4RFD832A.3G2E1.001	DDR4	Crucial	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2E1UK	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF2G72PZ-3G2E1TI	DDR4	Micron	16GB	Micron-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PZ-3G2E2TI	DDR4	Micron	16GB	Micron-Montage	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2J3UI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ.3G2B2TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2B2TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2J3UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2E1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2E1TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2E1V1	DDR4	Micron	32GB	Micron	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin

MTA36ASF4G72PZ-3G2R1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF8G72PZ-3G2E1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K43DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB3-CWEGQ	DDR4	Samsung	16GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB3-CWECQ	DDR4	Samsung	16GB	Samsung-	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40EB3-CWEGQ	DDR4	Samsung	16GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWECQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEBY	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4G40BB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWECQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWEBY	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A8G40AB2-CWEBQ	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A8G40AB2-CWEBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A8G40BB4-CWEBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393AAG40M32-CAEBQ	DDR4	Samsung	128GB	Samsung	2S2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393AAG40M32-CAEBY	DDR4	Samsung	128GB	Samsung	2S2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
TR416G32S422-XNC	DDR4	V-color	16GB	SKhynix-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD8/16HDR	DDR4	Kingston	16GB	SKhynix-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS8/16MER	DDR4	Kingston	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD4/32HDR	DDR4	Kingston	32GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS4/32MER	DDR4	Kingston	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
AD4R3200316G22-BSSC	DDR4	ADATA	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin

AD4R3200716G22-BHYA	DDR4	ADATA	16GB	SKhynix-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1TI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1UI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1VI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2F1VI	DDR4	Micron	32GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2F1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF8G72PZ-3G2F1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF8G72PZ-3G2F1TI	DDR4	Micron	64GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF1G72PZ-3G2R1VI	DDR4	Micron	8GB	Micron-IDT	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF1G72PZ-3G2R1TI	DDR4	Micron	8GB	Micron-IDT	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PZ-3G2R1UI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PZ-3G2R1TI	DDR4	Micron	16GB	Micron-Montage	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF2G72PZ-3G2F1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PZ-3G2F1TI	DDR4	Micron	32GB	Micron-Montage	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PZ-3G2F1UI	DDR4	Micron	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K43EB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD8/16MRR	DDR4	Kingston	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD4/32MRR	DDR4	Kingston	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin

LRDIMM

M386A8K40CM2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin
M386AAG40MMB-CVFC0	DDR4	Samsung	128GB	Samsung	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin
M386A8K40DM2-CWELQ	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	3200MHz	ECC Registered	22	288-pin
M386A8K40DM2-CWEZY	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	3200MHz	ECC Registered	22	288-pin

HDD (If the system build-in with RAID card ,please refer to RAID card QVL list)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
Seagate Enterprise Capacity 2.5 HDD										
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A

SATA/SAS SSD

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note
SATA SSD								
MTFDDAK1T9TGA-1BC1ZABYY	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s		5400 PRO
MZ7L31T9HBNA-00A07 PM897 Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s		
MTFDDAK1T9TDD-1AT1ZABYY (5200 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s		
MTFDDAK1T9TDN-1AT1ZABYY (5200 MAX)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s		
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s		
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s		

MZ7L3480HCHQ-00A07 PM893 Series	SSD	Samsung	2.5"	SATA	480GB	6Gb/s				
MZ7LH3T8HMLT PM883 Series	SSD	Samsung	2.5"	SATA	3.84TB	6Gb/s				
MZ7LH480HAHQ PM883 Series	SSD	Samsung	2.5"	SATA	480GB	6Gb/s				
SSDSC2KG019T8 D3-S4610 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KB019T8 D3-S4510 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KB019TZ D3-S4520 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s				
XA480LE10063	SSD	Seagate	2.5"	SATA	480GB	6Gb/s				
SSB1K9GTLWCW-D2-SME1720GBT ESM1720 Series	SSD	Phison	2.5"	SATA	1.92TB	6Gb/s				
SSB480GTLWCW-D2-SME1720GBT ESM1720 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s				
SSB960GTLWCW-D2-SME1720GBT ESM1720 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s				
SSB240GTLWCW-D2-ESW1710GBT ESW1710 Series	SSD	Phison	2.5"	SATA	240GB	6Gb/s				
SSB480GTLWCW-D2-ESW1710GBT ESW1710 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s				
SSB960GTLWCW-D2-ESW1710GBT ESW1710 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s				

**PCIe SSD**

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
--------------	------	--------	-------------	-----------	----------	-----------------	------	--	--	--

PCIe SSD

Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	PCIe Gen3 x8				
Netlist N1951 E3 NS1951AH33T2 Gen3 x8 3.2TB	PCIe	Netlist	PCI-E 3.0	PCIe(NVMe)	3.2TB	PCIe Gen3 x8				

**M.2**

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
--------------	------	--------	-------------	-----------	----------	-----------------	------	--	--	--

M.2

IM2P41B8-240GC	M.2	ADATA	2280	PCIe(NVMe)	240GB	PCIe Gen4 x4				
SSDPELX010T801 P4511 Series 1TB	M.2	Intel	22110	PCIe(NVMe)	1TB	PCIe Gen3 x4				
SSDPEKKA256G801 P4101 Series 256GB	M.2	Intel	2280	PCIe(NVMe)	256GB	PCIe Gen3 x4				
MZ-1LB1T9N 983 DCT Series	M.2	Samsung	22110	PCIe(NVMe)	1.92TB	PCIe Gen3 x4				
AF960GSTJA-YT1 ATP 960GB	M.2	ATP	2280	PCIe(NVMe)	960GB	PCIe Gen3 x4				
EPX-KW960 EPX Series	M.2	LITE-ON	22110	PCIe(NVMe)	960GB	PCIe Gen3 x4				
MTFDHBA960TDF 960GB 7300 Pro Series	M.2	Micron	2280	PCIe(NVMe)	960GB	PCIe Gen3 x4				
IM2P33F8-256GD1	M.2	ADATA	2280	PCIe(NVMe)	256GB	PCIe Gen3 x4				
IM2P33F8-512GD1	M.2	ADATA	2280	PCIe(NVMe)	512GB	PCIe Gen3 x4				
CA6-8D1024 CA6 Series	M.2	SSSTC	2280	PCIe(NVMe)	1TB	PCIe Gen4 x4				
MZ1L21T9HCLS PM9A3 Series	M.2	Samsung	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4				
MZ1L2960HCJR PM9A3 Series	M.2	Samsung	22110	PCIe(NVMe)	960GB	PCIe Gen4 x4				
MTFDKBA800TFC 800GB 7400 Max Series	M.2	Micron	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4				
MTFDKBG1T9TDZ 1.92TB 7400 Pro Series	M.2	Micron	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4				
MTFDKBA800TFS 800GB 7450 Max Series	M.2	Micron	2280	PCIe(NVMe)	800 GB	PCIe Gen4 x4				
MTFDKBG3T8TFR 3.84TB 7450 Pro Series	M.2	Micron	22110	PCIe(NVMe)	3.84TB	PCIe Gen4 x4				
MTFDKBG3T8TDZ 3.84TB 7400 Pro Series	M.2	Micron	22110	PCIe(NVMe)	3.84TB	PCIe Gen4 x4				
CA6-8D2048 CA6 Series	M.2	SSSTC	2280	PCIe(NVMe)	2TB	PCIe Gen4 x4				
ESO480GTLWCW-EC-EPR3750GBT EPR3750 Series	M.2	PHISON	2280	PCIe(NVMe)	400GB	PCIe Gen4 x4				
IM2P41B8-480GC	M.2	ADATA	2280	PCIe(NVMe)	480GB	PCIe Gen4 x4				

**M.2 Expansion PCIe Card**

Product Name	Type	Vendor	Form Factor	Interface	Max. Channels	Interface Speed	Note			
--------------	------	--------	-------------	-----------	---------------	-----------------	------	--	--	--

CMT4034	PCIe	Gigabyte	22110	PCIe(NVMe)	4	PCIe Gen3 x16	-			
---------	------	----------	-------	------------	---	---------------	---	--	--	--

**RAID Cards**

Product Name	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note		
GIGABYTE Storage Cards										
CRA4960 (SAS/SATA mode)	LSI SAS 3916 (Up to 32 x physical devices)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654			Up to 24Gb/s per port			
CRA3338	LSI SAS 3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
CSA3548	LSI SAS 3008	PCIe Gen3 x8	-	-	8	2 x Mini-SAS HD SFF-8644	Up to 12Gb/s per port			
CSA4648	LSI SAS 3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
CRA4448	LSI SAS 3108	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
CRAO438	LSI SAS 3108	<b>OCP</b> PCIe Gen3 x8	8	2 x8 SlimSAS	-	-	Up to 12Gb/s per port			
CRAO338	LSI SAS 3008	<b>OCP</b> PCIe Gen3 x8	8	2 x8 SlimSAS	-	-	Up to 12Gb/s per port			
CRAO358	LSI SAS 3008	<b>OCP</b> PCIe Gen3 x8	4	1 x4 SlimSAS		1 x OCuLink port	Up to 12Gb/s per port			
CRAO558	LSI SAS 3108	<b>OCP</b> PCIe Gen3 x8	4	1 x4 SlimSAS		1 x OCuLink port	Up to 12Gb/s per port			
LSI RAID Controller Cards										
MegaRAID SAS 9361-8i	LSISAS3108 dual core RAID on Chip (ROC)	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
MegaRAID SAS 9460-8i without Tri-mode	SAS3508 dual-core RAID-on-Chip (ROC)	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
MegaRAID 9560-8i without Tri-mode	SAS3908 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	8	1 x8 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port			
LSI Host Bus Adapters (HBAs)										
HBA 9500-16e Tri-Mode Storage Adapter	SAS3816	PCIe Gen4 x8	16	4 SFF-8644	-	-	Up to 12Gb/s per port			
LSI SAS 9300-8e	SAS3008	PCIe Gen3 x8	-	-	8	2 x Mini-SAS HD SFF-8644	Up to 12Gb/s per port			
LSI SAS 9300-8i	SAS3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
LSI SAS 9400-8i without Tri-mode	SAS3408	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
LSI SAS 9400-16i without Tri-mode	SAS3416	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
LSI SAS 9500-8e without Tri-mode	SAS3808	PCIe Gen4 x8	-	-	8	2 x4 SFF-8644	Up to 12Gb/s per port			
PMC RAID Cards (Adaptec)										
Adaptec ASR-81605ZQ	-	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
Microsemi RAID Cards										
SmartRAID 3154-16i	PM8236	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			

Microsemi Host Bus Adapters

SmartHBA 2100-8i	PM8222	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
HBA 1100-24i	PM8238	PCIe Gen3 x8	24	6 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			

LAN Cards

Product Name	Connector	System Interface Type	# of Ports	Data Rate	Note
--------------	-----------	-----------------------	------------	-----------	------

GIGABYTE LAN Cards

CLN4D40	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414
CLN4B20	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416
CLN4A10	RJ-45	PCIe Gen3 x8	Dual	1Gb/s per port	Broadcom BCM5720L
CLNCD42	SFP28	<b>OCP</b> PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414 / Support <b>OCP 3.0</b>
CLNCB22	RJ-45	<b>OCP</b> PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416 / Support <b>OCP 3.0</b>
CLNCA12	RJ-45	<b>OCP</b> PCIe Gen2 x2	Dual	1Gb/s per port	Broadcom BCM5720 / Support <b>OCP 3.0</b>
CLNO832	SFP+	<b>OCP</b> PCIe Gen2 x8	Dual	10Gb/s per port	INTEL 82599ES Support OCP 2.0 type1
CLNOQ42	SFP28	<b>OCP</b> PCIe Gen3 x8	Dual	25Gb/s per port	Qlogic (Cavium) QL41401-A2G Support OCP 2.0
CLNO222	RJ-45	<b>OCP</b> PCIe Gen3 x4	Dual	10Gb/s per port	INTEL X550-AT2 Support OCP 2.0 type1
CLN4831	SFP+	PCIe Gen2 x8	Single	10Gb/s per port	INTEL 82599EN
CLN4832	SFP+	PCIe Gen2 x8	Dual	10Gb/s per port	INTEL 82599ES
CLN4751	QSFP+	PCIe Gen3 x8	Single	40Gb/s per port	INTEL XL710
CLN4752	QSFP+	PCIe Gen3 x8	Dual	40Gb/s per port	INTEL XL710
CLN4121	RJ-45	PCIe Gen3 x4	Single	10Gb/s per port	INTEL X550-AT
CLN4222	RJ-45	PCIe Gen3 x4	Dual	10Gb/s per port	INTEL X550-AT2
CLN4224	RJ-45	PCIe Gen3 x4	Quad	10Gb/s per port	INTEL X550-AT2
CLN4C42	SFP28	PCIe Gen3 x16	Dual	25Gb/s per port	Mellanox ConnectX-4
CLN4C44	SFP28	PCIe Gen3 x16	Quad	25Gb/s per port	Mellanox ConnectX-4
CLN4M34	SFP28	PCIe Gen3 x16	Quad	10Gb/s per port	Mellanox ConnectX-4
CLN4M32	SFP28	PCIe Gen3 x16	Dual	10Gb/s per port	Mellanox ConnectX-4
CLN4312	RJ-45	PCIe Gen2 x4	Dual	1Gb/s per port	INTEL i350-AM2
CLN4314	RJ-45	PCIe Gen2 x4	Quad	1Gb/s per port	INTEL i350-AM4

Intel\_10GbE

Intel® Ethernet Converged Network Adapter X550-T2	RJ-45	PCIe Gen3 x4	Dual	10Gb/s per port	
Intel® Ethernet Converged Network Adapter X710-DA4	SFP+	PCIe Gen3 x8	Quad	10Gb/s per port	
Intel® Ethernet Network Adapter X722-DA4	SFP+	PCIe Gen3 x8	Quad	10Gb/s per port	

Intel\_25GbE

Intel® Ethernet Network Adapter E810-XXVDA2 for OCP	SFP28	<b>OCP</b> PCIe Gen4 x8	Dual	25Gb/s per port	Support OCP 3.0
Intel® Ethernet Network Adapter E810-XXVDA4	SFP28	PCIe Gen4 x16	Quad	25Gb/s per port	
Intel® Ethernet Network Adapter XXV710-DA2 for OCP	SFP28	<b>OCP</b> PCIe Gen3 x8	Dual	25Gb/s per port	Support OCP 2.0 type1
Intel® Ethernet Network Adapter XXV710-DA2	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	

Intel\_40GbE

Intel® Ethernet Server Adapter XL710-QDA2 for OCP	QSFP+	<b>OCP</b> PCIe Gen3 x8	Dual	40Gb/s per port	Support OCP 2.0
Intel® Ethernet Converged Network Adapter XL710-QDA2	QSFP+	PCIe Gen3 x8	Dual	40Gb/s per port	



Intel\_100GbE

Intel® Ethernet Network Adapter E810-CQDA2 for OCP	QSFP28	<b>OCP</b> PCIe Gen4 x16	Dual	100Gb/s per port	Support OCP 3.0
Intel® Ethernet Network Adapter E810-CQDA2	QSFP28	PCIe Gen4 x16	Dual	100Gb/s per port	

Mellanox ConnectX

MCX631102AN-ADAT	SFP28	PCIe Gen4 x8	Dual	25Gb/s per port	ConnectX®-6 <b>Dx</b> without Crypto
MCX631432AN-ADAB	SFP28	<b>OCP</b> PCIe Gen4 x8	Dual	25Gb/s per port	ConnectX®-6 <b>Lx</b> without Crypto / Support OCP 3.0
MCX623106AN-CDAT	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	ConnectX®-6 <b>Dx</b> No Crypto, No Secure Boot
MCX613106A-VDAT	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 EN
MCX565M-CDAB	QSFP28	<b>OCP</b> PCIe Gen4 x16	Single	100Gb/s per port	ConnectX®-5 Ex <b>Multi-Host</b> / Support OCP 3.0
MCX566A-CDAB	QSFP28	<b>OCP</b> PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN / Support OCP 3.0
MCX516A-CDAT	QSFP28	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN
MCX516A-BDAT	QSFP28	PCIe Gen4 x16	Dual	40Gb/s per port	Mellanox ConnectX-5 Ex EN
MCX516A-CCAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN
MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN
MCX516A-GCAT	QSFP28	PCIe Gen3 x16	Dual	50Gb/s per port	Mellanox ConnectX-5 EN
MCX4421A-ACQN	SFP28	<b>OCP</b> PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN / Support OCP 2.0
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN
MCX4121A-XCAT	SFP28	PCIe Gen3 x8	Dual	10Gb/s per port	Mellanox ConnectX-4 Lx EN

Mellanox VPI Adapter Cards

MCX683105AN-HDAT	QSFP	PCIe Gen4 x16	Single	200Gb/s per port	Mellanox ConnectX-6 DE VPI (InfiniBand)
MCX654106A-HCAT	QSFP56	PCIe Gen3 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand) PCIe3.0 x16 + PCIe3.0x16 aux. card Socket Direct
MCX653106A-HDAT	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653436A-HDA <b>B</b>	QSFP56	<b>OCP</b> PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand) / OCP3.0
MCX653105A-HDAT	QSFP56	PCIe Gen4 x16	Single	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653106A-ECAT	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX556A-EDAT	QSFP28	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex VPI (InfiniBand)
MCX555A-ECAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 VPI (InfiniBand)
MCX556A-ECAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 VPI (InfiniBand)

(Mellanox) NVIDIA BlueField-2 DPU Cards

MBF2M345A-HESOT	QSFP56	PCIe Gen4 x16	Single	200Gb/s per port	E-Series/ 2.0GHz
QL45611HLCU	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	

QLE3442-RJ-CK	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	
Broadcom (Emulex) Ethernet Networking Adapters					
BCM957508-P2100G	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	BCM57508
BCM957414A4142CC	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414
BCM957508-N2100G	QSFP56	<b>OCF</b> PCIe 4.0	Dual	100Gb/s per port	BCM57508 / Support <b>OCF 3.0</b>
BCM957414N4140C	SFP28	<b>OCF</b> PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414 / Support <b>OCF 3.0</b>
BCM957416N4160C	RJ-45	<b>OCF</b> PCIe Gen3 x8	Dual	10Gb/s per port	BCM57416 / Support <b>OCF 3.0</b>
<u>BCM957412N4120C</u>	SFP+	<b>OCF</b> PCIe Gen3 x8	Dual	10Gb/s per port	BCM57412 / Support <b>OCF 3.0</b>
BCM957414M4142C	SFP28	<b>OCF</b> PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414 / Support OCF 2.0 type1
<u>BCM957416A4160C</u>	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	BCM5741 (P210TP)
<u>BCM957416M4163C</u>	RJ-45	<b>OCF</b> PCIe Gen3 x8	Dual	10Gb/s per port	BCM5741 / Support OCF 2.0 (M210TP)

Broadcom FC Host Bus Adapter

<u>LPe32002-M2</u>	SFP+	PCIe Gen3 x8	Dual	32Gb/s per port	XE501 controller
<u>LPe31002-M6</u>	SFP+	PCIe Gen3 x8	Dual	16Gb/s per port	XE501 controller
<u>T6225-CR</u>	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Power 13w
<u>T6225-SO-CR</u>	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Power 10w
<u>T62100-CR</u>	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 22w
<u>T62100-LP-CR</u>	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 19w
<u>T62100-SO-CR</u>	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 16w

**USB Device**

Product Name	Type	Vendor	Capacity	Note					
USB 3.0									
PURE CLASSIC X176B1FWBO75	HDD	Gigabyte	500G						
GoFlex STAA500305	HDD	Seagate	500G						
TOSHIBA CANVIO BASIC	HDD	Toshiba	500G						
NA317U+	Device	ineo							
SST-TS13	Device	Silver Stone							
S1-DS3-Plus	Device	CyberSLIM							
MB981U3-1S	Device	ICYDOCK							
i310-SB3(6G)	Device	STARDOM							