

"R292-4S1" Qualification Vender List										
Please contact FAE support for below orange blocks										
Intel CPU										
CooperLake - Intel 3rd Generation Xeon Scalable Family										
Intel® Xeon® Processor Platinum 8380HL	CooperLake	SRJXR	A1	38.50MB	10.4 GT/s	28	2.9 GHz	4.3 GHz	250W	DDR4-3200
Intel® Xeon® Processor Platinum 8360H	CooperLake	QV79	A1	33MB	10.4 GT/s	24	3.0 GHz	4.2 GHz	225W	DDR4-3200
Intel® Xeon® Processor Platinum 8360HL	CooperLake	QV78	A1	33MB	10.4 GT/s	24	3.0 GHz	4.2 GHz	225W	DDR4-3200
Intel® Xeon® Processor Platinum 8353H	CooperLake	QU93	A1	24.75MB	10.4 GT/s	18	2.5 GHz	3.8 GHz	150W	DDR4-3200
Intel® Xeon® Processor Gold 6348H	CooperLake	QU8Y	A1	33MB	10.4 GT/s	24	2.3 GHz	4.2 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 6330H	CooperLake	QV7C	A1	33MB	10.4 GT/s	24	2.0 GHz	3.7 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6328HL	CooperLake	QU90	A1	22MB	10.4 GT/s	16	2.8 GHz	4.3 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 5318H	CooperLake	QUYP	A1	24.75MB	10.4 GT/s	18	2.5 GHz	3.8 GHz	150W	DDR4-2667
Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)										
Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins
RDIMM										
CT32G4RFD4266-2G6H1.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ-2G6H1QG	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMAA8GR7CJR4N-XN T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T8	DDR4	SKhynix	64GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1UI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2R1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PZ-3G2F1TI	DDR4	Micron	32GB	Micron-Montage	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF2G72PZ-3G2F1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2B2TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2J3UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2F1VI	DDR4	Micron	32GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2F1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS8/16MER	DDR4	Kingston	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS4/32MER	DDR4	Kingston	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PZ-3G2R1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2J3UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF8G72PZ-3G2F1VI	Micron	DDR4	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
Intel Optane™ Persistent Memory 200 Series (Barlow PASS)Due to thermal limitaiton, please mark as orange color if test pass										

NMB1XBD128GQS QVSN	DDR-T	Intel	128GB				3200MHz			288-pin
NMB1XBD256GQS QVSP	DDR-T	Intel	256GB				3200MHz			288-pin
NMB1XBD512GQS QVSQ	DDR-T	Intel	512GB				3200MHz			288-pin

Seagate HDD (SAS HDD may need RAID Card support)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
Seagate Enterprise Capacity 2.5 HDD										
ST1000NX0313	SATA	Seagate	2.5"	512e	1TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A
ST2000NX0253	SATA	Seagate	2.5"	512E	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A

SATA/SAS SSD

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note		
SATA/SAS SSD										
SSDSC2KB240GZ	SSD	Solidigm	2.5"	SATA	240GB	6Gb/s	D3-S4520 Series			
SSDSC2KB480GZ	SSD	Solidigm	2.5"	SATA	480GB	6Gb/s	D3-S4520 Series			
SSDSC2KG019TZ	SSD	Solidigm	2.5"	SATA	1.92TB	6Gb/s	D3-S4620 Series			
SSDSC2KG038TZ	SSD	Solidigm	2.5"	SATA	3.84TB	6Gb/s	D3-S4620 Series			
MTFDDAK1T9TGB-1BC1ZABYY	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s	5400 MAX			
MTFDDAK1T9TGA-1BC1ZABYY	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s	5400 PRO			
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s				
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s				
MTFDDAK1T9TDN-1AT1ZABYY (5200 MAX)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s				
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s				
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s				
MZ-7LH1T9NE 883 DCT Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KG019T8 D3-S4610 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KB019T8 D3-S4510 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KB019TZ D3-S4520 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s				
XA480LE10063	SSD	Seagate	2.5"	SATA	480GB	6Gb/s				
KHK61RSE960G	SSD	Toshiba	2.5"	SATA	960GB	6Gb/s				
SSB240GTLCG-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	240GB	6Gb/s				
SSB480GTLCG-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s				
SSB960GTLCG-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s				
SSB1K9GTLCG-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	1.92TB	6Gb/s				

SSB1K9GTLWCW-D2-SME1720GBT ESM1720 Series	SSD	Phison	2.5"	SATA	1.92TB	6Gb/s				
SSB480GTLWCW-D2-SME1720GBT ESM1720 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s				
SSB960GTLWCW-D2-SME1720GBT ESM1720 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s				
SSB240GTLWCW-D2-ESW1710GBT ESW1710 Series	SSD	Phison	2.5"	SATA	240GB	6Gb/s				
SSB480GTLWCW-D2-ESW1710GBT ESW1710 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s				
SSB960GTLWCW-D2-ESW1710GBT ESW1710 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s				
MZ7L31T9HBNA-00A07 PM897 Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s				
MZ7L3480HCHQ-00A07 PM893 Series	SSD	Samsung	2.5"	SATA	480GB	6Gb/s				
MZ7L33T8HBLT-00A07 PM893 Series	SSD	Samsung	2.5"	SATA	3.84TB	6Gb/s				
PCIe SSD										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
PCIe SSD										
SSDPEDKX040T701 P4500 Series PCIe Gen3 x4 4TB	PCIe	Intel	PCI-E 3.0	PCIe(NVMe)	4TB	Gen3 x4				
Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	Gen3 x8				
Netlist N1951 E3 NS1951AH33T2 Gen3 x8 3.2TB	PCIe	Netlist	PCI-E 3.0	PCIe(NVMe)	3.2TB	-				
U.2										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
U.2 (VROC support)										
SSDPE2KE032T801 P4610 Series	U.2	Intel	2.5"	SFF8639(NVMe)	3.2TB	Gen3 x4				
SSDPE2KX020T801 P4510 Series	U.2	Intel	2.5"	SFF8639(NVMe)	2TB	Gen3 x4				
U.2										
SSDPE2KE032T801 P4610 Series	U.2	Intel	2.5"	SFF8639(NVMe)	3.2TB	Gen3 x4				
MTFDHBE3T8TDF 7300 Pro Series	U.2	Micron	2.5"	SFF8639(NVMe)	3.84TB	Gen3 x4				
SSDPE2KX020T801 P4510 Series	U.2	Intel	2.5"	SFF8639(NVMe)	2TB	Gen3 x4				
MTFDHAL3T2TDR 9300 Max Series	U.2	Micron	2.5"	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4				
MZ-QLB1T9N 983 DCT Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	Gen3 x4				
KCD51LUG960G CD5 Series	U.2	Toshiba	2.5"	SFF8639(NVMe)	960GB	Gen3 x4				
WUS4C6432DSP3X Ultrastar DC SN840 Series	U.2	WD	2.5"	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4				
PWFX100 3.2TB	U.2	PHISON	2.5"	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4				
MTFDHBE1T6TDG 7300 Max Series	U.2	Micron	2.5"	SFF8639(NVMe)	1.6TB	Gen3 x4	MTFDHBE1T6TDG-1AW1ZABYY			
MTFDHBE960TDF 7300 Pro Series	U.2	Micron	2.5"	SFF8639(NVMe)	960GB	Gen3 x4	MTFDHBE960TDF-1AW4ZABYY			
U.3										
SSDPE2KE032T801 P4610 Series	U.2	Intel	2.5"	SFF8639(NVMe)	3.2TB	Gen3 x4				
M.2										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
IM2P33F8-512GD	M.2	ADATA	2280	PCIe(NVMe)	512GB	PCIe Gen3 x4				
IM2P33F8-256GD1	M.2	ADATA	2280	PCIe(NVMe)	256GB	PCIe Gen3 x4				
IM2P33F8-512GD1	M.2	ADATA	2280	PCIe(NVMe)	512GB	PCIe Gen3 x4				
MZVPV512HDGL	M.2	Samsung	2280	PCIe(NVMe)	512GB	PCIe Gen3 x4				

MTFDHBA960TDF 960GB 7300 Pro Series	M.2	Micron	2280	PCIe(NVMe)	960GB	PCIe Gen3 x4				
M.2										
MZVPV512HDGL	M.2	Samsung	2280	PCIe(NVMe)	512GB	-				
MTFDHBA960TDF 960GB 7300 Pro Series	M.2	Micron	2280	PCIe(NVMe)	960GB	-				
RAID Cards										
Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note		
GIGABYTE Storage Cards										
CRA3338	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 xMini-SAS HD for 8x SAS	-	-	12Gb/s ports			
CSA3548	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	-	-	-	2 x external 8 Mini-SAS HD SFF8644	12Gb/s ports			
CRA4448	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports			
LSI RAID Controller Cards										
MegaRAID SAS 9460-16i without Tri-mode	SAS3516 dual-core RAID-on-Chip (ROC)	x8 lane PCI Express® 3.1	8	4 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0			
LSI Host Bus Adapters (HBAs)										
LSI SAS 9400-16i without Tri-mode	SAS3416	x8 lane PCI Express® 3.1	16	4 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0			
Microsemi RAID Cards										
SmartRAID 3154-16i	PM8236	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	-	12 Gb/s per port			
Microsemi Host Bus Adapters										
SmartHBA 2100-8i	PM8222	8-Lane PCIe Gen3	8	2 x Internal, SFF-8643	-	-	12 Gb/s per port			
LAN Cards										
Product Name	Connector	System Interface Type	# of Ports	Data Rate	Note					
GIGABYTE LAN Cards										
CLN4B20	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416					
CLN4A10	RJ-45	PCIe Gen3 x8	Dual	1Gb/s per port	Broadcom BCM5720L					
CLNCD42	SFP28	OC P PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414 / Support OC P 3.0					
CLNCB22	RJ-45	OC P PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416 / Support OC P 3.0					
CLNCA12	RJ-45	OC P PCIe Gen2 x2	Dual	1Gb/s per port	Broadcom BCM5720 / Support OC P 3.0					
CLN4832	SFP+	PCIe Gen2 x8	Dual	10Gb/s per port	INTEL 82599ES					
CLN4312	RJ-45	PCIe Gen2 x4	Dual	1Gb/s per port	INTEL i350-AM2					
CLN4314	RJ-45	PCIe Gen2 x4	Quad	1Gb/s per port	INTEL i350-AM4					
CLN4D40	SFP28	PCIe x8 Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414					
CLN4751	SFP28	PCIe x8 Gen3 x8	Single	40Gb/s per port	INTEL XL710					
CLN4752	QSFP+	PCIe x8 Gen3 x8	Dual	40Gb/s per port	INTEL XL710					
CLN4222	RJ-45	PCIe x8 Gen3 x4	Dual	10Gb/s per port	INTEL X550-AT2					
Intel_10GbE										
Intel® Ethernet Network Adapter X722-DA4	SFP+	PCIe v3.0 (8.0 GT/s)	Quad	10Gb/s per port						
Intel_25GbE										
Intel® Ethernet Network Adapter XXV710-DA2	SFP28	PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port						
Intel_40GbE										
Intel® Ethernet Converged Network Adapter XL710-QDA2	QSFP+	PCIe v3.0 (8.0 GT/s)	Dual	40Gb/s per port						
Mellanox ConnectX										

MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN				
Mellanox VPI Adapter Cards									
MCX516A-CCAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN				
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN				
Mellanox VPI Adapter Cards									
MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN				
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN				
MCX555A-ECAT	QSFP28	PCIe 3.0 x16	Single	100Gb/s per port	Mellanox ConnectX-5 VPI (InfiniBand)				
Qlogic LAN Adapters									
QL45611HLCU	QSFP28	PCIe x16 Gen3 x16	Single	100Gb/s per port					
QLE3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port					
Broadcom (Emulex) Ethernet Networking Adapters									
BCM957414A4142CC	SFP28	PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414				
USB Device									
Product Name	Type	Vendor	Capacity						Note
USB 3.0									
PURE CLASSIC X176B1FWBO75	HDD	Gigabyte	500G						
GoFlex STAA500305	HDD	Seagate	500G						
TOSHIBA CANVIO BASIC	HDD	Toshiba	500G						
NA317U+	Device	ineo							
SST-TS13	Device	Silver Stone							
S1-DS3-Plus	Device	CyberSLIM							
MB981U3-1S	Device	ICYDOCK							
i310-SB3(6G)	Device	STARDOM							