

G493-SB0-AAP1 Qualification Vender List										
Please contact FAE support for below orange blocks										
Intel CPU										
Product Name	Vendor	Code Name	Q-Spec	Stepping	Cache	# of Cores	Processor Base Frequency	Max Turbo Frequency	TDP(W)	Memory Types
Sapphire Rapids - 4th Generation Intel® Xeon® Scalable Processors										
Intel® Xeon® Platinum 8490H Processor	Intel	Sapphire Rapids	Q23U	E-5	112.5MB	60	1.9 GHz	3.5 GHz	350	DDR5-4800
Intel® Xeon® Platinum 8480+ Processor	Intel	Sapphire Rapids	Q23T	E-5	105.0MB	56	2.0 GHz	3.8 GHz	350	DDR5-4800
Intel® Xeon® Platinum 8470 Processor	Intel	Sapphire Rapids	Q236	E-5	105.0MB	52	2.0 GHz	3.8 GHz	350	DDR5-4800
Intel® Xeon® Platinum 8468V Processor	Intel	Sapphire Rapids	Q23D	E-5	97.5MB	48	2.4 GHz	3.8 GHz	330	DDR5-4800
Intel® Xeon® Platinum 8468H Processor	Intel	Sapphire Rapids	Q242	E-5	105.0MB	48	2.1 GHz	3.8 GHz	330	DDR5-4800
Intel® Xeon® Platinum 8468 Processor	Intel	Sapphire Rapids	Q237	E-5	105.0MB	48	2.1 GHz	3.8 GHz	350	DDR5-4800
Intel® Xeon® Platinum 8462Y+ Processor	Intel	Sapphire Rapids	Q27N	S-3	60.0MB	32	2.8 GHz	4.1 GHz	300	DDR5-4800
Intel® Xeon® Platinum 8460Y+ Processor	Intel	Sapphire Rapids	Q238	E-5	105.0MB	40	2.0 GHz	3.7 GHz	300	DDR5-4800
Intel® Xeon® Platinum 8460H Processor	Intel	Sapphire Rapids	Q23V	E-5	105.0MB	40	2.2 GHz	3.8 GHz	330	DDR5-4800
Intel® Xeon® Platinum 8458P Processor	Intel	Sapphire Rapids	Q23F	E-5	82.5MB	44	2.7 GHz	3.8 GHz	350	DDR5-4800
Intel® Xeon® Platinum 8454H Processor	Intel	Sapphire Rapids	Q23R	E-5	82.5MB	32	2.1 GHz	3.4 GHz	270	DDR5-4800
Intel® Xeon® Platinum 8452Y Processor	Intel	Sapphire Rapids	Q246	E-5	67.5MB	36	2.0 GHz	3.2 GHz	300	DDR5-4800
Intel® Xeon® Platinum 8450H Processor	Intel	Sapphire Rapids	Q244	E-5	75.0MB	28	2.0 GHz	3.5 GHz	250	DDR5-4800
Intel® Xeon® Platinum 8444H Processor	Intel	Sapphire Rapids	Q23W	E-5	45.0MB	16	2.9 GHz	4.0 GHz	270	DDR5-4800
Intel® Xeon® Gold 6454S Processor	Intel	Sapphire Rapids	Q23C	E-5	60.0MB	32	2.2 GHz	3.4 GHz	270	DDR5-4800
Intel® Xeon® Gold 6448Y Processor	Intel	Sapphire Rapids	Q27M	S-3	60.0MB	32	2.1 GHz	4.1 GHz	225	DDR5-4800
Intel® Xeon® Gold 6448H Processor	Intel	Sapphire Rapids	Q27S	S-3	60.0MB	32	2.4 GHz	4.1 GHz	250	DDR5-4800
Intel® Xeon® Gold 6444Y Processor	Intel	Sapphire Rapids	Q27T	S-3	45.0MB	16	3.6 GHz	4.1 GHz	270	DDR5-4800
Intel® Xeon® Gold 6442Y Processor	Intel	Sapphire Rapids	Q27J	S-3	60.0MB	24	2.6 GHz	4.0 GHz	225	DDR5-4800
Intel® Xeon® Gold 6438Y+ Processor	Intel	Sapphire Rapids	Q27L	S-3	60.0MB	32	2.0 GHz	4.0 GHz	205	DDR5-4800
Intel® Xeon® Gold 6438N Processor	Intel	Sapphire Rapids	Q280	S-3	60.0MB	32	2.0 GHz	3.6 GHz	205	DDR5-4800
Intel® Xeon® Gold 6438M Processor	Intel	Sapphire Rapids	Q282	S-3	60.0MB	32	2.2 GHz	3.9 GHz	205	DDR5-4800
Intel® Xeon® Gold 6434H Processor	Intel	Sapphire Rapids	Q27P	S-3	22.5MB	8	3.7 GHz	4.1 GHz	195	DDR5-4800
Intel® Xeon® Gold 6434 Processor	Intel	Sapphire Rapids	Q273	S-3	22.5MB	8	3.7 GHz	4.1 GHz	195	DDR5-4800
Intel® Xeon® Gold 6430 Processor	Intel	Sapphire Rapids	Q23B	E-5	60.0MB	32	2.1 GHz	3.4 GHz	270	DDR5-4400
Intel® Xeon® Gold 6428N Processor	Intel	Sapphire Rapids	Q27Y	S-3	60.0MB	32	1.8 GHz	3.8 GHz	185	DDR5-4800
Intel® Xeon® Gold 6426Y Processor	Intel	Sapphire Rapids	Q27E	S-3	37.5MB	16	2.5 GHz	4.1 GHz	185	DDR5-4800
Intel® Xeon® Gold 6418H Processor	Intel	Sapphire Rapids	Q27R	S-3	60.0MB	24	2.1 GHz	4.0 GHz	185	DDR5-4800
Intel® Xeon® Gold 6416H Processor	Intel	Sapphire Rapids	Q27Q	S-3	45.0MB	18	2.2 GHz	4.2 GHz	165	DDR5-4800
Intel® Xeon® Gold 5420+ Processor	Intel	Sapphire Rapids	Q27K	S-3	52.5MB	28	2.0 GHz	4.1 GHz	205	DDR5-4400
Intel® Xeon® Gold 5418Y Processor	Intel	Sapphire Rapids	Q27G	S-3	45.0MB	24	2.0 GHz	3.8 GHz	185	DDR5-4400
Intel® Xeon® Gold 5418N Processor	Intel	Sapphire Rapids	Q27W	S-3	45.0MB	24	1.8 GHz	3.8 GHz	165	DDR5-4000
Intel® Xeon® Gold 5416S Processor	Intel	Sapphire Rapids	Q281	S-3	30.0MB	16	2.0 GHz	4.0 GHz	150	DDR5-4400
Intel® Xeon® Gold 5415+ Processor	Intel	Sapphire Rapids	Q27C	S-3	22.5MB	8	2.9 GHz	4.1 GHz	150	DDR5-4400
Intel® Xeon® Silver 4416+ Processor	Intel	Sapphire Rapids	Q27F	S-3	37.5MB	20	2.0 GHz	3.9 GHz	165	DDR5-4000
Intel® Xeon® Silver 4410Y Processor	Intel	Sapphire Rapids	Q27D	S-3	30.0MB	12	2.0 GHz	3.9 GHz	150	DDR5-4000
Intel® Xeon® Silver 4410T Processor	Intel	Sapphire Rapids	Q27V	S-3	26.3MB	10	2.7 GHz	4.0 GHz	150	DDR5-4000
Sapphire Rapids HBM - Intel Xeon CPU Max Series										
Intel® Xeon® Max 9468 Processor	Intel	Sapphire Rapids HBM	Q2HT	B-3	105.0MB	48	2.0 GHz	3.5 GHz	350	DDR5-4800
Intel® Xeon® Max 9462 Processor	Intel	Sapphire Rapids HBM	Q2HR	B-3	75.0MB	32	2.7 GHz	3.5 GHz	350	DDR5-4800
Intel® Xeon® Max 9460 Processor	Intel	Sapphire Rapids HBM	Q2HS	B-3	97.5MB	40	2.2 GHz	3.5 GHz	350	DDR5-4800
Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)										
Product Name	Vendor	Memory Type	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	Pins	Note
DDR5 RDIMM										
M321R2GA3BB0-CQKVG	Samsung	DDR5	16GB	Samsung-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
M321R2GA3BB6-CQKVS	Samsung	DDR5	16GB	Samsung-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	

M321R2GA3BB6-CQKMS	Samsung	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
M321R2GA3BB6-CQKMG	Samsung	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
M321R2GA3BB6-CQKEG	Samsung	DDR5	16GB	Samsung-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
M321R4GA0BB0-CQKVG	Samsung	DDR5	32GB	Samsung-Rambus	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
M321R4GA0BB0-CQKMG	Samsung	DDR5	32GB	Samsung-Montage	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
M321R4GA3BB6-CQKMG	Samsung	DDR5	32GB	Samsung-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
M321R8GA0BB0-CQKVG	Samsung	DDR5	64GB	Samsung-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
M321R8GA0BB0-CQKEG	Samsung	DDR5	64GB	Samsung-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
M321R8GA0BB0-CQKMG	Samsung	DDR5	64GB	Samsung-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
M321R8GA0BB0-CQKVS	Samsung	DDR5	64GB	Samsung-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
M321R8GA0BB0-CQKDG	Samsung	DDR5	64GB	Samsung-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
M321R8GA0BB0-CQKZH	Samsung	DDR5	64GB	Samsung-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
MTC10F1084S1RC48BA1 HCCG	Micron	DDR5	16GB	Micron-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
MTC10F1084S1RC48BA1 NGCC	Micron	DDR5	16GB	Micron-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
MTC10F1084S1RC48BA1 NHFF	Micron	DDR5	16GB	Micron-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
MTC20F2085S1RC48BA1 HCCG	Micron	DDR5	32GB	Micron-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
MTC20F2085S1RC48BA1 HCCH	Micron	DDR5	32GB	Micron-Rambus	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
MTC20F2085S1RC48BA1 NGCC	Micron	DDR5	32GB	Micron-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
MTC20F1045S1RC48BA2 HCCH	Micron	DDR5	32GB	Micron-Rambus	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
MTC20F1045S1RC48BA2 HCCG	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
MTC20F1045S1RC48BA2 NGCC	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
MTC18F1045S1PC48BA2 NGCC	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
MTC20F208XS1RC48BB1 NGCC	Micron	DDR5	48GB	Micron-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
MTC40F2046S1RC48BA1 GCCG	Micron	DDR5	64GB	Micron-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
MTC40F2046S1RC48BA1 FCCI	Micron	DDR5	64GB	Micron-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
MTC40F2046S1RC48BA1 FICC	Micron	DDR5	64GB	Micron-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
MTC36F2046S1PC48BA1 MHCC	Micron	DDR5	64GB	Micron-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
HMCG88MEBRA113N AA	SKhynix	DDR5	32GB	SKhynix-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
HMCG88MEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
HMCG94MEBRA109N AA	SKhynix	DDR5	64GB	SKhynix-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
HMCG78AEBRA107N AA	SKhynix	DDR5	16GB	SKhynix-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
HMCG78AEBRA168N AA	SKhynix	DDR5	16GB	SKhynix-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
HMCG78AEBRA115N AA	SKhynix	DDR5	16GB	SKhynix-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
HMCG88AEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
HMCG88AEBRA115N AA	SKhynix	DDR5	32GB	SKhynix-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
HMCG84AEBRA168N AA	SKhynix	DDR5	32GB	SKhynix-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
HMCG84AEBRA115N AA	SKhynix	DDR5	32GB	SKhynix-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
HMCG84AEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
HMCG94AEBRA109N AA	SKhynix	DDR5	64GB	SKhynix-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
HMCG94AEBRA123N AA	SKhynix	DDR5	64GB	SKhynix-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
AO4V48UCSV1-BHRS	ADATA	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
AO4V48UCTV2-BHSS	ADATA	DDR5	32GB	Samsung-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	
KSM48R40BS8KMM-16HMR	Kingston	DDR5	16GB	SKhynix-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin	
KSM48R40BS4TMM-32HMR	Kingston	DDR5	32GB	SKhynix-Rambus	1Rx4	1.1v	4800MHz	ECC Registered	288-pin	
KSM48R40BD8KMM-32HMR	Kingston	DDR5	32GB	SKhynix-Rambus	2Rx8	1.1v	4800MHz	ECC Registered	288-pin	

KSM48R40BD4TMM-64HMR	Kingston	DDR5	64GB	Skhynix-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin	
<b>HDD (If the system build-in with RAID card ,please refer to RAID card QVL list)</b>										
Product Name	Vendor	Type	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
<b>Seagate Enterprise Capacity 2.5 HDD</b>										
ST2000NX0253	Seagate	SATA	2.5"	512e	2TB	6Gb/s	Exos 7E2000	128MB	7200	N/A
ST2000NX0243	Seagate	SATA	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000	128MB	7200	N/A
ST1000NX0313	Seagate	SATA	2.5"	512e	1TB	6Gb/s	Exos 7E2000	128MB	7200	N/A
<b>Seagate Enterprise Capacity 3.5 HDD</b>										
ST10000NM0016	Seagate	SATA	3.5"	512e	10TB	6Gb/s	Exos X10	256MB	7200	N/A
ST14000NM0018	Seagate	SATA	3.5"	512e/4Kn	14TB	6Gb/s	Exos X14	256MB	7200	N/A
ST16000NM001G	Seagate	SATA	3.5"	512e/4Kn	16TB	6Gb/s	Exos X16	256MB	7200	N/A
ST18000NM000J	Seagate	SATA	3.5"	512e/4Kn	18TB	6Gb/s	Exos X18	256MB	7200	N/A
ST20000NM007D	Seagate	SATA	3.5"	512e/4Kn	20TB	6Gb/s	Exos X20	256MB	7200	N/A
ST22000NM001E	Seagate	SATA	3.5"	512e	22TB	6Gb/s	Exos X22	512MB	7200	N/A
<b>WD Enterprise Hard Drives</b>										
HUS722T2TALA604	WD	SATA	3.5"	512n	2TB	6Gb/s	Ultrastar DC HA210	128MB	7200	N/A
HUS726T6TAL6L4	WD	SATA	3.5"	512e	6TB	6Gb/s	Ultrastar DC HC310	256MB	7200	N/A
WUH721818ALE6L4	WD	SATA	3.5"	512e	18TB	6Gb/s	Ultrastar DC HC550	512MB	7200	N/A
WUH722020BLE6L4	WD	SATA	3.5"	512e	20TB	6Gb/s	Ultrastar DC HC560	512MB	7200	N/A
WUH722222ALE6L4	WD	SATA	3.5"	512e	22TB	6Gb/s	Ultrastar DC HC570	512MB	7200	N/A
<b>Toshiba Enterprise Hard Drives</b>										
MG08ADA800E	Toshiba	SATA	3.5"	512e	8TB	6Gb/s	MG08-D	256MB	7200	N/A
MG09ACA18TE	Toshiba	SATA	3.5"	512e	18TB	6Gb/s	MG09	512MB	7200	N/A
MG10ACA20TE	Toshiba	SATA	3.5"	512e	20TB	6Gb/s	MG10	512MB	7200	N/A
<b>SATA/SAS SSD</b>										
Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note			
<b>SATA SSD</b>										
SSDSC2KB240GZ	Solidigm	SSD	2.5"	SATA	240GB	6Gb/s	D3-S4520 Series			
SSDSC2KB480GZ	Solidigm	SSD	2.5"	SATA	480GB	6Gb/s	D3-S4520 Series			
SSDSC2KB019TZ	Solidigm	SSD	2.5"	SATA	1.92TB	6Gb/s	D3-S4520 Series			
SSDSC2KG480GZ01	Solidigm	SSD	2.5"	SATA	480GB	6Gb/s	D3-S4620 Series			
SSDSC2KG960GZ01	Solidigm	SSD	2.5"	SATA	960GB	6Gb/s	D3-S4620 Series			
SSDSC2KG019TZ	Solidigm	SSD	2.5"	SATA	1.92TB	6Gb/s	D3-S4620 Series			
SSDSC2KG038TZ	Solidigm	SSD	2.5"	SATA	3.84TB	6Gb/s	D3-S4620 Series			
MTFDDAK3T8TDS-1AW1ZABYY	Micron	SSD	2.5"	SATA	3.84TB	6Gb/s	5300 PRO Series			
MTFDDAK1T9TDS-1AW1ZABYY	Micron	SSD	2.5"	SATA	1.92TB	6Gb/s	5300 PRO Series			
MTFDDAK240TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	240GB	6Gb/s	5400 PRO Series			
MTFDDAK480TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	480GB	6Gb/s	5400 PRO Series			
MTFDDAK960TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	960GB	6Gb/s	5400 PRO Series			
MTFDDAK1T9TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	1.92TB	6Gb/s	5400 PRO Series			
MZ7L3480HCHQ-00A07	Samsung	SSD	2.5"	SATA	480GB	6Gb/s	PM893 Series			
MZ7L33T8HBLT-00A07	Samsung	SSD	2.5"	SATA	3.84TB	6Gb/s	PM893 Series			
MZ7L3480HBLT-00A07	Samsung	SSD	2.5"	SATA	480GB	6Gb/s	PM897 Series			
MZ7L3960HBLT-00A07	Samsung	SSD	2.5"	SATA	960GB	6Gb/s	PM897 Series			
MZ7L31T9HBNA-00A07	Samsung	SSD	2.5"	SATA	1.92TB	6Gb/s	PM897 Series			
SSB480GTLWCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	480GB	6Gb/s	ESM1720 Series			
SSB960GTLWCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	960GB	6Gb/s	ESM1720 Series			
SSB1K9GTLWCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	1.92TB	6Gb/s	ESM1720 Series			
SSB240GTLWCW-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	240GB	6Gb/s	ESW1710 Series			
SSB480GTLWCW-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	480GB	6Gb/s	ESW1710 Series			
SSB960GTLWCW-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	960GB	6Gb/s	ESW1710 Series			
<b>PCIe SSD</b>										
Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note			

PCIe SSD							
SSDPEDKX040T701	Solidigm	PCIe	PCI-E 3.0	PCIe(NVMe)	4TB	PCIe Gen3 x4	P4500 Series
MZPLL3T2HAJQ	Samsung	PCIe	PCI-E 3.0	PCIe(NVMe)	3.2TB	PCIe Gen3 x8	PM1725b Series
NVMe							
Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
U.2 (VROC support)							
SSDPF2KX038TZ	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	D7-P5510 Series
SSDPF2KX153T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	15.36TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KX076T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KX038T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KX019T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KE064T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	D7-P5620 Series
SSDPF2KE032T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	D7-P5620 Series
SSDPF2KE016T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	D7-P5620 Series
SSDPF2NV153TZ	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	15.35TB	PCIe Gen4 x4	D5-P5316 Series
U.2							
SBFPF2BU153T	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	15.36TB	PCIe Gen4 x4	D5-P5430 Series
SBFPF2BU076T	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	D5-P5430 Series
SBFPF2BU038T	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	D5-P5430 Series
SSDPF2KX038TZ	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	D7-P5510 Series
SSDPF2KX153T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	15.36TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KX076T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KX038T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KX019T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KE064T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	D7-P5620 Series
SSDPF2KE032T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	D7-P5620 Series
SSDPF2KE016T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	D7-P5620 Series
SSDPF2NV153TZ	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	15.35TB	PCIe Gen4 x4	D5-P5316 Series
MTFDHAL3T2DR	Micron	U.2	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4	9300 Max Series
MZQL23T8HCLS	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	PM9A3 Series
MZQL21T9HCJR	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	PM9A3 Series
MZQL2960HCJR	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	PM9A3 Series
U.3							
KCM61RUL3T84	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	CM6-R Series
KCM61RUL1T92	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	CM6-R Series
KCM61RUL960G	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	CM6-R Series
KCD61LUL3T84	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	CD6-R Series
KCD61LUL1T92	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	CD6-R Series
KCD61LUL960G	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	CD6-R Series
MTFDKCC6T4TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	7400 Max Series
MTFDKCC3T2TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	7400 Max Series
MTFDKCC1T6TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	7400 Max Series
MTFDKCC800TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	800GB	PCIe Gen4 x4	7400 Max Series
MTFDKCC6T4TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	7450 Max Series
MTFDKCC3T2TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	7450 Max Series
MTFDKCC1T6TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	7450 Max Series
MTFDKCC800TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	800GB	PCIe Gen4 x4	7450 Max Series
EU36K4GTLcv-X1-EPW5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	EPW5970 Series
EU33K2GTLcv-X1-EPW5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	EPW5970 Series
EU31K6GTLcv-X1-EPW5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	EPW5970 Series
EU37K6GTLcv-X1-EPM5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	EPM5970 Series
EU33K8GTLcv-X1-EPM5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	EPM5970 Series
EU31K9GTLcv-X1-EPM5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	EPM5970 Series
EU36K4GTLcv-P1EPW0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	EPW0970 Series

EU33K2GTLcv-P1EPW0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	EPW0970 Series		
EU31K6GTLcv-P1EPW0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	EPW0970 Series		
EU37K6GTLcv-P1EPM0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	EPM0970 Series		
EU33K8GTLcv-P1EPM0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	EPM0970 Series		
EU31K9GTLcv-P1EPM0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	EPM0970 Series		
MTFDKCB7T6TDZ	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	7400 Pro Series		
MTFDKCB3T8TDZ	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	7400 Pro Series		
MTFDKCB1T9TDZ	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	7400 Pro Series		
MTFDKCB960TDZ	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	7400 Pro Series		
MTFDKCB7T6TFR	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	7450 Pro Series		
MTFDKCB3T8TFR	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	7450 Pro Series		
MTFDKCB1T9TFR	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	7450 Pro Series		
MTFDKCB960TFR	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	7450 Pro Series		
MTFDKCC6T4TGJ	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	9400 Max Series		
MTFDKCC7T6TGH	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	9400 Pro Series		
<b>M.2</b>									
Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note		
M.2									
MZ-1LB1T9N	Samsung	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen3 x4	983 DCT Series		
<b>GPGPU Card (GPGPU server only)</b>									
Product Name	Vendor	Processor Cores	Memory Bandwidth (GB/sec)	VRAM	OpenGL	Microsoft DirectX	Graphics Card Power (W)	NVIDIA SLI / AMD CrossFire Ready	Note
NVIDIA Tesla									
A100 (80GB)	NVIDIA	6912	1555 GB/s	80GB			300 W		(Maximum support 8pcs GPGPU )
L40	NVIDIA	18176	864 GB/s	48GB			350 W		(Maximum support 8pcs GPGPU )
L40S	NVIDIA	18176	864 GB/s	48GB			350 W		(Maximum support 8pcs GPGPU )
L4	NVIDIA	7680	300 GB/s	24GB			72 W		(Maximum support 8pcs GPGPU )
<b>USB Device</b>									
Product Name	Vendor	Type	Connector	Capacity	Note				
USB 3.2 Gen 1 (5Gbps)									
CANVIO BASIC	Toshiba	HDD	Type-A	500GB					
ESW863 8X SLIM	NU	DVD	Type-A						
NA317U+	ineo	Device	Type-A						
SST-TS13	Silver Stone	Device	Type-A						
S1-DS3-Plus	CyberSLIM	Device	Type-A						
MB981U3-1S	ICYDOCK	Device	Type-A						