

**" H261-T61"Qualification Vender List**

**If you use the device below the orange block, please contact FAE.**

| Memory                  |             |                 |             |                 |          |                 |                    |                  |             |         |
|-------------------------|-------------|-----------------|-------------|-----------------|----------|-----------------|--------------------|------------------|-------------|---------|
| Product Name            | Memory Type | Module Supplier | Size        | Chip Brand      | Rank     | Voltage         | Data Transfer Rate | Error Correction | CAS Latency | Pins    |
| RDIMM                   |             |                 |             |                 |          |                 |                    |                  |             |         |
| M4R0-BGS3GCSJ           | DDR4        | INNODISK        | 32GB        | Samsung         | 2R X4    | 1.2v            | 2400MHz            | ECC Registered   | 17          | 288-pin |
| M393A4K40BB1-CRC0Q      | DDR4        | Samsung         | 32GB        | Samsung         | 2R X4    | 1.2v            | 2400MHz            | ECC Registered   | 17          | 288-pin |
| VP9MR4G7224JBJSB        | DDR4        | Viking          | 32GB        | Samsung         | 2R X4    | 1.2v            | 2400MHz            | ECC Registered   | 17          | 288-pin |
| M393A2K40CB2-CTD6Q      | DDR4        | Samsung         | 16GB        | Samsung-Montage | 1Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| M393A8G40MB2-CTD7Q      | DDR4        | Samsung         | 64GB        | Samsung-IDT     | 2Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| CT16G4RFD8266-2G6E1.001 | DDR4        | CRUCIAL         | 16GB        | Micron-Montage  | 2Rx8     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| MTA18ASF2G72PDZ-2G6E1QG | DDR4        | Micron          | 16GB        | Micron-Montage  | 2Rx8     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| HMA84GR7AFR4N-VKT3      | DDR4        | SKhynix         | 32GB        | Skhynix-Montage | 2Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| KSM26RD4/32HAI          | DDR4        | Kingston        | 32GB        | Skhynix-IDT     | 2Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| KSM26RS4/16HAI          | DDR4        | Kingston        | 16GB        | Skhynix-IDT     | 1Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| HMA82GR7AFR8N-VKT3      | DDR4        | SKhynix         | 16GB        | Skhynix-Montage | 2Rx8     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| HMA82GR7AFR8N-VKTF      | DDR4        | SKhynix         | 16GB        | Skhynix-IDT     | 2Rx8     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| CT32G4RFD4266.36FD1     | DDR4        | Crucial         | 32GB        | Micron          | 2Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| CT32G4RFD4266-2G6D1.001 | DDR4        | Crucial         | 32GB        | Micron          | 2Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| CT16G4RFS4266.18FD1     | DDR4        | Crucial         | 16GB        | Micron          | 1Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| MTA18ASF2G72PZ-2G6D1QI  | DDR4        | Micron          | 16GB        | Micron          | 1Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| M393A2K40BB2-CTD        | DDR4        | Samsung         | 16GB        | Samsung         | 1Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| HMA82GR7AFR4N-VKT3      | DDR4        | SKhynix         | 16GB        | Skhynix-Montage | 1Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| HMA82GR7AFR4N-VKTF      | DDR4        | SKhynix         | 16GB        | Skhynix-IDT     | 1Rx4     | 1.2v            | 2666MHz            | ECC Registered   | 19          | 288-pin |
| SATA/SAS SSD            |             |                 |             |                 |          |                 |                    |                  |             |         |
| Product Name            | Type        | Vendor          | Form Factor | Interface       | Capacity | Interface Speed | FW                 | Note             |             |         |

| SATA/SAS SSD                                    |           |                       |             |                |                                 |                 |                                             |  |  |
|-------------------------------------------------|-----------|-----------------------|-------------|----------------|---------------------------------|-----------------|---------------------------------------------|--|--|
| SSDSC2KB960G701 (Series DC S4500)               | SSD       | Intel                 | 2.5"        | SATA           | 960GB                           | 6Gb/s           |                                             |  |  |
| SSDSC2KG019T701 (Series DC S4600)               | SSD       | Intel                 | 2.5"        | SATA           | 1.92TB                          | 6Gb/s           |                                             |  |  |
| MZ7KM1T9HJMJP-0005 (SM863a)                     | SSD       | Samsung               | 2.5"        | SATA           | 1.92TB                          | 6Gb/s           |                                             |  |  |
| Micron 5100 MTFDDAK960TBY-1AR1ZABYY             | SSD       | Micron                | 2.5"        | SATA           | 960GB                           | 6Gb/s           |                                             |  |  |
| XA960LE10063                                    | SSD       | Seagate               | 2.5"        | SATA           | 960GB                           | 6Gb/s           |                                             |  |  |
| XA480LE10063                                    | SSD       | Seagate               | 2.5"        | SATA           | 480GB                           | 6Gb/s           |                                             |  |  |
| MZ-7LH1T9NE 883 DCT Series                      | SSD       | Samsung               | 2.5"        | SATA           | 1.92TB                          | 6Gb/s           |                                             |  |  |
| SRE100-960G00210000                             | SSD       | Phison                | 2.5"        | SATA           | 960GB                           | 6Gb/s           |                                             |  |  |
| SRE100-480G00210000                             | SSD       | Phison                | 2.5"        | SATA           | 480GB                           | 6Gb/s           |                                             |  |  |
| SEDC500M/3840G DC500M Series                    | SSD       | Kingston              | 2.5"        | SATA           | 3.84TB                          | 6Gb/s           |                                             |  |  |
| SEDC500M/1920G DC500M Series                    | SSD       | Kingston              | 2.5"        | SATA           | 1.92TB                          | 6Gb/s           |                                             |  |  |
| SEDC500M/960G DC500M Series                     | SSD       | Kingston              | 2.5"        | SATA           | 960GB                           | 6Gb/s           |                                             |  |  |
| SEDC500M/480G DC500M Series                     | SSD       | Kingston              | 2.5"        | SATA           | 480GB                           | 6Gb/s           |                                             |  |  |
| KHK61RSE960G                                    | SSD       | Toshiba               | 2.5"        | SATA           | 960GB                           | 6Gb/s           |                                             |  |  |
| MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)              | SSD       | Micron                | 2.5"        | SATA           | 3.84TB                          | 6Gb/s           |                                             |  |  |
| MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)              | SSD       | Micron                | 2.5"        | SATA           | 1.92TB                          | 6Gb/s           |                                             |  |  |
| PCIe SSD                                        |           |                       |             |                |                                 |                 |                                             |  |  |
| Product Name                                    | Type      | Vendor                | Form Factor | Interface      | Capacity                        | Interface Speed | Note                                        |  |  |
| PCIe SSD                                        |           |                       |             |                |                                 |                 |                                             |  |  |
| SSDPEDKX040T701 P4500 Series PCIe Gen3 x4 4TB   | PCIe      | Intel                 | PCI-E 3.0   | PCIe(NVMe)     | 4TB                             | -               |                                             |  |  |
| Samsung PM1725a MZPLL1T6HEHP PCIe Gen3 x8 1.6TB | PCIe      | Samsung               | PCI-E 3.0   | PCIe(NVMe)     | 1.6TB                           | -               |                                             |  |  |
| LAN Cards                                       |           |                       |             |                |                                 |                 |                                             |  |  |
| Product Name                                    | Connector | System Interface Type |             | # of Ports     | System Interface Type           | Data rate       | Note                                        |  |  |
| GIGABYTE LAN Cards                              |           |                       |             |                |                                 |                 |                                             |  |  |
| CLNOQ42                                         | SFP28     | OCPP PCIe x8          |             | Dual           |                                 | 25Gb/s per port | Qlogic (Cavium) QL41401-A2G Support OCP 2.0 |  |  |
| Mellanox ConnectX                               |           |                       |             |                |                                 |                 |                                             |  |  |
| MCX4421A-ACQN                                   | SFP28     | OCPP PCIe Gen3 x8     |             | Dual           |                                 | 25Gb/s per port | Mellanox ConnectX-4 Lx EN / Support OCP 2.0 |  |  |
| Qlogic LAN Adapters                             |           |                       |             |                |                                 |                 |                                             |  |  |
| QL41112HLRJ                                     | RJ-45     | PCIe x8 Gen3 x8       |             | Dual           |                                 | 10Gb/s per port |                                             |  |  |
| QL41232HOCU                                     | SFP28     | OCPP PCIe x8 Gen3 x8  |             | Dual           |                                 | 25Gb/s per port | Support OCP 2.0                             |  |  |
| QL41132HOCU                                     | SFP+      | OCPP PCIe x8 Gen3 x8  |             | Dual           |                                 | 10Gb/s per port | Support OCP 2.0                             |  |  |
| Transceiver / AOC / DAC                         |           |                       |             |                |                                 |                 |                                             |  |  |
| Product Name / Product Number                   | Speed     | Form Factor           | Length      | Connector type | nominal optical wavelength (nm) | Note            |                                             |  |  |
| Transceiver                                     |           |                       |             |                |                                 |                 |                                             |  |  |
| Avago AFBR-709DMZ                               | 10Gb/1Gb  | SFP+                  | N/A         | SR             | 850                             |                 |                                             |  |  |
| Finisar FTLX8574D3BCL                           | 10Gb      | SFP+                  | N/A         | SR             | 850                             |                 |                                             |  |  |
| Finisar FTLX8574D3BCV                           | 10Gb/1Gb  | SFP+                  | N/A         | SR             | 850                             |                 |                                             |  |  |
| WAVESPLITTER WST-S28-SR-C                       | 25Gb      | SFP28                 | N/A         | SR             | 850                             |                 |                                             |  |  |
| Formerica TAS-A1NH1-P11                         | 10Gb      | SFP+                  | N/A         | SR             | 850                             |                 |                                             |  |  |
| Avago AFBR-725SMZ                               | 25Gb      | SFP28                 | N/A         | SR             | 850                             |                 |                                             |  |  |
| Active Optical Cables (AOC)                     |           |                       |             |                |                                 |                 |                                             |  |  |
| Avago AFBR-7CER03Z                              | 10Gb      | SFP+                  | 3M          | N/A            | 850                             |                 |                                             |  |  |
| Avago AFBR-7CER07Z                              | 10Gb      | SFP+                  | 7M          | N/A            | 850                             |                 |                                             |  |  |



GIGA-BYTE TECHNOLOGY CO., LTD.

|                               |        |          |          |      |     |  |
|-------------------------------|--------|----------|----------|------|-----|--|
| WAVESPLITTER WST-S28-AOC-053C | 25Gb   | SFP28    | 5M       | N/A  | 850 |  |
| Avago AFBR-8CER05Z            | 25Gb   | SFP28    | 5M       | N/A  | 850 |  |
| Direct Attach Copper (DAC)    |        |          |          |      |     |  |
| MOLEX 747524701               | 10Gb   | SFP+     | 7M       | N/A  | N/A |  |
| Amphenol NDCCGJ-0005          | 25Gb   | SFP+     | 5M       | N/A  | N/A |  |
| Amphenol NDCCGF-0005          | 25Gb   | SFP+     | 3M       | N/A  | N/A |  |
| Amphenol NDCCGF-0003          | 25Gb   | SFP+     | 2M       | N/A  | N/A |  |
| USB Device                    |        |          |          |      |     |  |
| Product Name                  | Type   | Vendor   | Capacity | Note |     |  |
| USB 3.0                       |        |          |          |      |     |  |
| PURE CLASSIC X176B1FWBO75     | HDD    | Gigabyte | 500G     |      |     |  |
| GoFlex STAA500305             | HDD    | Seagate  | 500G     |      |     |  |
| TOSHIBA CANVIO BASIC          | HDD    | Toshiba  | 500G     |      |     |  |
| NA317U+                       | Device | ineo     |          |      |     |  |