

**"H262-ZL0-A00" Qualification Vender List**

**Please contact FAE support for below orange blocks**

AMD CPU										
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7H12 100-000000055	ROME	SP3	PD	256MB	64 / 128	2.60	3.40	280W	225W/280W	DDR4-3200
AMD 7742 100-000000053	ROME	SP3	B0 PR	256MB	64 / 128	2.25	3.40	225W	225W/240W	DDR4-3200
AMD 7702 100-000000038	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.35	200W	165W/200W	DDR4-3200
AMD 7662 100-000000137	ROME	SP3	PD	256MB	64 / 128	2.00	3.30	225W	225W/240W	DDR4-3200
AMD 7642 100-000000074	ROME	SP3	B0 PR	192MB	48 / 96	2.30	3.40	225W	225W/240W	DDR4-3200
AMD 7552 100-000000076	ROME	SP3	B0 PR	192MB	48 / 96	2.20	3.30	200W	165W/200W	DDR4-3200
AMD 7542 100-000000075	ROME	SP3	B0 PR	128MB	32 / 64	2.90	3.40	225W	225W/240W	DDR4-3200
AMD 7532 100-000000136	ROME	SP3	PD	256MB	32 / 64	2.40	3.30	200W	180W/200W	DDR4-3200
AMD 7502 100-000000054	ROME	SP3	B0 PR	128MB	32 / 64	2.50	3.35	180W	165W/200W	DDR4-3200
AMD 7452 100-000000057	ROME	SP3	B0 PR	128MB	32 / 64	2.35	3.35	155W	155W/180W	DDR4-3200
AMD 7402 100-000000046	ROME	SP3	B0 PR	128MB	24 / 48	2.80	3.35	180W	165W/200W	DDR4-3200
AMD 7352 100-000000077	ROME	SP3	B0 PR	128MB	24 / 48	2.30	3.20	155W	155W/180W	DDR4-3200
AMD 7302 100-000000043	ROME	SP3	B0 PR	128MB	16 / 32	3.00	3.30	155W	155W/180W	DDR4-3200
AMD 7282 100-000000078	ROME	SP3	B0 PR	64MB	16 / 32	2.80	3.20	120W	120W/150W	DDR4-2666
AMD 7262 100-000000041	ROME	SP3	B0 PR	128MB	8 / 16	3.20	3.40	155W	155W/180W	DDR4-3200
AMD 7272 100-000000079	ROME	SP3	B0 PR	64MB	12 / 24	2.90	3.20	120W	120W/150W	DDR4-3200
AMD 7252 100-000000080	ROME	SP3	PD	64MB	8 / 16	3.10	3.20	120W	120W/150W	DDR4-2666
AMD 7F72 100-000000141	ROME	SP3	PD	192MB	24 / 48	3.2	3.7	240W	225W/240W	DDR4-3200
AMD 7F52 100-000000140	ROME	SP3	PD	256MB	16 / 32	3.50	3.90	240W	225W/240W	DDR4-3200
AMD 7F32 100-000000139	ROME	SP3	B0 PR	128MB	8 / 16	3.70	3.90	180W	165W/200W	DDR4-3200
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7763 100-000000312	Milan	SP3	PR	256MB	64 / 128	2.45	3.50	280W	225W/280W	DDR4-3200
AMD 7713 100-000000344	Milan	SP3	PR	256MB	64 / 128	2.00	3.675	225W	225W/240W	DDR4-3200
AMD 7663 100-000000318	Milan	SP3	PR	256MB	56 / 112	2.00	3.50	240W	225W/240W	DDR4-3200
AMD 7643 100-000000326	Milan	SP3	PR	256MB	48 / 96	2.30	3.60	225W	225W/240W	DDR4-3200
AMD 7543 100-000000345	Milan	SP3	PR	256MB	32 / 64	2.80	3.70	225W	225W/240W	DDR4-3200
AMD 7513 100-000000334	Milan	SP3	PR	128MB	32 / 64	2.60	3.65	200W	165W/200W	DDR4-3200
AMD 74F3 100-000000317	Milan	SP3	PR	256MB	24 / 48	3.20	4.00	240W	225W/240W	DDR4-3200
AMD 7443 100-000000340	Milan	SP3	PR	128MB	24 / 48	2.85	4.00	200W	165W/200W	DDR4-3200
AMD 7413 100-000000323	Milan	SP3	PR	128MB	24 / 48	2.65	3.60	180W	165W/200W	DDR4-3200
AMD 73F3 100-000000321	Milan	SP3	PR	256MB	16 / 32	3.50	4.00	240W	225W/240W	DDR4-3200
AMD 7343 100-000000338	Milan	SP3	PR	128MB	16 / 32	3.20	3.90	190W	165W/200W	DDR4-3200
AMD 72F3 100-000000327	Milan	SP3	PR	256MB	8 / 16	3.70	4.10	180W	165W/200W	DDR4-3200
AMD 7313 100-000000329	Milan	SP3	PR	128MB	16 / 32	3.00	3.70	155W	155W/180W	DDR4-3200
AMD 7453 100-000000319	Milan	SP3	PR	64MB	28 / 56	2.75	3.45	225W	225W/240W	DDR4-3200
Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)										
Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins
RDIMM										
MTA36ASF4G72PZ-2G9J3TI	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA82GR7CJR8N-XN T4	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin

HMA82GR7CJR8N-XN T8	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA82GR7CJR8N-XN TG	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7CJR4N-XN T8	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7CJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7CJR4N-XN TG	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7DJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7AJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT32G4RFD432A.36FE2	DDR4	Crucial	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT32G4RFD432A-3G2E2.001	DDR4	Crucial	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ.3G2E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2J3UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWECQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A8G40AB2-CWEBQ	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD4/32HDR	DDR4	Kingston	32GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
AD4R3200716G22-BHYA	DDR4	ADATA	16GB	SKhynix-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS4/32MER	DDR4	Kingston	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS8/16MER	DDR4	Kingston	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T8	DDR4	SKhynix	64GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4G40BB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWECQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWEBY	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A8G40BB4-CWEBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin

MTA36ASF8G72PZ-3G2E1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF2G72PZ-2G9E1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
M393A8G40AB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32HDR	DDR4	Kingston	32GB	SKhynix-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMAA8GR7MJR4N-WM T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393AAG40M32-CAEBQ	DDR4	Samsung	128GB	Samsung	2S2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT32G4RFD4293-2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293.36FE2	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2VG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2UG	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin

LRDIMM

M386AAG40MMB-CVFC0	DDR4	Samsung	128GB	Samsung	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin
--------------------	------	---------	-------	---------	-------	------	---------	----------------	----	---------

Seagate HDD (SAS HDD may need RAID Card support)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
Seagate Enterprise Capacity 2.5 HDD										
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A

SATA/SAS SSD

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note
--------------	------	--------	-------------	-----------	----------	-----------------	----	------

SATA/SAS SSD

MTFDDAK1T9TDN-1AT1ZABYY (5200 MAX)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s		
MZ-7LH1T9NE 883 DCT Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s		
SSDSC2KG019T8 D3-S4610 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s		
SSDSC2KB019T8 D3-S4510 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s		
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s		
XA480LE10063	SSD	Seagate	2.5"	SATA	480GB	6Gb/s		
KHK61RSE960G	SSD	Toshiba	2.5"	SATA	960GB	6Gb/s		
SSB240GTLGC-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	240GB	6Gb/s		
SSB480GTLGC-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s		

SSB960GTLGC-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s			
SSB1K9GTLGC-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	1.92TB	6Gb/s			
KPM61RUG1T92 KPM61xUG Series	SSD	KIOXIA	2.5"	SAS	1.92TB	24Gb/s			
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s			
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s			
<b>PCIe SSD</b>									
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note	
Netlist N1951 E3 NS1951AH33T2 Gen3 x8 3.2TB	PCIe	Netlist	PCI-E 3.0	PCIe(NVMe)	3.2TB	-			
Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	Gen3 x8			
SSDPEDKX040T701 P4500 Series PCIe Gen3 x4 4TB	PCIe	Intel	PCI-E 3.0	PCIe(NVMe)	4TB	-			
<b>U.2</b>									
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note		
U.2									
SSDPE2KE032T801 P4610 Series	U.2	Intel	2.5"	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4			
SSDPE2KX020T801 P4510 Series	U.2	Intel	2.5"	SFF8639(NVMe)	2TB	PCIe Gen3 x4			
MZWL3T2HAJQ PM1725b Series	U.2	Samsung	2.5"	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4			
MZQLW1T9HMJP PM963 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	PCIe Gen3 x4			
MZWLJ3T8HBLS PM1733 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4			
MTFDHAL3T2TCU 9200 Series	U.2	Micron	2.5"	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4			
KCD51LUG960G CD5 Series	U.2	Toshiba	2.5"	SFF8639(NVMe)	960GB	PCIe Gen3 x4			
MTFDHBE3T8TDF 7300 Pro Series	U.2	Micron	2.5"	SFF8639(NVMe)	3.84TB	PCIe Gen3 x4			
MTFDHBE960TDF 7300 Pro Series	U.2	Micron	2.5"	SFF8639(NVMe)	960GB	PCIe Gen3 x4	MTFDHBE960TDF-1AW4ZABYY		
MTFDHBE1T6TDG 7300 Max Series	U.2	Micron	2.5"	SFF8639(NVMe)	1.6TB	PCIe Gen3 x4	MTFDHBE1T6TDG-1AW1ZABYY		
PS5012-E12	U.2	PHISON	2.5"	SFF8639(NVMe)	1.92TB	PCIe Gen3 x4			
PWFX100 3.2TB	U.2	PHISON	2.5"	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4			
MZQL23T8HCLS PM9A3 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4			
MTFDHAL3T2TDR 9300 Max Series	U.2	Micron	2.5"	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4			
<b>M.2</b>									
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note		
M.2									
SSDPELKX010T801 P4511 Series 1TB	M.2	Intel	22110	PCIe(NVMe)	1TB	-			
MZ-1LB1T9N 983 DCT Series	M.2	Samsung	22110	PCIe(NVMe)	1.92TB	-			
MTFDHBA960TDF 960GB 7300 Pro Series	M.2	Micron	2280	PCIe(NVMe)	960GB	-			
IM2P33F8-512GD	M.2	ADATA	2280	PCIe(NVMe)	512GB	-			
IM2P33F8-512GD1	M.2	ADATA	2280	PCIe(NVMe)	512GB	-			
IM2P33F8-256GD1	M.2	ADATA	2280	PCIe(NVMe)	256GB	-			
CA6-8D1024 CA6 Series	M.2	SSSTC	2280	PCIe(NVMe)	1TB	PCIe Gen4 x4			
<b>RAID Cards</b>									
Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note	
GIGABYTE Storage Cards									
CRA4448	LSI SAS 3108	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
CRA4648	LSI SAS 3108	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
CRA3338	LSI SAS 3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
CRA3338	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 x Mini-SAS HD for 8x SAS	-	-	12Gb/s ports		

CSA3548	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	-	-	8	2 x external Mini-SAS HD SFF8644	12Gb/s ports		
CSA4648	LSI SAS 3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
CRA4448	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports		
LSI RAID Controller Cards									
MegaRAID SAS 9460-16i without Tri-mode	SAS3516 dual-core RAID-on-Chip (ROC)	PCIe Gen3 x8	8	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
LSI Host Bus Adapters (HBAs)									
LSI SAS 9400-16i without Tri-mode	SAS3416	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
Microsemi RAID Cards									
SmartRAID 3154-16i	PM8236	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	-	12 Gb/s per port		
Microsemi Host Bus Adapters									
SmartHBA 2100-8i	PM8222	8-Lane PCIe Gen3	8	2 x Internal, SFF-8643	-	-	12 Gb/s per port		
LAN Cards									
Product Name	Connector	System Interface Type	# of Ports	Data Rate	Note				
GIGABYTE LAN Cards									
CLN4752	QSFP+	PCIe x8 Gen3 x8	Dual	40Gb/s per port	INTEL XL710				
CLN4224	RJ-45	PCIe x8 Gen3 x4	Quad	10Gb/s per port	INTEL X550-AT2				
CLN4M34	SFP28	PCIe Gen3 x16	Quad	10Gb/s per port	Mellanox ConnectX-4				
CLN4C42	SFP28	PCIe Gen3 x16	Dual	25Gb/s per port	Mellanox ConnectX-4				
Intel_25GbE									
Intel® Ethernet Network Adapter XXV710-DA2	SFP28	PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port					
Intel® Ethernet Network Adapter E810-XXVDA2 for OCP	SFP28	<b>OCF</b> PCIe Gen4 x8	Dual	25Gb/s per port	Support OCP 3.0				
Intel_40GbE									
Intel® Ethernet Converged Network Adapter XL710-QDA2	QSFP+	PCIe v3.0 (8.0 GT/s)	Dual	40Gb/s per port					
Intel_100GbE									
Intel® Ethernet Network Adapter E810-CQDA2	QSFP28	PCIe Gen4 x16	Dual	100Gb/s per port					
Intel® Ethernet Network Adapter E810-CQDA2 for OCP	QSFP28	<b>OCF</b> PCIe Gen4 x16	Dual	100Gb/s per port	Support OCP 3.0				
Mellanox ConnectX									
MCX566A-CDAI	QSFP28	<b>OCF PCIe 4.0</b> x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN / Support OCP 3.0				
MCX516A-CDAT	QSFP28	<b>PCIe 4.0</b> x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN				
MCX516A-CCAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN				
MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN				
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN				
MCX631432AN-ADAB	SFP28	<b>OCF</b> PCIe Gen4 x8	Dual	25Gb/s per port	ConnectX@-6 <b>Lx</b> without Crypto / Support OCP 3.0				
MCX623106AN-CDAT	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	ConnectX@-6 <b>Dx</b> No Crypto, No Secure Boot				
MCX623432AN-ADAB	SFP28	<b>OCF</b> PCIe Gen4 x16	Dual	25Gb/s per port	ConnectX@-6 <b>Dx</b> No Crypto, No Secure Boot / Support OCP 3.0				
MCX565M-CDAB	QSFP28	<b>OCF</b> PCIe Gen4 x16	Single	100Gb/s per port	ConnectX@-5 Ex <b>Multi-Host</b> / Support OCP 3.0				

MCX623105AC-VDAT	QSFP56	PCIe Gen4 x16	Single	200Gb/s per port	Mellanox ConnectX-6 <b>DX</b> EN With Crypto1, With Secure Boot				
MCX623435AC-VDAB	QSFP56	<b>OCF</b> PCIe Gen4 x16	Single	200Gb/s per port	ConnectX@-6 <b>Dx</b> With Crypto1, With Secure Boot / Support OCP 3.0				
MCX613106A-VDAT	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 EN				
MCX631102AN-ADAT	SFP28	PCIe Gen4 x8	Dual	25Gb/s per port	ConnectX@-6 <b>Dx</b> without Crypto				
Mellanox VPI Adapter Cards									
MCX653106A-HDAT	QSFP56	<b>PCIe 4.0</b> x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)				
MCX653105A-ECAT	QSFP56	<b>PCIe 4.0</b> x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)				
MCX555A-ECAT	QSFP28	PCIe 3.0 x16	Single	100Gb/s per port	Mellanox ConnectX-5 VPI (InfiniBand)				
MCX653436A-HDAI	QSFP56	<b>OCF</b> PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand) / OCP3.0				
Qlogic LAN Adapters									
QL45611HLCU	QSFP28	PCIe x16 Gen3 x16	Single	100Gb/s per port					
QLE3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port					
Broadcom (Emulex) Ethernet Networking Adapters									
BCM957508-P2100G	QSFP56	<b>PCIe 4.0</b> x16	Dual	100Gb/s per port	BCM57508				
BCM957414A4142CC	SFP28	PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414				
BCM957508-N2100G	QSFP56	<b>OCF PCIe 4.0</b>	Dual	100Gb/s per port	BCM57508 / Support <b>OCF 3.0</b>				
BCM957504-N425G	SFP28	<b>OCF PCIe 4.0</b>	Quad	25Gb/s per port	BCM57504 / Support <b>OCF 3.0</b>				
BCM957414N4140C	SFP28	<b>OCF</b> PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414 / Support <b>OCF 3.0</b>				
BCM957416N4160C	RJ-45	<b>OCF</b> PCIe 3.0 x8	Dual	10Gb/s per port	BCM57416 / Support <b>OCF 3.0</b>				
BCM957416A4160C	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	BCM5741 (P210TP)				
Broadcom FC Host Bus Adapter									
LPe32002-M2	SFP+	PCIe Gen3 x8	Dual	32Gb/s per port	XE501 controller				
<b>USB Device</b>									
Product Name	Type	Vendor	Capacity						Note
USB 3.0									
S1-DS3-Plus	Device	CyberSLIM							
MB981U3-1S	Device	ICYDOCK							
i310-SB3(6G)	Device	STARDOM							
SST-TS13	Device	Silver Stone							
TOSHIBA CANVIO BASIC	HDD	Toshiba	500G						
NA317U+	Device	ineo							
PURE CLASSIC X176B1FWBO75	HDD	Gigabyte	500G						
GoFlex STAA500305	HDD	Seagate	500G						