



Qualification Vendor List

Intel CPU											
Product Name	Vendor	Code Name	Q-Spec	Stepping	Cache	# of Cores	Processor Base Frequency	Max Turbo Frequency	TDP	Memory Types	Note

Sapphire Rapids

Don't write "Test Items" under this line!!!

Intel® Xeon® Gold 5411N Processor	Intel	Sapphire Rapids	Q27X	S-3	45	24	1.9	3.9	165	4400	
Intel® Xeon® Gold 5412U Processor	Intel	Sapphire Rapids	Q27H	S-3	45	24	2.1	3.9	185	4400	
Intel® Xeon® Gold 5415+ Processor	Intel	Sapphire Rapids	Q27C	S-3	22.5	8	2.9	4.1	150	4400	
Intel® Xeon® Gold 5416S Processor	Intel	Sapphire Rapids	Q281	S-3	30	16	2	4	150	4400	
Intel® Xeon® Gold 5418N Processor	Intel	Sapphire Rapids	Q27W	S-3	45	24	1.8	3.8	165	4000	
Intel® Xeon® Gold 5418Y Processor	Intel	Sapphire Rapids	Q27G	S-3	45	24	2	3.8	185	4400	
Intel® Xeon® Gold 5420+ Processor	Intel	Sapphire Rapids	Q27K	S-3	52.5	28	2	4.1	205	4400	
Intel® Xeon® Gold 6414U Processor	Intel	Sapphire Rapids	Q234	E-5	60	32	2	3.4	250	4800	
Intel® Xeon® Gold 6416H Processor	Intel	Sapphire Rapids	Q27Q	S-3	45	18	2.2	4.2	165	4800	
Intel® Xeon® Gold 6418H Processor	Intel	Sapphire Rapids	Q27R	S-3	60	24	2.1	4	185	4800	
Intel® Xeon® Gold 6421N Processor	Intel	Sapphire Rapids	Q27Z	S-3	60	32	1.8	3.6	185	4800	
Intel® Xeon® Gold 6426Y Processor	Intel	Sapphire Rapids	Q27E	S-3	37.5	16	2.5	4.1	185	4800	
Intel® Xeon® Gold 6428N Processor	Intel	Sapphire Rapids	Q27Y	S-3	60	32	1.8	3.8	185	4800	
Intel® Xeon® Gold 6430 Processor	Intel	Sapphire Rapids	Q23B	E-5	60	32	2.1	3.4	270	4400	
Intel® Xeon® Gold 6434 Processor	Intel	Sapphire Rapids	Q273	S-3	22.5	8	3.7	4.1	195	4800	
Intel® Xeon® Gold 6434H Processor	Intel	Sapphire Rapids	Q27P	S-3	22.5	8	3.7	4.1	195	4800	
Intel® Xeon® Gold 6438M Processor	Intel	Sapphire Rapids	Q282	S-3	60	32	2.2	3.9	205	4800	
Intel® Xeon® Gold 6438N Processor	Intel	Sapphire Rapids	Q280	S-3	60	32	2	3.6	205	4800	
Intel® Xeon® Gold 6438Y+ Processor	Intel	Sapphire Rapids	Q27L	S-3	60	32	2	4	205	4800	
Intel® Xeon® Gold 6442Y Processor	Intel	Sapphire Rapids	Q27J	S-3	60	24	2.6	4	225	4800	
Intel® Xeon® Gold 6444Y Processor	Intel	Sapphire Rapids	Q27T	S-3	45	16	3.6	4	270	4800	
Intel® Xeon® Gold 6448H Processor	Intel	Sapphire Rapids	Q27S	S-3	60	32	2.4	4.1	250	4800	
Intel® Xeon® Gold 6448Y Processor	Intel	Sapphire Rapids	Q27M	S-3	60	32	2.1	4.1	225	4800	
Intel® Xeon® Gold 6454S Processor	Intel	Sapphire Rapids	Q23C	E-5	60	32	2.2	3.4	270	4800	
Intel® Xeon® Max 9460 Processor	Intel	Sapphire Rapids HBM	Q2HS	B-3	97.5	40	2.2	3.5	350	4800	
Intel® Xeon® Max 9462 Processor	Intel	Sapphire Rapids HBM	Q2HR	B-3	75	32	2.7	3.5	350	4800	
Intel® Xeon® Max 9468 Processor	Intel	Sapphire Rapids HBM	Q2HT	B-3	105	48	2	3.5	350	4800	
Intel® Xeon® Platinum 8444H Processor	Intel	Sapphire Rapids	Q23W	E-5	45	16	2.9	4	270	4800	
Intel® Xeon® Platinum 8450H Processor	Intel	Sapphire Rapids	Q244	E-5	75	28	2	3.5	250	4800	
Intel® Xeon® Platinum 8452Y Processor	Intel	Sapphire Rapids	Q246	E-5	67.5	36	2	3.2	300	4800	
Intel® Xeon® Platinum 8454H Processor	Intel	Sapphire Rapids	Q23R	E-5	82.5	32	2.1	3.4	270	4800	
Intel® Xeon® Platinum 8458P Processor	Intel	Sapphire Rapids	Q23F	E-5	82.5	44	2.7	3.8	350	4800	
Intel® Xeon® Platinum 8460H Processor	Intel	Sapphire Rapids	Q23V	E-5	105	40	2.2	3.8	330	4800	
Intel® Xeon® Platinum 8460Y+ Processor	Intel	Sapphire Rapids	Q238	E-5	105	40	2	3.7	300	4800	
Intel® Xeon® Platinum 8461V Processor	Intel	Sapphire Rapids	Q23E	E-5	97.5	48	2.2	3.7	300	4800	
Intel® Xeon® Platinum 8462Y+ Processor	Intel	Sapphire Rapids	Q27N	S-3	60	32	2.8	4.1	300	4800	
Intel® Xeon® Platinum 8468 Processor	Intel	Sapphire Rapids	Q237	E-5	105	48	2.1	3.8	350	4800	
Intel® Xeon® Platinum 8468H Processor	Intel	Sapphire Rapids	Q242	E-5	105	48	2.1	3.8	330	4800	
Intel® Xeon® Platinum 8468V Processor	Intel	Sapphire Rapids	Q23D	E-5	97.5	48	2.4	3.8	330	4800	
Intel® Xeon® Platinum 8470 Processor	Intel	Sapphire Rapids	Q236	E-5	105	52	2	3.8	350	4800	
Intel® Xeon® Platinum 8480+ Processor	Intel	Sapphire Rapids	Q23T	E-5	105	56	2	3.8	350	4800	
Intel® Xeon® Platinum 8490H Processor	Intel	Sapphire Rapids	Q23U	E-5	112.5	60	1.9	3.5	350	4800	
Intel® Xeon® Silver 4410T Processor	Intel	Sapphire Rapids	Q27V	S-3	26.25	10	2.7	4	150	4000	
Intel® Xeon® Silver 4410Y Processor	Intel	Sapphire Rapids	Q27D	S-3	30	12	2	3.9	150	4000	
Intel® Xeon® Silver 4416+ Processor	Intel	Sapphire Rapids	Q27F	S-3	37.5	20	2	3.9	165	4000	

Memory

Product Name	Vendor	Memory Type	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins	Note
--------------	--------	-------------	------	------------	------	---------	--------------------	------------------	-------------	------	------

RDIMM

Don't write "Test Items" under this line!!!

AO4V48UCSV1-BHRS	ADATA	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
AO4V48UCTV2-BHSS	ADATA	DDR5	32GB	Samsung-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		

GIGABYTE™

MTFDDAK960TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	960GB	6Gb/s	5400 PRO Series
SSB1K9GTLWCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	1.92TB	6Gb/s	ESM1720 Series
SSB240GTLWCW-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	240GB	6Gb/s	ESW1710 Series
SSB480GTLWCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	480GB	6Gb/s	ESM1720 Series
SSB480GTLWCW-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	480GB	6Gb/s	ESW1710 Series
SSB960GTLWCW-D2-SME1720GBT	Phison	SSD	2.5"	SATA	960GB	6Gb/s	ESM1720 Series
SSB960GTLWCW-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	960GB	6Gb/s	ESW1710 Series
MZ7L31T9HBNA-00A07	Samsung	SSD	2.5"	SATA	1.92TB	6Gb/s	PM897 Series
MZ7L33T8HBLT-00A07	Samsung	SSD	2.5"	SATA	3.84TB	6Gb/s	PM893 Series
MZ7L3480HBLT-00A07	Samsung	SSD	2.5"	SATA	480GB	6Gb/s	PM897 Series
MZ7L3480HCHQ-00A07	Samsung	SSD	2.5"	SATA	480GB	6Gb/s	PM893 Series
MZ7L3960HBLT-00A07	Samsung	SSD	2.5"	SATA	960GB	6Gb/s	PM897 Series
SSDSC2KG019TZ	Solidigm	SSD	2.5"	SATA	1.92TB	6Gb/s	D3-S4620 Series
SSDSC2KB019TZ	Solidigm	SSD	2.5"	SATA	1.92TB	6Gb/s	D3-S4520 Series
SSDSC2KG038TZ	Solidigm	SSD	2.5"	SATA	3.84TB	6Gb/s	D3-S4620 Series
SSDSC2KB240GZ	Solidigm	SSD	2.5"	SATA	240GB	6Gb/s	D3-S4520 Series
SSDSC2KB480GZ	Solidigm	SSD	2.5"	SATA	480GB	6Gb/s	D3-S4520 Series
SSDSC2KG480GZ01	Solidigm	SSD	2.5"	SATA	480GB	6Gb/s	D3-S4620 Series
SSDSC2KG960GZ01	Solidigm	SSD	2.5"	SATA	960GB	6Gb/s	D3-S4620 Series

Don't write "Test Items" under this line!!!

M.2

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
--------------	--------	------	-------------	-----------	----------	-----------------	------

M.2

Don't write "Test Items" under this line!!!

MZ-1LB1T9N	Samsung	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen3 x4	983 DCT Series
IM2P41B8-480GC	ADATA	M.2	2280	PCIe(NVMe)	480GB	PCIe Gen4 x4	
MTFDKBG1T9TDZ	Micron	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	7400 Pro Series
MTFDKBG3T8TFR	Micron	M.2	22110	PCIe(NVMe)	3.84TB	PCIe Gen4 x4	7450 Pro Series
MTFDKBA800TFC	Micron	M.2	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4	7400 Max Series
MTFDKBA800TFS	Micron	M.2	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4	7450 Max Series
ESO480GTLWCW-EC-EPR3750GBT	PHISON	M.2	2280	PCIe(NVMe)	400GB	PCIe Gen4 x4	EPR3750 Series
MZ1L21T9HCLS	Samsung	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	PM9A3 Series
MZ1L2960HCJR	Samsung	M.2	22110	PCIe(NVMe)	960GB	PCIe Gen4 x4	PM9A3 Series
CA6-8D2048	SSSTC	M.2	2280	PCIe(NVMe)	2TB	PCIe Gen4 x4	CA6 Series

Don't write "Test Items" under this line!!!

NVMe

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
--------------	--------	------	-------------	-----------	----------	-----------------	------

U.2

Don't write "Test Items" under this line!!!

MZQL21T9HCJR	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	PM9A3 Series
MZQL23T8HCLS	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	PM9A3 Series
MZQL2960HCJR	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	PM9A3 Series
SSDPF2KE016T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	D7-P5620 Series
SSDPF2KX019T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KX038T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KE032T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	D7-P5620 Series
SSDPF2KE064T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	D7-P5620 Series
SSDPF2KX076T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	D7-P5520 Series
SSDPF2KX153T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	15.36TB	PCIe Gen4 x4	D7-P5520 Series

Don't write "Test Items" under this line!!!

U.3

Don't write "Test Items" under this line!!!

MTFDKCC1T6TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	7400 Max Series
MTFDKCC1T6TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	7450 Max Series
MTFDKCC3T2TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	7450 Max Series
MTFDKCC3T2TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	7400 Max Series
MTFDKCC6T4TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	7400 Max Series
MTFDKCC6T4TGJ	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	9400 Max Series
MTFDKCC6T4TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	7450 Max Series
MTFDKCC7T6TGH	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	9400 Pro Series
MTFDKCC800TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	800GB	PCIe Gen4 x4	7450 Max Series



MTFDKCC800TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	800GB	PCIe Gen4 x4	7400 Max Series		
Don't write "Test Items" under this line!!!									
GPGPU									
Product Name	Vendor	Processor Cores	Memory Bandwidth (GB/sec)	VRAM	OpenGL	DirectX	Graphics Card Power (W)	SLI / CrossFire Ready	Note
Tesla									
Don't write "Test Items" under this line!!!									
A40	NVIDIA	10752	696 GB/s	48GB			300 W		
H100	NVIDIA	18432	2000 GB/s	80GB			350 W		
Don't write "Test Items" under this line!!!									
Storage Card									
Product Name	Vendor	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	Extrenal Ports	External Connectors	Data Transfer Rate	Note
Broadcom									
Don't write "Test Items" under this line!!!									
eHBA 9620-16i Tri-Mode Storage Adapter (NVMe)	Broadcom	SAS4106 (Avenger IOC)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 24Gb/s per port	
eHBA 9620-16i Tri-Mode Storage Adapter (SAS/SATA mode)	Broadcom	SAS4106 (Avenger IOC)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 24Gb/s per port	
HBA 9500-16e Tri-Mode Storage Adapter	Broadcom	SAS3816	PCIe Gen4 x8	-	-	16	4 SFF-8644	Up to 12Gb/s per port	
HBA 9500-16i Tri-Mode Storage Adapter (NVMe)	Broadcom	SAS3816	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
HBA 9500-16i Tri-Mode Storage Adapter (SAS/SATA mode)	Broadcom	SAS3816	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
HBA 9500-8e Tri-Mode Storage Adapter	Broadcom	SAS3808	PCIe Gen4 x8	-	-	8	2 SFF-8644	Up to 12Gb/s per port	
HBA 9500-8i Tri-Mode Storage Adapter (NVMe)	Broadcom	SAS3808	PCIe Gen4 x8	8	1 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
HBA 9500-8i Tri-Mode Storage Adapter (SAS/SATA mode)	Broadcom	SAS3808	PCIe Gen4 x8	8	1 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
MegaRAID 9560-16i (SAS/SATA mode)	Broadcom	SAS3916 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
MegaRAID 9560-16i Tri-Mode (NVMe)	Broadcom	SAS3916 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
MegaRAID 9560-8i (SAS/SATA mode)	Broadcom	SAS3908 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	8	1 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
MegaRAID 9560-8i Tri-Mode (NVMe)	Broadcom	SAS3908 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	8	1 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
Don't write "Test Items" under this line!!!									
GIGABYTE									
Don't write "Test Items" under this line!!!									
CSA4710 (SAS/SATA mode)	GIGABYTE	LSI SAS 3808	PCIe Gen4 x8	8	1 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
CSA4710 Tri-Mode (NVMe)	GIGABYTE	LSI SAS 3808	PCIe Gen4 x8	8	1 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
CSA4820 (SAS/SATA mode)	GIGABYTE	LSI SAS 3816	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
CSA4820 Tri-Mode (NVMe)	GIGABYTE	LSI SAS 3816	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
Don't write "Test Items" under this line!!!									
LAN Card									
Product Name	Vendor	Connector	System InterfaceType	# of Ports	Data Rate	Note			
Broadcom									
Don't write "Test Items" under this line!!!									
BCM957414A4142CC	Broadcom	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414 (P225P)			
BCM957416A4160C	Broadcom	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	BCM57416 (P210TP)			
BCM957416N4160C-N210TP	Broadcom	RJ-45	OCPC PCIe Gen3 x8	Dual	10Gb/s per port	BCM57416 / Support OCP 3.0			
BCM957508-P2100G	Broadcom	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	BCM57508			
Don't write "Test Items" under this line!!!									
Chelsio									
Don't write "Test Items" under this line!!!									
T540-LP-CR	Chelsio	SFP+	PCIe Gen3 x8	Quad	10Gb/s per port	Power 11w			
T62100-CR	Chelsio	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 22w			
T62100-LP-CR	Chelsio	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 19w			
T62100-SO-CR	Chelsio	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 16w			



T6225-CR	Chelsio	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Power 13w
T6225-SO-CR	Chelsio	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Power 10w

Don't write "Test Items" under this line!!!

GIGABYTE

Don't write "Test Items" under this line!!!

CLN4222	GIGABYTE	RJ-45	PCIe Gen3 x4	Dual	10Gb/s per port	INTEL X550-AT2
CLN4224	GIGABYTE	RJ-45	PCIe Gen3 x8	Quad	10Gb/s per port	INTEL X550-AT2
CLN4751	GIGABYTE	QSFP+	PCIe Gen3 x8	Single	40Gb/s per port	INTEL XL710-BM1
CLN4752	GIGABYTE	QSFP+	PCIe Gen3 x8	Dual	40Gb/s per port	INTEL XL710-BM2
CLN4A10	GIGABYTE	RJ-45	PCIe Gen3 x8	Dual	1Gb/s per port	Broadcom BCM5720L
CLN4B20	GIGABYTE	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416
CLN4D40	GIGABYTE	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414
CLNCA12	GIGABYTE	RJ-45	OCF PCIe Gen2 x2	Dual	1Gb/s per port	Broadcom BCM5720 / Support OCP 3.0
CLNCB22	GIGABYTE	RJ-45	OCF PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416 / Support OCP 3.0
CLNCD42	GIGABYTE	SFP28	OCF PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414 / Support OCP 3.0

Don't write "Test Items" under this line!!!

Intel

Don't write "Test Items" under this line!!!

E810-CQDA1	Intel	QSFP28	PCIe Gen4 x16	Single	100Gb/s per port	
E810-CQDA2 for OCP	Intel	QSFP28	OCF PCIe Gen4 x16	Dual	100Gb/s per port	Support OCP 3.0
E810-XXVDA2 for OCP	Intel	SFP28	OCF PCIe Gen4 x8	Dual	25Gb/s per port	Support OCP 3.0
E810-XXVDA4	Intel	SFP28	PCIe Gen4 x16	Quad	25Gb/s per port	Controller E810-CAM1
X722-DA4	Intel	SFP+	PCIe Gen3 x8	Quad	10Gb/s per port	
XL710-QDA2	Intel	QSFP+	PCIe Gen3 x8	Dual	40Gb/s per port	
XXV710-DA2	Intel	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	

Don't write "Test Items" under this line!!!

NVIDIA

Don't write "Test Items" under this line!!!

MBF2H332A-AEOT	NVIDIA	SFP56	PCIe Gen4 x8	Dual	25Gb/s per port	P-Series/ 2.5GHz
MCX515A-CCAT	NVIDIA	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN
MCX516A-CCAT	NVIDIA	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN
MCX565M-CDAB	NVIDIA	QSFP28	OCF PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX@-5 Ex Multi-Host / Support OCP 3
MCX623105AN-CDAT	NVIDIA	QSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX@-6 Dx No Crypto, No Secure Boot
MCX623106AN-CDAT	NVIDIA	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX@-6 Dx No Crypto, No Secure Boot
MCX631102AN-ADAT	NVIDIA	SFP28	PCIe Gen4 x8	Dual	25Gb/s per port	Mellanox ConnectX@-6 Lx without Crypto
MCX631432AN-ADAB	NVIDIA	SFP28	OCF PCIe Gen4 x8	Dual	25Gb/s per port	Mellanox ConnectX@-6 Lx without Crypto / Support O
MCX653105A-ECAT	NVIDIA	QSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653106A-ECAT	NVIDIA	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653106A-HDAT	NVIDIA	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX683105AN-HDAT	NVIDIA	QSFP	PCIe Gen4 x16	Single	200Gb/s per port	Mellanox ConnectX-6 DE VPI (InfiniBand)
MCX75310AAS-NEAT	NVIDIA	OSFP	PCIe Gen5 x16	Single	400Gb/s per port	NVIDIA ConnectX-7 VPI (InfiniBand)
MCX75510AAS-NEAT	NVIDIA	OSFP	PCIe Gen5 x16	Single	400Gb/s per port	Mellanox ConnectX-7 (without Dual-Slot Socket Dire

Don't write "Test Items" under this line!!!

Storage-U.3

Product Name	Vendor	Type	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encription	FW
U.3											
Don't write "Test Items" under this line!!!											
MTFDKCC1T6TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	7400 Max Series				
MTFDKCC1T6TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	7450 Max Series				
MTFDKCC3T2TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	7400 Max Series				
MTFDKCC3T2TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	7450 Max Series				
MTFDKCC6T4TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	7400 Max Series				
MTFDKCC6T4TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	7450 Max Series				
MTFDKCC6T4TGJ	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	9400 Max Series				
MTFDKCC7T6TGH	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	9400 Pro Series				
MTFDKCC800TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	800GB	PCIe Gen4 x4	7400 Max Series				
MTFDKCC800TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	800GB	PCIe Gen4 x4	7450 Max Series				

Don't write "Test Items" under this line!!!