

R183-Z96-AAD1 Qualification Vender List
R183-Z96-AAV1

Please contact FAE support for below orange blocks

AMD CPU											
Product Name	Vendor	Code Name	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types	
AMD 9654 100-00000789	AMD	Genoa	PR	384MB	96 / 192	2.40	3.70	360W	320W/400W	DDR5-4800	
AMD 9634 100-00000797	AMD	Genoa	PR	384MB	84 / 168	2.25	3.70	290W	240W/300W	DDR5-4800	
AMD 9554 100-00000790	AMD	Genoa	PR	256MB	64 / 128	3.10	3.75	360W	320W/400W	DDR5-4800	
AMD 9534 100-00000799	AMD	Genoa	PR	256MB	64 / 128	2.45	3.70	280W	240W/300W	DDR5-4800	
AMD 9454 100-00000478	AMD	Genoa	PR	256MB	48 / 96	2.75	3.80	290W	240W/300W	DDR5-4800	
AMD 9354 100-00000798	AMD	Genoa	PR	256MB	32 / 64	3.25	3.80	280W	240W/300W	DDR5-4800	
AMD 9334 100-00000800	AMD	Genoa	PR	128MB	32 / 64	2.70	3.90	210W	200W/240W	DDR5-4800	
AMD 9254 100-00000480	AMD	Genoa	PR	128MB	24 / 48	2.90	4.15	200W	200W/240W	DDR5-4800	
AMD 9224 100-00000939	AMD	Genoa	PR	64MB	24 / 48	2.50	3.70	200W	200W/240W	DDR5-4800	
AMD 9124 100-00000802	AMD	Genoa	PR	64MB	16 / 32	3.00	3.70	200W	200W/240W	DDR5-4800	
AMD 9474F 100-00000788	AMD	Genoa	PR	256MB	48 / 96	3.60	4.10	360W	320W/400W	DDR5-4800	
AMD 9374F 100-00000792	AMD	Genoa	PR	256MB	32 / 64	3.85	4.30	320W	320W/400W	DDR5-4800	
AMD 9274F 100-00000794	AMD	Genoa	PR	256MB	24 / 48	4.05	4.30	320W	320W/400W	DDR5-4800	
AMD 9174F 100-00000796	AMD	Genoa	PR	256MB	16 / 32	4.10	4.40	320W	320W/400W	DDR5-4800	
Product Name	Vendor	Code Name	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types	
AMD 9684X 100-00000892	AMD	Genoa-X	B1	1152MB	96 / 192	2.55	3.70	400W	320W/400W	DDR5-4800	
Product Name	Vendor	Code Name	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types	
AMD 9754 100-00000667	AMD	Bergamo	PR	256MB	128 / 256	2.25	3.10	360W	320W/400W	DDR5-4800	
AMD 9734 100-00000669	AMD	Bergamo	PR	256MB	112 / 224	2.20	3.00	340W	320W/400W	DDR5-4800	

Memory (Memory actually maxium frequency will follow memory controller's spec of CPU you used)

Product Name	Vendor	Memory Type	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	Pins	Note	
DDR5 RDIMM											
M321R2GA3B86-CQKVS	Samsung	DDR5	16GB	Samsung-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R2GA3B86-CQKMS	Samsung	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R2GA3B86-CQKMG	Samsung	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R2GA3B86-CQKEG	Samsung	DDR5	16GB	Samsung-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R4GA3B86-CQKMG	Samsung	DDR5	32GB	Samsung-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B80-CQKVG	Samsung	DDR5	64GB	Samsung-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B80-CQKZJ	Samsung	DDR5	64GB	Samsung-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B80-CQKEG	Samsung	DDR5	64GB	Samsung-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B80-CQKMG	Samsung	DDR5	64GB	Samsung-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B80-CQKVS	Samsung	DDR5	64GB	Samsung-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B80-CQKDG	Samsung	DDR5	64GB	Samsung-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R8GA0B80-CQKZH	Samsung	DDR5	64GB	Samsung-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321RAGA0B20-CWKBH	Samsung	DDR5	128GB	Samsung-IDT	252Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC10F1084S1RC48BA1 HCCG	Micron	DDR5	16GB	Micron-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC10F1084S1RC48BA1 NGCC	Micron	DDR5	16GB	Micron-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC10F1084S1RC48BA1 NHFF	Micron	DDR5	16GB	Micron-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F2085S1RC48BA1 HCCG	Micron	DDR5	32GB	Micron-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F2085S1RC48BA1 HCCC	Micron	DDR5	32GB	Micron-Rambus	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F2085S1RC48BA1 NGCC	Micron	DDR5	32GB	Micron-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F1045S1RC48BA2 HCCC	Micron	DDR5	32GB	Micron-Rambus	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F1045S1RC48BA2 HCCG	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F1045S1RC48BA2 NGCC	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC19F1045S1RC48BA2 NGCC	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC40F2046S1RC48BA1 FCCI	Micron	DDR5	64GB	Micron-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC40F2046S1RC48BA1 FCCJ	Micron	DDR5	64GB	Micron-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC36F2046S1RC48BA1 MHCC	Micron	DDR5	64GB	Micron-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG88MEBRA113N AA	SKhynix	DDR5	32GB	SKhynix-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG88MEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG88MEBRA109N AA	SKhynix	DDR5	64GB	SKhynix-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG78AEBRA107N AA	SKhynix	DDR5	16GB	SKhynix-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG78AEBRA168N AA	SKhynix	DDR5	16GB	SKhynix-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG78AEBRA115N AA	SKhynix	DDR5	16GB	SKhynix-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG88AEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG88AEBRA115N AA	SKhynix	DDR5	32GB	SKhynix-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA168N AA	SKhynix	DDR5	32GB	SKhynix-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA115N AA	SKhynix	DDR5	32GB	SKhynix-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG94AEBRA109N AA	SKhynix	DDR5	64GB	SKhynix-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG94AEBRA123N AA	SKhynix	DDR5	64GB	SKhynix-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
ADAV48UCSV1-BHRS	ADATA	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
ADAV48UCTV2-BHSS	ADATA	DDR5	32GB	Samsung-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
KSMA48R40BS9KMM-16HMR	Kingston	DDR5	16GB	SKhynix-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
KSMA48R40BS4TMM-32HMR	Kingston	DDR5	32GB	SKhynix-Rambus	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
KSMA48R40BS9KMM-32HMR	Kingston	DDR5	32GB	SKhynix-Rambus	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
KSMA48R40BD4TMM-64HMR	Kingston	DDR5	64GB	SKhynix-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		

DDR5 RDIMM (Intel Sapphire Rapids & Emerald Rapids only XCC CPU with 1DPC support for 24GB and 48GB, 1DPC & 2DPC support for 96GB, MCC CPU not support, please mark as orange color if test pass)

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Series	Cache	RPM	Encryption
HDD (if the system build-in with RAID card please refer to RAID card QVL list)										
Seagate Enterprise Capacity 2.5 HDD										
ST2000NX0253	Seagate	SATA	2.5"	512e	2TB	6Gb/s	Exos 7E2000	128MB	7200	N/A
ST2000NX0243	Seagate	SATA	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000	128MB	7200	N/A
Seagate Enterprise Capacity 3.5 HDD										
ST16000M001G	Seagate	SATA	3.5"	512e/4Kn	16TB	6Gb/s	Exos X16	256MB	7200	N/A
ST18000M000J	Seagate	SATA	3.5"	512e/4Kn	18TB	6Gb/s	Exos X18	256MB	7200	N/A
ST20000M007D	Seagate	SATA	3.5"	512e/4Kn	20TB	6Gb/s	Exos X20	256MB	7200	N/A
ST22000M001E	Seagate	SATA	3.5"	512e	22TB	6Gb/s	Exos X22	512MB	7200	N/A
ST18000M0092	Seagate	SATA	3.5"	512e/4Kn	18TB	6Gb/s	EXOS 2x18	256MB	7200	standard
WD Enterprise Hard Drives										
HUS722T2TALA804	WD	SATA	3.5"	512h	2TB	6Gb/s	Ultrastar DC HA210	128MB	7200	N/A
HUS726T6TAL6BL4	WD	SATA	3.5"	512e	6TB	6Gb/s	Ultrastar DC HC310	256MB	7200	N/A
WUHT721818ALE6L4	WD	SATA	3.5"	512e	18TB	6Gb/s	Ultrastar DC HC550	512MB	7200	N/A
WUHT722020BLE6L4	WD	SATA	3.5"	512e	20TB	6Gb/s	Ultrastar DC HC560	512MB	7200	N/A
WUHT722222ALE6L4	WD	SATA	3.5"	512e	22TB	6Gb/s	Ultrastar DC HC570	512MB	7200	N/A
Toshiba Enterprise Hard Drives										
MG08ACA16TE	Toshiba	SATA	3.5"	512e	16TB	6Gb/s	MG08	512MB	7200	N/A
MG08ADA800E	Toshiba	SATA	3.5"	512e	8TB	6Gb/s	MG08-D	256MB	7200	N/A
MG09ACA18TE	Toshiba	SATA	3.5"	512e	18TB	6Gb/s	MG09	512MB	7200	N/A
MG10ACA20TE	Toshiba	SATA	3.5"	512e	20TB	6Gb/s	MG10	512MB	7200	N/A
SATA/SAS SSD										
SATA SSD										
SSDSC2K240GZ	Solidigm	SSD	2.5"	SATA	240GB	6Gb/s	D3-S4520 Series			
SSDSC2K480GZ	Solidigm	SSD	2.5"	SATA	480GB	6Gb/s	D3-S4520 Series			
SSDSC2K6019TZ	Solidigm	SSD	2.5"	SATA	1.92TB	6Gb/s	D3-S4520 Series			
SSDSC2K480GZ01	Solidigm	SSD	2.5"	SATA	480GB	6Gb/s	D3-S4620 Series			
SSDSC2K600GZ01	Solidigm	SSD	2.5"	SATA	960GB	6Gb/s	D3-S4620 Series			
SSDSC2K6019TZ	Solidigm	SSD	2.5"	SATA	1.92TB	6Gb/s	D3-S4620 Series			
SSDSC2K6038TZ	Solidigm	SSD	2.5"	SATA	3.84TB	6Gb/s	D3-S4620 Series			
MTFDDAK1T9TGB-1BC1ZABYY	Micron	SSD	2.5"	SATA	1.92TB	6Gb/s	5400 MAX Series			
MTFDDAK240TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	240GB	6Gb/s	5400 PRO Series			
MTFDDAK480TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	480GB	6Gb/s	5400 PRO Series			
MTFDDAK960TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	960GB	6Gb/s	5400 PRO Series			
MTFDDAK1T9TGA-1BC1ZABYY	Micron	SSD	2.5"	SATA	1.92TB	6Gb/s	5400 PRO Series			
MZ7L3480HCHQ-00A07	Samsung	SSD	2.5"	SATA	480GB	6Gb/s	PM983 Series			
MZ7L3378HBLT-00A07	Samsung	SSD	2.5"	SATA	3.84TB	6Gb/s	PM983 Series			
MZ7L3480HBLT-00A07	Samsung	SSD	2.5"	SATA	480GB	6Gb/s	PM987 Series			
MZ7L3960HBLT-00A07	Samsung	SSD	2.5"	SATA	960GB	6Gb/s	PM987 Series			
MZ7L31T9HBNA-00A07	Samsung	SSD	2.5"	SATA	1.92TB	6Gb/s	PM987 Series			
SSB480GTLWC-D2-SME1720GBT	Phison	SSD	2.5"	SATA	480GB	6Gb/s	ESM1720 Series			
SSB960GTLWC-D2-SME1720GBT	Phison	SSD	2.5"	SATA	960GB	6Gb/s	ESM1720 Series			
SSB1K9GTLWC-D2-SME1720GBT	Phison	SSD	2.5"	SATA	1.92TB	6Gb/s	ESM1720 Series			
SSB240GTLWC-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	240GB	6Gb/s	ESW1710 Series			
SSB480GTLWC-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	480GB	6Gb/s	ESW1710 Series			
SSB960GTLWC-D2-ESW1710GBT	Phison	SSD	2.5"	SATA	960GB	6Gb/s	ESW1710 Series			
PCIe SSD										
PCIe SSD										
SSDPEDKX040T701	Solidigm	PCIe	PCI E 3.0	PCIe(NVMe)	4TB	PCIe Gen3 x4	P4500 Series			
MZPLL3T2HAJQ	Samsung	PCIe	PCI E 3.0	PCIe(NVMe)	3.2TB	PCIe Gen3 x8	PM1725b Series			
NVMe										
U.2										
SSDPF2KX153T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	15.36TB	PCIe Gen4 x4	D7-P5520 Series			
SSDPF2KX076T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	D7-P5520 Series			
SSDPF2KX038T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	D7-P5520 Series			
SSDPF2KX019T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	D7-P5520 Series			
SSDPF2KE064T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	D7-P5620 Series			
SSDPF2KE032T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	D7-P5620 Series			
SSDPF2KE016T1	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	D7-P5620 Series			
SBFPF2BU153T	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	15.36TB	PCIe Gen4 x4	D5-P5430 Series			
SBFPF2BU076T	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	D5-P5430 Series			
SBFPF2BU038T	Solidigm	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	D5-P5430 Series			
MZWLO15T1HBLA	Samsung	U.2	2.5" 15mm	SFF8639(NVMe)	15.36TB	PCIe Gen5 x4	PM1743 Series			
MZWLO7T6HBLA	Samsung	U.2	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen5 x4	PM1743 Series			
MZWLQ3T8HCLS	Samsung	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen5 x4	PM1743 Series			
MZWLQ1T9HCJR	Samsung	U.2	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen5 x4	PM1743 Series			
MZQL23T8HCLS	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	PM9A3 Series			
MZQL21T9HCJR	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	PM9A3 Series			
MZQL2960HCJR	Samsung	U.2	2.5" 7mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	PM9A3 Series			
KCD8XVUG800G	KIOXIA	U.2	2.5" 15mm	SFF8639(NVMe)	800GB	PCIe Gen4 x4	CD8-V Series			SE Model
KCD8XVUG1T60	KIOXIA	U.2	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	CD8-V Series			SE Model
KCD8XVUG3T20	KIOXIA	U.2	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	CD8-V Series			SE Model

KCD8XVUG6T40	KIOXIA	U.2	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	CDB-V Series	SE Model	
KCD81RUG1T92	KIOXIA	U.2	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	CDB-R Series		
KCD81RUG3T84	KIOXIA	U.2	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	CDB-R Series		
KCMY1RUG1T92	KIOXIA	U.2	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen5 x4	CM7-R Series		
U.3									
KCM61RUL3T84	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	CM6-R Series		
KCM61RUL1T92	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	CM6-R Series		
KCM61RUL960G	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	CM6-R Series		
KCD61LUL3T84	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	CDE-R Series		
KCD61LUL1T92	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	CDE-R Series		
KCD61LUL960G	KIOXIA	U.3	2.5" 15mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	CDE-R Series		
MTFDKCC6T4TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	7400 Max Series		
MTFDKCC3T2TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	7400 Max Series		
MTFDKCC1T6TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	7400 Max Series		
MTFDKCC800TFC	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	800GB	PCIe Gen4 x4	7400 Max Series		
MTFDKCC6T4TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	7450 Max Series		
MTFDKCC3T2TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	7450 Max Series		
MTFDKCC1T6TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	7450 Max Series		
MTFDKCC800TFS	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	800GB	PCIe Gen4 x4	7450 Max Series		
EU3K6GTLcV-x1-EPW5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	EPW5970 Series		
EU3K2GTLcV-x1-EPW5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	EPW5970 Series		
EU31K6GTLcV-x1-EPW5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	EPW5970 Series		
EU37K6GTLcV-x1-EPM5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	EPM5970 Series		
EU3K9GTLcV-x1-EPM5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	EPM5970 Series		
EU31K9GTLcV-x1-EPM5970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	EPM5970 Series		
EU3K6GTLcV-P1EPW0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	EPW0970 Series		
EU3K2GTLcV-P1EPW0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	3.2TB	PCIe Gen4 x4	EPW0970 Series		
EU31K6GTLcV-P1EPW0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	1.6TB	PCIe Gen4 x4	EPW0970 Series		
EU37K6GTLcV-P1EPW0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	EPM0970 Series		
EU3K9GTLcV-P1EPM0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	EPM0970 Series		
EU31K9GTLcV-P1EPM0970GBT	PHISON	U.3	2.5" 15mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	EPM0970 Series		
MTFDKCB7T6TDZ	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	7400 Pro Series		
MTFDKCB3T8TDZ	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	7400 Pro Series		
MTFDKCB1T9TDZ	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	7400 Pro Series		
MTFDKCB960TDZ	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	7400 Pro Series		
MTFDKCB7T6TFR	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	7450 Pro Series		
MTFDKCB3T8TFR	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4	7450 Pro Series		
MTFDKCB1T9TFR	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	1.92TB	PCIe Gen4 x4	7450 Pro Series		
MTFDKCB960TFR	Micron	U.3	2.5" 7mm	SFF8639(NVMe)	960GB	PCIe Gen4 x4	7450 Pro Series		
MTFDKCC5T4TGL	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	6.4TB	PCIe Gen4 x4	9400 Max Series		
MTFDKCC7T6TGH	Micron	U.3	2.5" 15mm	SFF8639(NVMe)	7.68TB	PCIe Gen4 x4	9400 Pro Series		

NVMe/SATA M.2

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
NVMe M.2							
MZ1L21T9NCL5	Samsung	M.2	2210	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	PM9A3 Series
MZ1L2960HCJR	Samsung	M.2	2210	PCIe(NVMe)	960GB	PCIe Gen4 x4	PM9A3 Series
MTFDKBG1T9TDZ	Micron	M.2	2210	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	7400 Pro Series
MTFDKBG3T8TFR	Micron	M.2	2210	PCIe(NVMe)	3.84TB	PCIe Gen4 x4	7450 Pro Series
MTFDKBG1T9TFR	Micron	M.2	2210	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	7450 Pro Series
MTFDKBG960TFR	Micron	M.2	2210	PCIe(NVMe)	960GB	PCIe Gen4 x4	7450 Pro Series
MTFDKBA800TFC	Micron	M.2	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4	7400 Max Series
MTFDKBA800TFS	Micron	M.2	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4	7450 Max Series
CA6-8D2048	SSSTC	M.2	2280	PCIe(NVMe)	2TB	PCIe Gen4 x4	CA6 Series
CA6-8D1024	SSSTC	M.2	2280	PCIe(NVMe)	1TB	PCIe Gen4 x4	CA6 Series
CA6-8D512	SSSTC	M.2	2280	PCIe(NVMe)	512GB	PCIe Gen4 x4	CA6 Series
CA6-8D256	SSSTC	M.2	2280	PCIe(NVMe)	256GB	PCIe Gen4 x4	CA6 Series
ES0480GTLcW-EC-EPR3750GBT	PHISON	M.2	2280	PCIe(NVMe)	400GB	PCIe Gen4 x4	EPR3750 Series
8M2P41B8-480GC	ADATA	M.2	2280	PCIe(NVMe)	480GB	PCIe Gen4 x4	
8M2P41B8-240GC	ADATA	M.2	2280	PCIe(NVMe)	240GB	PCIe Gen4 x4	

SATA M.2

Product Name	Vendor	Type	Form Factor	Interface	Max. Channels	Interface Speed	Note
M.2 Expansion PCIe Card							
CMT4034	Gigabyte	PCIe	2210	PCIe(NVMe)	4	PCIe Gen3 x16	

Storage Card

Product Name	Vendor	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note
Broadcom Host Bus Adapters (HBAs)									
8HBA 9620-16i Tri-Mode Storage Adapter (SAS/SATA mode)	Broadcom	SAS4106 (Avenger IOC)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 24Gb/s per port	
8HBA 9600-24i Tri-Mode Storage Adapter (SAS/SATA mode)	Broadcom	SAS4024 (Avenger IOC)	PCIe Gen4 x8	24	3 SlimSAS SFF-8654	-	-	Up to 24Gb/s per port	
8HBA 9600-16i Tri-Mode Storage Adapter (SAS/SATA mode)	Broadcom	SAS4016 (Avenger IOC)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 24Gb/s per port	
8HBA 9600W-16e Tri-Mode Storage Adapter	Broadcom	SAS4016W (Avenger IOC)	PCIe Gen4 x16	-	-	16 4 SFF-8644	-	Up to 24Gb/s per port	
8HBA 9600-16e Tri-Mode Storage Adapter	Broadcom	SAS4016 (Avenger IOC)	PCIe Gen4 x8	-	-	16 4 SFF-8644	-	Up to 24Gb/s per port	
HBA 9500-16i Tri-Mode Storage Adapter (SAS/SATA mode)	Broadcom	SAS3816	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
HBA 9500-8i Tri-Mode Storage Adapter (SAS/SATA mode)	Broadcom	SAS3808	PCIe Gen4 x8	8	1 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
HBA 9500-16e Tri-Mode Storage Adapter	Broadcom	SAS3816	PCIe Gen4 x8	-	-	16 4 SFF-8644	-	Up to 12Gb/s per port	
HBA 9500-8e Tri-Mode Storage Adapter	Broadcom	SAS3808	PCIe Gen4 x8	-	-	8 2 SFF-8644	-	Up to 12Gb/s per port	

Broadcom Tri-Mode Cards									
MegaRAID 9660-16i Tri-Mode (NVMe)	Broadcom	SAS4116 (Avenger ROC)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 24Gb/s per port	
MegaRAID 9640-8i Tri-Mode (NVMe)	Broadcom	SAS3808 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	8	2 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	
gHBA 9620-16i Tri-Mode Storage Adapter (NVMe)	Broadcom	SAS4106 (Avenger ROC)	PCIe Gen4 x8	16	2 SlimSAS SFF-8654	-	-	Up to 24Gb/s per port	
LAN Cards									
Product Name	Vendor	Connector	System Interface Type	# of Ports	Data Rate	Note			
GIGABYTE LAN Cards									
CLN4D40	GIGABYTE	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414			
CLN4B20	GIGABYTE	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416			
CLN4A10	GIGABYTE	RJ-45	PCIe Gen3 x8	Dual	1Gb/s per port	Broadcom BCM5720L			
CLNCD42	GIGABYTE	SFP28	10G ⁺ PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414 / Support 10G⁺ 1.0			
CLNGB22	GIGABYTE	RJ-45	10G ⁺ PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416 / Support 10G⁺ 1.0			
CLNCA12	GIGABYTE	RJ-45	10G ⁺ PCIe Gen2 x2	Dual	1Gb/s per port	Broadcom BCM5720 / Support 10G⁺ 1.0			
Intel_10GbE									
1722-DA4	Intel	SFP+	PCIe Gen3 x8	Quad	10Gb/s per port				
Intel_25GbE									
E810-XXVDA2 for OCP	Intel	SFP28	10G ⁺ PCIe Gen4 x8	Dual	25Gb/s per port	Support 10G⁺ 1.0			
E810-XXVDA4	Intel	SFP28	PCIe Gen4 x16	Quad	25Gb/s per port	Controller E810-CAM1			
Intel_100GbE									
E810-CQDA2 for OCP	Intel	QSFP28	10G ⁺ PCIe Gen4 x16	Dual	100Gb/s per port	Support 10G⁺ 1.0			
E810-CQDA1	Intel	QSFP28	PCIe Gen4 x16	Single	100Gb/s per port				
(Mellanox) NVIDIA ConnectX									
MCX71310AC-ADAT	NVIDIA	SFP56	PCIe Gen4 x16	Quad	50Gb/s per port	Mellanox ConnectX-7			
MCX831102AN-ADAT	NVIDIA	SFP28	PCIe Gen4 x8	Dual	25Gb/s per port	Mellanox ConnectX8-6 1.0 without Crypto			
MCX831432AN-ADAB	NVIDIA	SFP28	10G ⁺ PCIe Gen4 x8	Dual	25Gb/s per port	Mellanox ConnectX8-6 1.0 without Crypto / Support 10G⁺ 1.0			
MCX823105AN-CDAT	NVIDIA	QSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX8-6 1.0 No Crypto, No Secure Boot			
MCX823106AN-CDAT	NVIDIA	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX8-6 1.0 No Crypto, No Secure Boot			
MCX565M-CDAB	NVIDIA	QSFP28	10G ⁺ PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX8-5 Ex 1.0 / Support 10G⁺ 1.0			
MCX566A-CDAB	NVIDIA	QSFP28	10G ⁺ PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-6 Ex EN / Support 10G⁺ 1.0			
MCX516A-CCAT	NVIDIA	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-6 EN			
MCX515A-CCAT	NVIDIA	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-6 EN			
MCX4121A-ACAT	NVIDIA	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN			
(Mellanox) NVIDIA VPI Adapter Cards									
MCX75310AAC-NEAT	NVIDIA	OSFP	PCIe Gen5 x16	Single	400Gb/s per port	NVIDIA ConnectX-7 VPI (InfiniBand)			
MCX75310AAS-NEAT	NVIDIA	OSFP	PCIe Gen5 x16	Single	400Gb/s per port	NVIDIA ConnectX-7 VPI (InfiniBand)			
MCX755106AC-HEAT	NVIDIA	QSFP112	PCIe Gen5 x16	Dual	200Gb/s per port	Mellanox ConnectX-7 (Advanced Dual-Strap Workload Direct Priority Forwarding)			
MCX75510AAS-NEAT	NVIDIA	OSFP	PCIe Gen5 x16	Single	400Gb/s per port	Mellanox ConnectX-7 (Advanced Dual-Strap Workload Direct Priority Forwarding)			
MCX883105AN-HDAT	NVIDIA	OSFP	PCIe Gen4 x16	Single	200Gb/s per port	Mellanox ConnectX-6 DE VPI (InfiniBand)			
MCX863106A-HDAT	NVIDIA	OSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)			
MCX863436A-HDAT	NVIDIA	OSFP56	10G ⁺ PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand) / 10G⁺ 1.0			
MCX863105A-ECAT	NVIDIA	OSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)			
MCX863106A-ECAT	NVIDIA	OSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)			
(Mellanox) NVIDIA BlueField-2 DPU Cards									
MBF2M345A-HESOT	NVIDIA	QSFP56	PCIe Gen4 x16	Single	200Gb/s per port	E-Series/ 2.0GHz			
MBF2H332A-AEEO	NVIDIA	SFP56	PCIe Gen4 x8	Dual	25Gb/s per port	P-Series/ 2.5GHz			
Broadcom (Emulex) Ethernet Networking Adapters									
BCM957506-P1200G	Broadcom	QSFP56	PCIe Gen4 x16	Single	200Gb/s per port	BCM57508			
BCM957506-P2100G	Broadcom	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	BCM57508			
BCM957414A4142CC	Broadcom	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414 (P225P)			
BCM957504-N425G	Broadcom	SFP28	10G ⁺ PCIe 4.0	Quad	25Gb/s per port	BCM57504 / Support 10G⁺ 1.0			
BCM957508-N2100G	Broadcom	QSFP56	10G ⁺ PCIe 4.0	Dual	100Gb/s per port	BCM57508 / Support 10G⁺ 1.0			
BCM957504-N1100G	Broadcom	QSFP56	10G ⁺ PCIe 4.0	Single	100Gb/s per port	BCM57508 / Support 10G⁺ 1.0			
BCM957416N4160C-N210TP	Broadcom	RJ-45	10G ⁺ PCIe Gen3 x8	Dual	10Gb/s per port	BCM57416 / Support 10G⁺ 1.0			
BCM957416A4160C	Broadcom	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	BCM57416 (P210TP)			
Broadcom FC Host Bus Adapter									
LPc32002-M2	Broadcom	SFP+	PCIe Gen3 x8	Dual	32Gb/s per port	XE501 controller			
LPc31002-M6	Broadcom	SFP+	PCIe Gen3 x8	Dual	16Gb/s per port	XE501 controller			
Chelsio Networking Adapters									
T8225-CR	Chelsio	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Power 13w			
T8225-SO-CR	Chelsio	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Power 10w			
T82100-CR	Chelsio	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 22w			
T82100-LP-CR	Chelsio	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 19w			
T82100-SO-CR	Chelsio	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 16w			
T540-LP-CR	Chelsio	SFP+	PCIe Gen3 x8	Quad	10Gb/s per port	Power 11w			
USB Device									
Product Name	Vendor	Type	Connector	Capacity	Note				
USB 3.2 Gen 1 (5Gbps)									
CANVIO BASIC	Toshiba	HDD	Type-A	500GB					
ESW863 8X SLIM	NU	DVD	Type-A						
NA317U+	ineo	Device	Type-A						
SST-TS13	Silver Stone	Device	Type-A						
S1-DS3-Plus	CyberSLIM	Device	Type-A						
MB981U3-1S	ICYDOCK	Device	Type-A						