

"R262-ZA0" Qualification Vender List

Please contact FAE support for below orange blocks

AMD CPU										
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	All Cores Boost Max Freq (GHz)	Processor Boost Max Freq (GHz)	TDP	Memory Types
AMD 7601 PS7601BDVIHAF	Naples	SP3	B2	64MB	32 / 64	2.20	2.70	3.20	180W	DDR4-2666
AMD 7551 PS7551BDVIHAF	Naples	SP3	B2	64MB	32 / 64	2.00	2.55	3.00	180W	DDR4-2666
AMD 7451 PS7451BDVHCAF	Naples	SP3	B2	64MB	24 / 48	2.30	3.20	3.20	180W	DDR4-2666
AMD 7351 PS7351BEVGPAF	Naples	SP3	B2	64MB	16 / 32	2.40	2.90	2.90	155/170W	DDR4-2400/2666
AMD 7351P PS7351PBEVGPAF	Naples	SP3	B2	64MB	16 / 32	2.40	2.90	2.90	155/170W	DDR4-2400/2666
AMD 7501 PS7501BEVIHAF	Naples	SP3	B2	64MB	32 / 64	2.00	2.60	3.00	155/170W	DDR4-2400/2666
AMD 7401 PS7401BEVHCAF	Naples	SP3	B2	64MB	24 / 48	2.00	2.80	3.00	155/170W	DDR4-2400/2666
AMD 7401P PS7401PBEVHCAF	Naples	SP3	B2	64MB	24 / 48	2.00	2.80	3.00	155/170W	DDR4-2400/2666
AMD 7371 PS7371BDVGPAPF	Naples	SP3	B2	64MB	16 / 32	3.10	3.60	3.80	200W	DDR4-2666
AMD 7301 PS7301BEVGPAF	Naples	SP3	B2	64MB	16 / 32	2.20	2.70	2.70	155/170W	DDR4-2400/2666
AMD 7281 PS7281BEVGAAPF	Naples	SP3	B2	64MB	16 / 32	2.10	2.70	2.70	155/170W	DDR4-2400/2666
AMD 7261 PS7261BEV8RAAF	Naples	SP3	B2	64MB	8 / 16	2.50	2.90	2.90	155/170W	DDR4-2400/2666
AMD 7251 PS7251BFV8SAF	Naples	SP3	B2	32MB	8 / 16	2.00	2.90	2.90	120W	DDR4-2400
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7742 100-000000053	ROME	SP3	B0 PR	256MB	64 / 128	2.25	3.40	225W	225W/240W	DDR4-3200
AMD 7702 100-000000038	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.35	200W	165W/200W	DDR4-3200
AMD 7642 100-000000074	ROME	SP3	B0 PR	192MB	48 / 96	2.30	3.40	225W	225W/240W	DDR4-3200
AMD 7552 100-000000076	ROME	SP3	B0 PR	192MB	48 / 96	2.20	3.30	200W	165W/200W	DDR4-3200
AMD 7542 100-000000075	ROME	SP3	B0 PR	128MB	32 / 64	2.90	3.40	225W	225W/240W	DDR4-3200
AMD 7532 100-000000136	ROME	SP3	PD	256MB	32 / 64	2.40	3.30	200W	180W/200W	DDR4-3200
AMD 7502 100-000000054	ROME	SP3	B0 PR	128MB	32 / 64	2.50	3.35	180W	165W/200W	DDR4-3200
AMD 7452 100-000000057	ROME	SP3	B0 PR	128MB	32 / 64	2.35	3.35	155W	155W/180W	DDR4-3200
AMD 7402 100-000000046	ROME	SP3	B0 PR	128MB	24 / 48	2.80	3.35	180W	165W/200W	DDR4-3200
AMD 7352 100-000000077	ROME	SP3	B0 PR	128MB	24 / 48	2.30	3.20	155W	155W/180W	DDR4-3200
AMD 7302 100-000000043	ROME	SP3	B0 PR	128MB	16 / 32	3.00	3.30	155W	155W/180W	DDR4-3200
AMD 7282 100-000000078	ROME	SP3	B0 PR	64MB	16 / 32	2.80	3.20	120W	120W/150W	DDR4-2666
AMD 7262 100-000000041	ROME	SP3	B0 PR	128MB	8 / 16	3.20	3.40	155W	155W/180W	DDR4-3200
AMD 7252 100-000000080	ROME	SP3	PD	64MB	8 / 16	3.10	3.20	120W	120W/150W	DDR4-2666
AMD 7702P 100-000000047	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.35	200W	165W/200W	DDR4-3200
AMD 7502P 100-000000045	ROME	SP3	B0 PR	128MB	32 / 64	2.50	3.35	180W	165W/200W	DDR4-3200
AMD 7402P 100-000000048	ROME	SP3	B0 PR	128MB	24 / 48	2.80	3.35	180W	165W/200W	DDR4-3200
AMD 7302P 100-000000049	ROME	SP3	B0 PR	128MB	16 / 32	3.00	3.30	155W	155W/180W	DDR4-3200
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7713 100-0000000344	Milan	SP3	PR	256MB	64 / 128	2.00	3.675	225W	225W/240W	DDR4-3200
AMD 7643 100-0000000326	Milan	SP3	PR	256MB	48 / 96	2.30	3.60	225W	225W/240W	DDR4-3200
AMD 7543 100-0000000345	Milan	SP3	PR	256MB	32 / 64	2.80	3.70	225W	225W/240W	DDR4-3200
AMD 7513 100-0000000334	Milan	SP3	PR	128MB	32 / 64	2.60	3.65	200W	165W/200W	DDR4-3200
AMD 74F3 100-0000000317	Milan	SP3	PR	256MB	24 / 48	3.20	4.00	240W	225W/240W	DDR4-3200
AMD 7413 100-0000000323	Milan	SP3	PR	128MB	24 / 48	2.65	3.60	180W	165W/200W	DDR4-3200
AMD 7313 100-0000000329	Milan	SP3	PR	128MB	16 / 32	3.00	3.70	155W	155W/180W	DDR4-3200
AMD 72F3 100-0000000327	Milan	SP3	PR	256MB	8 / 16	3.70	4.10	180W	165W/200W	DDR4-3200
AMD 7713P 100-0000000337	Milan	SP3	PR	256MB	64 / 128	2.00	3.675	225W	225W/240W	DDR4-3200

AMD 7543P 100-000000341	Milan	SP3	PR	256MB	32 / 64	2.80	3.70	225W	225W/240W	DDR4-3200
AMD 7313P 100-000000339	Milan	SP3	PR	128MB	16 / 32	3.00	3.70	155W	155W/180W	DDR4-3200
Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)										
Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins
RDIMM										
MTA36ASF4G72PZ-2G9J3T1	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293-2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293.36FE2	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2VG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2UG	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMAA8GR7MJR4N-WM T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32HDR	DDR4	Kingston	32GB	SKhynix-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA84GR7DJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7AJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT8G4RFS832A.9FE1	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
CT8G4RFS832A-3G2E1.001	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF1G72PZ.3G2E1VG	DDR4	Micron	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2J3UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWECO	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A8G40AB2-CWEBQ	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
TR416G32S422-XNC	DDR4	V-color	16GB	SKhynix-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD8/16MEI	DDR4	Kingston	16GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD4/32HDR	DDR4	Kingston	32GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
AD4R3200716G22-BHYA	DDR4	ADATA	16GB	SKhynix-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS4/32MER	DDR4	Kingston	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS8/16MER	DDR4	Kingston	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin

M386AAG40MMB-CVFC0	DDR4	Samsung	128GB	Samsung	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin
LRDIMM										
M386A8K40DM2-CWELQ	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	3200MHz	ECC Registered	22	288-pin
Seagate HDD (SAS HDD may need RAID Card support)										
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
Seagate Enterprise Capacity 2.5 HDD										
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A
ST300MP0106	SAS	Seagate	2.5"	4Kn/512e	300GB	12Gb/s	Exos 15E900 (Enterprise Performance 15K)	256MB	15000	N/A
ST2400MM0129	SAS	Seagate	2.5"	4Kn/512e	2TB	12Gb/s	Exos 10E2400 (Enterprise Performance 10K)	256MB	10000	N/A
SATA/SAS SSD										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note		
SATA/SAS SSD										
MTFDDAK1T9TDC-1AT1ZABYY (5200 ECO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s				
MTFDDAK1T9TDN-1AT1ZABYY (5200 MAX)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KG019T8 D3-S4610 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KB019T8 D3-S4510 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
KHK61RSE960G	SSD	Toshiba	2.5"	SATA	960GB	6Gb/s				
PCIe SSD										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
PCIe SSD										
SSDPEDKX040T701 P4500 Series PCIe Gen3 x4 4TB	PCIe	Intel	PCI-E 3.0	PCIe(NVMe)	4TB	Gen3 x4				
Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	Gen3 x8				
Netlist N1951 E3 NS1951AH33T2 Gen3 x8 3.2TB	PCIe	Netlist	PCI-E 3.0	PCIe(NVMe)	3.2TB	-				
U.2										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
U.2										
SSDPE2KE032T801 P4610 Series	U.2	Intel	2.5"	SFF8639(NVMe)	3.2TB	Gen3 x4				
SSDPE2KX020T801 P4510 Series	U.2	Intel	2.5"	SFF8639(NVMe)	2TB	Gen3 x4				
MZWL3T2HAJQ PM1725b Series	U.2	Samsung	2.5"	SFF8639(NVMe)	3.2TB	Gen3 x4				
MZQLW1T9HMJP PM963 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	Gen3 x4				
MZWLJ3T8HBL5 PM1733 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	3.84TB	Gen4 x4				
MTFDHAL3T2TCU 9200 Series	U.2	Micron	2.5"	SFF8639(NVMe)	3.2TB	Gen3 x4				
KCD51LUG960G CD5 Series	U.2	Toshiba	2.5"	SFF8639(NVMe)	960GB	Gen3 x4				
M.2										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
M.2										
SSDPELX010T801 P4511 Series 1TB	M.2	Intel	22110	PCIe(NVMe)	1TB	-				
MZ-1LB1T9N 983 DCT Series	M.2	Samsung	22110	PCIe(NVMe)	1.92TB	-				
MTFDHBA960TDF 960GB 7300 Pro Series	M.2	Micron	2280	PCIe(NVMe)	960GB	-				
IM2P33F8-512GD	M.2	ADATA	2280	PCIe(NVMe)	512GB	-				
IM2P33F8-512GD1	M.2	ADATA	2280	PCIe(NVMe)	512GB	-				

RAID Cards

Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note
GIGABYTE Storage Cards								
CSA3548	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	-	-	-	2 x external 8 Mini-SAS HD SFF8644	12Gb/s ports	
CRA4648	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports	
LSI RAID Controller Cards								
MegaRAID SAS 9460-16i	SAS3516 dual-core RAID-on-Chip (ROC)	x8 lane PCI Express® 3.1	8	4 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0	
Microsemi RAID Cards								
SmartRAID 3154-16i	PM8236	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	-	12 Gb/s per port	
Microsemi Host Bus Adapters								
SmartHBA 2100-8i	PM8222	8-Lane PCIe Gen3	8	2 x Internal, SFF-8643	-	-	12 Gb/s per port	
LAN Cards								
Product Name	Connector	System Interface Type	# of Ports	Data Rate	Note			
GIGABYTE LAN Cards								
CLNO832	SFP+	OCP PCIe x8 Gen2 x8	Dual	10Gb/s per port	INTEL 82599ES Support OCP 2.0 type1			
CLNOQ42	SFP28	OCP PCIe x8 Gen3 x8	Dual	25Gb/s per port	Qlogic (Cavium) QL41401-A2G Support OCP 2.0			
CLNO222	RJ-45	OCP PCIe Gen3 x4	Dual	10Gb/s per port	INTEL X550-AT2 Support OCP 2.0 type1			
CLN4752	QSFP+	PCIe x8 Gen3 x8	Dual	40Gb/s per port	INTEL XL710			
CLN4224	RJ-45	PCIe x8 Gen3 x4	Quad	10Gb/s per port	INTEL X550-AT2			
CLN4M34	SFP28	PCIe Gen3 x16	Quad	10Gb/s per port	Mellanox ConnectX-4			
Intel_10GbE								
Intel® Ethernet Network Adapter X722-DA4	SFP+	PCIe v3.0 (8.0 GT/s)	Quad	10Gb/s per port				
Intel_25GbE								
Intel® Ethernet Network Adapter XXV710-DA2 for OCP	SFP28	OCP PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port	Support OCP 2.0 type1			
Intel® Ethernet Network Adapter XXV710-DA2	SFP28	PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port				
Intel® Ethernet Network Adapter E810-XXVDA2	SFP28	OCP PCIe Gen4 x16	Dual	25Gb/s per port	Support OCP 3.0			
Intel® Ethernet Network Adapter E810-XXVDA4	SFP28	PCIe v4.0 (16 GT/s)	Quad	25Gb/s per port				
Intel_40GbE								
Intel® Ethernet Converged Network Adapter XL710-QDA2	QSFP+	PCIe v3.0 (8.0 GT/s)	Dual	40Gb/s per port				
Intel_100GbE								
Intel® Ethernet Network Adapter E810-CQDA2	QSFP28	PCIe v4.0 (16 GT/s)	Dual	100Gb/s per port				
Mellanox ConnectX								
MCX566A-CDAI	QSFP28	OCP PCIe 4.0 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN / Support OCP 3.0			
MCX516A-CDAT	QSFP28	PCIe 4.0 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN			
MCX516A-CCAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN			
MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN			
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN			
Mellanox VPI Adapter Cards								
MCX653106A-HDAT	QSFP56	PCIe 4.0 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)			

MCX653105A-ECAT	QSFP56	PCIe 4.0 x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX555A-ECAT	QSFP28	PCIe 3.0 x16	Single	100Gb/s per port	Mellanox ConnectX-5 VPI (InfiniBand)
Qlogic LAN Adapters					
QL45611HLCU	QSFP28	PCIe x16 Gen3 x16	Single	100Gb/s per port	
QLE3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port	
Broadcom (Emulex) Ethernet Networking Adapters					
BCM957508-P2100G	QSFP56	PCIe 4.0 x16	Dual	100Gb/s per port	BCM57508
BCM957414A4142CC	SFP28	PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414
BCM957508-N2100G	QSFP56	OCPI PCIe 4.0	Dual	100Gb/s per port	BCM57508 / Support OCPI 3.0
BCM957504-N425G	SFP28	OCPI PCIe 4.0	Quad	25Gb/s per port	BCM57504 / Support OCPI 3.0
BCM957414N4140C	SFP28	OCPI PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414 / Support OCPI 3.0
BCM957416N4160C	RJ-45	OCPI PCIe 3.0 x8	Dual	10Gb/s per port	BCM57416 / Support OCPI 3.0
BCM957414M4142C	SFP28	OCPI PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414 / Support OCP 2.0 type1