



Please contact FAE support for below orange blocks

Ampere CPU for Altra and Altra max

Product Name	Core Name	Q-Spec	Stepping	Cache	System Bus	# of Cores	Processor Base Frequency	Max Frequency	TDP	Memory Types	Note
Ampere CPU											
Ampere Altra Max CPU M128-30	Altra Max					128	3.0 GHz	3.0 GHz	250	DDR4-3200	
Ampere Altra Max CPU M128-28	Altra Max					128	2.8 GHz	2.8 GHz	230	DDR4-3200	
Ampere Altra Max CPU M128-26	Altra Max					128	2.6 GHz	2.6 GHz	190	DDR4-3200	
Ampere Altra Max CPU M112-30	Altra Max					112	3.0 GHz	3.0 GHz	240	DDR4-3200	
Ampere Altra Max CPU M96-30	Altra Max					96	3.0 GHz	3.0 GHz	220	DDR4-3200	
Ampere Altra Max CPU M96-28	Altra Max					96	2.8 GHz	2.8 GHz	190	DDR4-3200	
Ampere Altra CPU Q80-33	Altra					80	3.25 GHz	3.25 GHz	250	DDR4-3200	max : 3250 MHz
Ampere Altra CPU Q80-30	Altra					80	3.0 GHz	3.0 GHz	210	DDR4-3200	
Ampere Altra CPU Q80-28	Altra					80	2.8 GHz	2.8 GHz	185	DDR4-3200	
Ampere Altra CPU Q80-26	Altra					80	2.6 GHz	2.6 GHz	150	DDR4-3200	
Ampere Altra CPU Q72-30	Altra					72	3.0 GHz	3.0 GHz	195	DDR4-3200	
Ampere Altra CPU Q64-33	Altra					64	3.2 GHz	3.2 GHz	220	DDR4-3200	max : 3250 MHz
Ampere Altra CPU Q64-30	Altra					64	3.0 GHz	3.0 GHz	180	DDR4-3200	
Ampere Altra CPU Q64-26	Altra					64	2.6 GHz	2.6 GHz	125	DDR4-3200	
Ampere Altra CPU Q64-22	Altra					64	2.2 GHz	2.2 GHz	95	DDR4-3200	
Ampere Altra CPU Q32-17	Altra					32	1.7 GHz	1.7 GHz	65	DDR4-3200	

Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)

Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins	Note
RDIMM											
MTA36ASF4G72PZ-3G2E2	DDR4	Micron	16GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	24	288-pin	
M393A4G43AB3-CWE	DDR4	Samsung	32GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A2K40CB2-CTD6Q	DDR4	Samsung	16GB	Samsung-Montage	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin	
M393A8K40B22-CWD6Q	DDR4	Samsung	64GB	Samsung	2S2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin	
M393A8G40MB2-CTD7Q	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin	
MTA9ASF1G72PZ-3G2R1V1	DDR4	Micron	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	19	288-pin	
CT32G4RFD4266.36FD1	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin	
CT32G4RFD4266.2G6D1.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin	
CT32G4RFD4266.2G6H1.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin	
HMA84GR7AFR4N-VKT3	DDR4	SKhynix	32GB	SKhynix-Montage	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin	
M393A2K43DB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	
M393A4K40DB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	
M393A8G40AB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	
M393A2K43EB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
CT16G4RFD8293.18FE1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	
MTA9ASF2G72PZ-2G9E1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	
CT32G4RFD4293.2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	
MTA36ASF4G72PZ-2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	
MTA18ASF4G72PDZ-2G9E1TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	
MTA18ASF4G72PDZ-3G2F1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA36ASF8G72PZ-2G9E1TI	DDR4	Micron	64GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	
HMA82GR7CJR8N-WM T4	DDR4	SKhynix	16GB	SKhynix-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	
HMA84GR7CJR4N-WM TG	DDR4	SKhynix	32GB	SKhynix-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	
HMAA8GR7MJR4N-WM T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	
KSM29RD8/16HDR	DDR4	Kingston	16GB	SKhynix-Rambus	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	
KSM29RD4/32HDR	DDR4	Kingston	32GB	SKhynix-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	
NT16GA72D8PBX3P-IX	DDR4	Nanya	16GB	Nanya-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	
NT32GA72D4NBX3P-IX	DDR4	Nanya	32GB	Nanya-Montage or IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	
HMA82GR7DJR8N-XN T8	DDR4	SKhynix	16GB	SKhynix-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
HMA82GR7DJR8N-XN TG	DDR4	SKhynix	16GB	SKhynix-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
HMA84GR7DJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
HMAA8GR7AJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
CT16G4RFD832A-3G2E1.001	DDR4	Crucial	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA9ASF2G72PZ-3G2E1TI	DDR4	Micron	16GB	Micron-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA18ASF4G72PDZ.3G2B2TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA36ASF4G72PZ-3G2J3UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA36ASF4G72PZ-3G2E7VI	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA36ASF8G72PZ-3G2E1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA18ASF4G72PDZ-3G2E1TI	DDR4	Micron	32GB	Micron	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA18ASF2G72PDZ-3G2J3	DDR4	Micron	16GB	Micron	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA18ASF4G72PZ-3G2F1TI	DDR4	Micron	32GB	Micron	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A2K43DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	

M393A2K40DB3-CWEGQ	DDR4	Samsung	16GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A4K40DB3-CWEBQ	DDR4	Samsung	32GB	Samsung-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A8G40AB2-CWEBQ	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A8G40AB2-CWECO	DDR4	Samsung	64GB	Samsung-Montage	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393AAG40M32-CAEBQ	DDR4	Samsung	128GB	Samsung	2S2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A4K40EB3-CWE	DDR4	Samsung	32GB	Samsung	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A4G43BB4-CWEBY	DDR4	Samsung	32GB	Samsung-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
M393A8G40BB4-CWE	DDR4	Samsung	64GB	Samsung	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
KSM32RS8/16MER	DDR4	Kingston	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
KSM32RD4/32HDR	DDR4	Kingston	32GB	SKhynix-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
KSM32RS4/32MER	DDR4	Kingston	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
AD4R3200716G22-BHYA	DDR4	ADATA	16GB	SKhynix-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA18ASF4G72PZ-3G2R1UI	DDR4	Micron	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA18ASF2G72PDZ-3G2R1UI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA18ASF2G72PDZ-3G2R1VI	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
MTA18ASF2G72PDZ-3G2R1TI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	
HDD / U.2 / M.2 (SATS/ SAS HDD may need RAID Card support and please check if the model support NVMe)											
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	FW
SATA HDD											
ST1000NX0313	SATA	Seagate	2.5"	512E	1TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A	SN05
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A	NN02
SATA SSD											
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s					
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s					
MZ7LH1T9NE 883 DCT Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s					
MZ7LH3T8HMLT PM883 Series	SSD	Samsung	2.5"	SATA	3.84TB	6Gb/s					
SSDSC2KB019T8 D3-S4510 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s					
SSDSC2KG019T801 D3-S4610 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s					
SSDSC2KB480G801 D3-S4510 Series	SSD	Intel	2.5"	SATA	480GB	6Gb/s					
SSDSC2KG480G801 D3-S4610 Series	SSD	Intel	2.5"	SATA	480GB	6Gb/s					
SSDSC2KB038T801 D3-S4510 Series	SSD	Intel	2.5"	SATA	3.84TB	6Gb/s					
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s					
KHK61RSE960G	SSD	Toshiba	2.5"	SATA	960GB	6Gb/s					
MZ7LH7T6HMLA-00005 PM883 Series	SSD	Samsung	2.5"	SATA	7.68TB	6Gb/s					
MZ7L396HCJR-00A07 Samsung PM893 Series	SSD	Samsung	2.5"	SATA	960GB	6Gb/s					
MZ7LH960HAJR-00005 Samsung PM883 Series	SSD	Samsung	2.5"	SATA	960GB	6Gb/s					
MZ7L33T8HBLT-00A07 PM893 Series	SSD	Samsung	2.5"	SATA	3.84TB	6Gb/s					
SAS HDD											
ST300MP0006	SAS	Seagate	2.5"	512n	300GB	12Gb/s	Exos 15E900 (Enterprise Performance 15K)	256MB	15000	N/A	
ST300MP0106	SAS	Seagate	2.5"	4Kn/512e	300GB	12Gb/s	Exos 15E900 (Enterprise Performance 15K)	256MB	15000	N/A	
ST2400MM0129	SAS	Seagate	2.5"	4Kn/512e	2TB	12Gb/s	Exos 10E2400 (Enterprise Performance)	256MB	10000	N/A	C001
AL15SEB24EQ	SAS	Toshiba	2.5"	512e	2.4TB	12Gb/s	Performance	128MB	10500	N/A	FW-0102
SAS SSD											
MZL7T76HMLA-00007	SSD	Samsung	2.5"	SAS	7.68TB	12Gb/s	PM1643 Series				
MZL7960HBHQ-00007	SSD	Samsung	2.5"	SAS	960GB	12Gb/s	PM1643a Series				
XS9605E70084	SSD	Seagate	2.5"	SAS	960GB	12Gb/s	Nytro 3332 Series				
KPM71RUG1T92	SSD	KIOXIA	2.5"	SAS	1.92TB	24Gb/s	PM7-R Series				
KPM71RUG3T84	SSD	KIOXIA	2.5"	SAS	3.84TB	24Gb/s	PM7-R Series				
KPM7XRUG1T92	SSD	KIOXIA	2.5"	SAS	1.92TB	24Gb/s	PM7-R Series	SIE Model			
KPM7XRUG3T84	SSD	KIOXIA	2.5"	SAS	3.84TB	24Gb/s	PM7-R Series	SIE Model			
M.2 NVME SSD											
MTFDH8G3T8TDF	M.2	Micron	22110	PCIe(NVMe)	3.84TB	PCIe Gen3 x4	7300 Pro Series				
Phison PS5016-E16 & PS5019-E19	M.2	Gigabyte	2280	PCIe(NVMe)	1TB	PCIe Gen4 x4					
MZ1LB1T9HALS-00007	M.2	Samsung	22110	PCIe(NVMe)	1.92TB	PCIe Gen3 x4	PM983 Series				
MZ1LB960HAJQ-00007	M.2	Samsung	22110	PCIe(NVMe)	960GB	PCIe Gen3 x4	PM983 Series				
MZ1L21T9HCLS-00A07	M.2	Samsung	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	PM9A3 Series				
MZ1L23T8HBLA-00A07	M.2	Samsung	22110	PCIe(NVMe)	3.84TB	PCIe Gen4 x4	PM9A3 Series				
MZ1B3T8HMLA-00007	M.2	Samsung	22110	PCIe(NVMe)	3.84TB	PCIe Gen3 x4	PM983 Series				
M.2 Expansion PCIe Card											
Product Name	Type	Vendor	Form Factor	Interface	Max. Channels	Interface Speed	Note				
CMT4032	PCIe	Gigabyte	22110	PCIe(NVMe)	2	PCIe Gen3 x8					
CMT4034	PCIe	Gigabyte	22110	PCIe(NVMe)	4	PCIe Gen3 x16					
RAID Cards											
Product Name	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note	Support type	RAID	
GIGABYTE Storage Cards											

CRA4448	LSI SAS 3108	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port	SATA / SAS	Hardware RAID (PCIe 5 not support) Firmware need support ARM HII
CRA3338	LSI SAS 3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port	SATA / SAS	Software RAID
CRS2021	Asmedia	PCIe (Gen3x2)*2	8	2 x SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	SATA	NO RAID Function
CRAO338	LSI SAS 3008	QCP 2.0 PCIe Gen3 x8	8	2 x 4 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	SATA / SAS	Software RAID
LSI RAID Controller Cards									
MegaRAID SAS 9361-8i	LSISAS3108 dual core RAID on Chip (ROC)	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port	SATA / SAS	Hardware RAID
MegaRAID SAS 9460-8i	SAS3508 dual-core RAID-on-Chip (ROC)	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port	SATA / SAS	Hardware RAID
MegaRAID 9560-16i	SAS3916 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	16	2 x8 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	SATA / SAS / U.2	
MegaRAID 9560-8i	SAS3908 Tri-Mode RAID-on-Chip (ROC)	PCIe Gen4 x8	8	1 x8 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	SATA / SAS / U.2	Firmware package : 52.21.0-4428
LSI Host Bus Adapters (HBAs)									
LSI SAS 9500-8i	SAS3808	PCIe Gen4 x8	8	1 x8 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	SATA / SAS / U.2	NO RAID Function
LSI SAS 9305-16i	SAS3224	PCIe Gen3 x8	16	6 Mini-SAS HD SFF8643	-	-	Up to 12Gb/s per port	SATA / SAS	NO RAID Function
LSI SAS 9305-24i	SAS3224	PCIe Gen3 x8	24	6 Mini-SAS HD SFF8643	-	-	Up to 12Gb/s per port	SATA / SAS	NO RAID Function
Microsemi Adaptec HBA 1100-16i	Adaptec HBA 1100-16i	PCIe Gen3 x8	16	6 Mini-SAS HD SFF8643	-	-	Up to 12Gb/s per port	SATA / SAS	NO RAID Function
Microsemi Adaptec 2100-8i	SmartHBA 2100	PCIe Gen3 x8	8	6 Mini-SAS HD SFF8643	-	-	Up to 12Gb/s per port	SATA / SAS	Software RAID
Broadcom RAID Controller Cards									
MegaRAID 9560-8i (SAS/SATA mode)	SAS3908 Tri-Mode RAID-on-	PCIe Gen4 x8	8	1 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port	SATA / SAS	MR 7.20_52.20.0-4481

LAN Cards

Product Name	Connector	System Interface Type	# of Ports	Data Rate	Note				
GIGABYTE LAN Cards									
CLN4312	RJ-45	PCIe Gen2 x4	Dual	1Gb/s per port	Intel® I350-AM2				
CLN4C42	SFP28	PCIe Gen3 x16	Dual	25Gb/s per port	Mellanox ConnectX-4	Need update ARM-HII Firmware 14.25.17 (UEFI)			
CLN4C44	SFP28	PCIe Gen3 x16	Quad	25Gb/s per port	Mellanox ConnectX-4	Need update ARM-HII Firmware only for slot 4 or 6. Need to set BIOS x4+x4+x4+x4 Firmware 14.25.17 (UEFI)			
CLN4314	RJ-45	PCIe Gen2 x4	Quad	1Gb/s per port	INTEL I350-AM4				
CLN4D40	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414	Firmware version: 224.0.158.0/pkg 224.1.102.0			
CLN4M34	SFP28	PCIe Gen3 x16	Quad	10Gb/s per port	Mellanox ConnectX-4 Lx	Firmware version: 14.32.10.10 / 14.25.17			
Mellanox ConnectX									
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN	UEFI ARM Disabled			
MCX621102AN-ADAT	SFP28	PCIe Gen4 x8	Dual	25Gb/s per port	Mellanox ConnectX-6 Dx EN				
MCX623105AN-CDAT	QSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX®-6 Dx No Crypto, No Secure Boot				
MCX623106AN-CDAT	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX®-6 Dx No Crypto, No Secure Boot				
MCX623106AC-CDAT	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX®-6 Dx With Crypto, With Secure Boot				
Mellanox VPI Adapter Cards									
MCX653106A-HDAT	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)				
MCX653105A-HDAT	QSFP56	PCIe Gen4 x16	Single	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)				
MCX653105A-ECAT	QSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)				
MCX456A-ECAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-4 VPI (InfiniBand)				
MCX354A-FCBT	QSFP	PCIe Gen3 x8	Dual	FDR and 40/56GbE	Mellanox ConnectX®-3 VPI				
Broadcom Cards									
BCM957414A4142CC	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414	Firmware version: 223.0.161.0/pkg 223.1.96.0			
BCM957504-P425G	SFP28	PCIe Gen4 x16	Quad	25Gb/s per port	BCM57504	Firmware version: 225.0.144.0/pkg 225.1.95.0			
USB Device									
Product Name	Type	Vendor	Capacity	Note					
USB 3.0									
PURE CLASSIC X176B1FWBO75	HDD	Gigabyte	500G						
GoFlex STAA500305	HDD	Seagate	500G						
TOSHIBA CANVIO BASIC	HDD	Toshiba	500G						
NU EBC113	Blue-ray	NU							
NU ESW863 8X SLIM	DVD	NU							
Verico Evolution Lite S 16GB	Flash	Verico	16G						
NA317U+	Device	ineo							
S1-DS3-Plus	Device	CyberSLIM							
MB981U3-1S	Device	ICYDOCK							
i310-SB3(6G)	Device	STARDOM							