

"R281-G30" Qualification Vender List Ver:2.0

Please contact FAE support for below orange blocks

Intel CPU											
Product Name	Code Name	Q-Spec	Stepping	Cache	System Bus	# of Cores	Processor Base Frequency	Max Turbo Freq	TDP	Memory Types	
Purley - Intel® Xeon® Processor Scalable Family											
Intel® Xeon® Processor Platinum 8180	SKYLAKE-S	QMO7	H0	38.5MB	10.4 GT/s	28	2.5 GHz	3.80 GHz	205W	DDR4-2666	
Intel® Xeon® Processor Platinum 8176M	SKYLAKE-S	QMR7	H0	38.5 MB L3	10.4 GT/s	28	2.10 GHz	3.80 GHz	165 W	DDR4-2666	
Intel® Xeon® Processor Platinum 8176F	SKYLAKE-S	QNC3	H0	38.5 MB L3	10.4 GT/s	28	2.10 GHz	3.80 GHz	173 W	DDR4-2666	
Intel® Xeon® Processor Platinum 8176	SKYLAKE-S	QMO3	H0	38.5MB	10.4 GT/s	28	2.1 GHz	3.80 GHz	165W	DDR4-2666	
Intel® Xeon® Processor Platinum 8170	SKYLAKE-S	QMQC	H0	35.75MB	10.4 GT/s	26	2.1 GHz	3.70 GHz	165W	DDR4-2666	
Intel® Xeon® Processor Platinum 8168	SKYLAKE-S	QMQ8	H0	33MB	10.4 GT/s	24	2.7 GHz	3.70 GHz	205W	DDR4-2666	
Intel® Xeon® Processor Platinum 8164	SKYLAKE-S	Q MS8	H0	35.75MB	10.4 GT/s	26	2.0 GHz	3.70 GHz	150W	DDR4-2666	
Intel® Xeon® Processor Platinum 8160T	SKYLAKE-S	QMRG	H0	33 MB L3	10.4 GT/s	24	2.10 GHz	3.70 GHz	150 W	DDR4-2666	
Intel® Xeon® Processor Platinum 8160	SKYLAKE-S	QMRV	H0	33MB	10.4 GT/s	24	2.1 GHz	3.70 GHz	150W	DDR4-2666	
Intel® Xeon® Processor Platinum 8153	SKYLAKE-S	QMS7	H0	22MB	10.4 GT/s	16	2.0 GHz	2.80 GHz	125W	DDR4-2666	
Intel® Xeon® Processor Gold 6154	SKYLAKE-S	QMQ9	H0	24.75MB	10.4 GT/s	18	3.0 GHz	3.70 GHz	200W	DDR4-2666	
Intel® Xeon® Processor Gold 6152	SKYLAKE-S	QMRZ	H0	30.25MB	10.4 GT/s	22	2.1 GHz	3.70 GHz	140W	DDR4-2666	
Intel® Xeon® Processor Gold 6150	SKYLAKE-S	QMQ6	H0	24.75MB	10.4 GT/s	18	2.7 GHz	3.70 GHz	165W	DDR4-2666	
Intel® Xeon® Processor Gold 6148F	SKYLAKE-S	QNG3	H0	27.5 MB L3	10.4 GT/s	20	2.4 GHz	3.70 GHz	160W	DDR4-2666	
Intel® Xeon® Processor Gold 6148	SKYLAKE-S	QMS1	H0	27.5MB	10.4 GT/s	20	2.4 GHz	3.70 GHz	150W	DDR4-2666	
Intel® Xeon® Processor Gold 6146	SKYLAKE-S	QN7C	H0	24.75 MB L3	10.4 GT/s	12	3.20 GHz	4.20 GHz	165 W	DDR4-2666	
Intel® Xeon® Processor Gold 6144	SKYLAKE-S	QN7D	H0	24.75 MB L3	10.4 GT/s	8	3.50 GHz	4.20 GHz	150 W	DDR4-2666	
Intel® Xeon® Processor Gold 6142F	SKYLAKE-S	QN3F	H0	22 MB L3	10.4 GT/s	16	2.60 GHz	3.70 GHz	160 W	DDR4-2666	
Intel® Xeon® Processor Gold 6142M	SKYLAKE-S	QMRW	H0	22MB	10.4 GT/s	16	2.6 GHz	3.70 GHz	150 W	DDR4-2666	
Intel® Xeon® Processor Gold 6142	SKYLAKE-S	QMRT	H0	22 MB L3	10.4 GT/s	16	2.60 GHz	3.70 GHz	150W	DDR4-2666	
Intel® Xeon® Processor Gold 6140M	SKYLAKE-S	QMRU	H0	24.75 MB L3	10.4 GT/s	18	2.30 GHz	3.70 GHz	140 W	DDR4-2666	
Intel® Xeon® Processor Gold 6140	SKYLAKE-S	QMRS	H0	24.75MB	10.4 GT/s	18	2.3 GHz	3.70 GHz	140W	DDR4-2666	
Intel® Xeon® Processor Gold 6138T	SKYLAKE-S	Q MS9	H0	27.5MB	10.4 GT/s	20	2.0 GHz	3.70 GHz	125W	DDR4-2666	
Intel® Xeon® Processor Gold 6138F	SKYLAKE-S	QN3H	H0	27.5 MB L3	10.4 GT/s	20	2.0 GHz	3.70 GHz	135W	DDR4-2666	
Intel® Xeon® Processor Gold 6138	SKYLAKE-S	QMS0	H0	27.5MB	10.4 GT/s	20	2.0 GHz	3.70 GHz	125W	DDR4-2666	
Intel® Xeon® Processor Gold 6136	SKYLAKE-S	QMRX	H0	24.75MB	10.4 GT/s	12	3.0 GHz	3.70 GHz	150W	DDR4-2666	
Intel® Xeon® Processor Gold 6134	SKYLAKE-S	QMRL	H0	24.75MB	10.4 GT/s	8	3.2 GHz	3.70 GHz	130W	DDR4-2666	
Intel® Xeon® Processor Gold 6132	SKYLAKE-S	QN33	H0	19.25MB	10.4 GT/s	14	2.6 GHz	3.70 GHz	140W	DDR4-2666	
Intel® Xeon® Processor Gold 6130T	SKYLAKE-S	QN38	H0	22MB	10.4 GT/s	16	2.1 GHz	3.70 GHz	125W	DDR4-2666	
Intel® Xeon® Processor Gold 6130F	SKYLAKE-S	QMHX	H0	22MB	10.4 GT/s	16	2.1 GHz	3.70 GHz	130W	DDR4-2666	
Intel® Xeon® Processor Gold 6130	SKYLAKE-S	QMS6	H0	22MB	10.4 GT/s	16	2.1 GHz	3.70 GHz	125W	DDR4-2666	
Intel® Xeon® Processor Gold 6128	SKYLAKE-S	QN34	H0	19.25MB	10.4 GT/s	6	3.4 GHz	3.70 GHz	115W	DDR4-2666	
Intel® Xeon® Processor Gold 6126T	SKYLAKE-S	QN39	H0	19.25MB	10.4 GT/s	12	2.6 GHz	3.70 GHz	125W	DDR4-2666	
Intel® Xeon® Processor Gold 6126F	SKYLAKE-S	Q MHS	H0	19.25MB	10.4 GT/s	12	2.6 GHz	3.70 GHz	130W	DDR4-2666	
Intel® Xeon® Processor Gold 6126	SKYLAKE-S	QMRV	H0	19.25MB	10.4 GT/s	12	2.6 GHz	3.70 GHz	125W	DDR4-2666	
Intel® Xeon® Processor Gold 5122	SKYLAKE-S	QMRN	H0	16.5MB	10.4 GT/s	4	3.6 GHz	3.70 GHz	105W	DDR4-2666	
Intel® Xeon® Processor Gold 5120T	SKYLAKE-S	QMXL	MO	19.25 MB L3	10.4 GT/s	14	2.20 GHz	3.20 GHz	105 W	DDR4-2400	
Intel® Xeon® Processor Gold 5120	SKYLAKE-S	QMJJ	MO	19.25MB	10.4 GT/s	14	2.2 GHz	3.20 GHz	105W	DDR4-2400	
Intel® Xeon® Processor Gold 5119T	SKYLAKE-S	QN11	MO	19.25 MB L3	10.4 GT/s	14	1.90 GHz	3.20 GHz	85 W	DDR4-2400	
Intel® Xeon® Processor Gold 5118	SKYLAKE-S	QMXH	MO	16.5MB	10.4 GT/s	12	2.3 GHz	3.20 GHz	105W	DDR4-2400	
Intel® Xeon® Processor Gold 5117F	SKYLAKE-S	QN98	H0	19.25MB L3	10.4 GT/s	14	2.00 GHz	2.80 GHz	113W	DDR4-2400	
Intel® Xeon® Processor Gold 5115	SKYLAKE-S	QMXG	MO	13.75 MB L3	10.4 GT/s	10	2.40 GHz	3.20 GHz	85 W	DDR4-2400	
Intel® Xeon® Processor Silver 4116T	SKYLAKE-S	QN7B	MO	16.5 MB L3	9.6 GT/s	12	2.10 GHz	3.00 GHz	85 W	DDR4-2400	
Intel® Xeon® Processor Silver 4116	SKYLAKE-S	QN1J	MO	16.5MB	9.6 GT/s	12	2.1 GHz	3.00 GHz	85W	DDR4-2400	
Intel® Xeon® Processor Silver 4114T	SKYLAKE-S	QN7A	U0	13.75 MB L3	9.6 GT/s	10	2.20 GHz	3.00 GHz	85 W	DDR4-2400	
Intel® Xeon® Processor Silver 4114	SKYLAKE-S	QNOB	U0	13.75MB	9.6 GT/s	10	2.2 GHz	3.00 GHz	85W	DDR4-2400	
Intel® Xeon® Processor Silver 4112	SKYLAKE-S	QN0E	U0	8.25MB	9.6 GT/s	4	2.6 GHz	3.00 GHz	85W	DDR4-2400	
Intel® Xeon® Processor Silver 4110	SKYLAKE-S	QN09	U0	11MB	9.6 GT/s	8	2.1 GHz	3.00 GHz	85W	DDR4-2400	
Intel® Xeon® Processor Silver 4109T	SKYLAKE-S	QN0F	U0	11MB	9.6 GT/s	8	2.0 GHz	3.00 GHz	70W	DDR4-2400	
Intel® Xeon® Processor Silver 4108	SKYLAKE-S	QN0A	U0	11MB	9.6 GT/s	8	1.8 GHz	3.00 GHz	85W	DDR4-2400	
Intel® Xeon® Processor Bronze 3106	SKYLAKE-S	QN0C	U0	11MB	9.6 GT/s	8	1.7 GHz		85W	DDR4-2133	
Intel® Xeon® Processor Bronze 3104	SKYLAKE-S	QN0D	U0	8.25MB	9.6 GT/s	6	1.7 GHz		85W	DDR4-2133	
Purley - Intel® Xeon® Processor Scalable Family											
Intel® Xeon® Processor Platinum 8280M	CascadeLake SP	QRL0	B0	38.5MB	10.4 GT/s	28	2.6 GHz	4.00 GHz	205W	DDR4-2933	
Intel® Xeon® Processor Platinum 8280L	CascadeLake SP	QRL1	B0	38.5MB	10.4 GT/s	28	2.6 GHz	4.00 GHz	205W	DDR4-2933	
Intel® Xeon® Processor Platinum 8280	CascadeLake SP	QRK2	B0	38.5MB	10.4 GT/s	28	2.6 GHz	4.00 GHz	205W	DDR4-2933	
Intel® Xeon® Processor Platinum 8276M	CascadeLake SP	QRAW	B0	38.5MB	10.4 GT/s	28	2.2 GHz	4.00 GHz	165W	DDR4-2933	
Intel® Xeon® Processor Platinum 8276L	CascadeLake SP	QRAV	B0	38.5MB	10.4 GT/s	28	2.2 GHz	4.00 GHz	165W	DDR4-2933	
Intel® Xeon® Processor Platinum 8270	CascadeLake SP	QRAU	B0	35.75MB	10.4 GT/s	26	2.7 GHz	4.00 GHz	205W	DDR4-2933	
Intel® Xeon® Processor Platinum 8268	CascadeLake SP	QRAT	B0	33MB	10.4 GT/s	24	2.9 GHz	3.90 GHz	205W	DDR4-2933	
Intel® Xeon® Processor Platinum 8260M	CascadeLake SP	QRCA	B0	33MB	10.4 GT/s	24	2.3 GHz	3.90 GHz	165W	DDR4-2933	
Intel® Xeon® Processor Platinum 8260L	CascadeLake SP	QRCA	B0	33MB	10.4 GT/s	24	2.3 GHz	3.90 GHz	165W	DDR4-2933	

Intel® Xeon® Processor Platinum 8256	CascadeLake SP	QRAP	B0	16.5MB	10.4 GT/s	4	3.8 GHz	3.90 GHz	105W	DDR4-2933
Intel® Xeon® Processor Platinum 8253	CascadeLake SP	QRAN	B0	22MB	10.4 GT/s	16	2.2 GHz	3.00 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 6256	CascadeLake SP	QTBO	B1	33MB	10.4 GT/s	12	3.6 GHz	4.50 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6254	CascadeLake SP	QRAM	B0	24.75MB	10.4 GT/s	18	3.1 GHz	4.00 GHz	200W	DDR4-2933
Intel® Xeon® Processor Gold 6252	CascadeLake SP	QRAL	B0	33MB	10.4 GT/s	24	2.1 GHz	3.70 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6248	CascadeLake SP	QRAK	B0	27.5MB	10.4 GT/s	20	2.5 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6244	CascadeLake SP	QRAJ	B0	24.75MB	10.4 GT/s	8	3.6 GHz	4.40 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6242	CascadeLake SP	QRAH	B0	22MB	10.4 GT/s	16	2.8 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6240Y	CascadeLake SP	QRBX	B0	24.75MB	10.4 GT/s	18	2.6 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6240	CascadeLake SP	QRAG	B0	24.75MB	10.4 GT/s	18	2.6 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6238T	CascadeLake SP	QRBW	B0	30.25MB	10.4 GT/s	22	1.9 GHz	3.70 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 6230	CascadeLake SP	QRAD	B0	27.5MB	10.4 GT/s	20	2.1 GHz	3.90 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 5218	CascadeLake SP	QRA9	B0	22MB	10.4 GT/s	16	2.3 GHz	3.90 GHz	125W	DDR4-2666
Intel® Xeon® Processor Platinum 8260Y	CascadeLake SP	QR01	B0	33MB	10.4 GT/s	24	2.3 GHz	3.90 GHz	165W	DDR4-2933
Intel® Xeon® Processor Platinum 8260	CascadeLake SP	QR03	B0	33MB	10.4 GT/s	24	2.3 GHz	3.90 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 5220	CascadeLake SP	QRGH	L0	24.75MB	10.4 GT/s	18	2.2 GHz	3.90 GHz	125W	DDR4-2666
Intel® Xeon® Processor Gold 5218N	CascadeLake SP	QRGD	L0	22MB	10.4 GT/s	16	2.3 GHz	3.70 GHz	105W	DDR4-2666
Intel® Xeon® Processor Gold 5218B	CascadeLake SP	QRGE	L0	22MB	10.4 GT/s	16	2.3 GHz	3.90 GHz	125W	DDR4-2666
Intel® Xeon® Processor Gold 5217	CascadeLake SP	QRGC	L0	11MB	10.4 GT/s	8	3.0 GHz	3.70 GHz	115W	DDR4-2666
Intel® Xeon® Processor Gold 5215L	CascadeLake SP	QRGB	L0	13.75MB	10.4 GT/s	10	2.5 GHz	3.40 GHz	85W	DDR4-2666
Intel® Xeon® Processor Gold 5215M	CascadeLake SP	QRGA	L0	13.75MB	10.4 GT/s	10	2.5 GHz	3.40 GHz	85W	DDR4-2666
Intel® Xeon® Processor Gold 5215	CascadeLake SP	QRG9	L0	13.75MB	10.4 GT/s	10	2.5 GHz	3.40 GHz	85W	DDR4-2666
Intel® Xeon® Processor Silver 4216	CascadeLake SP	QRG8	L0	22MB	9.6 GT/s	16	2.1 GHz	3.20 GHz	100W	DDR4-2133
Intel® Xeon® Processor Silver 4215	CascadeLake SP	QRG7	L0	11MB	9.6 GT/s	8	2.5 GHz	3.50 GHz	85W	DDR4-2133
Intel® Xeon® Processor Silver 4214Y	CascadeLake SP	QRHY	L0	16.5MB	9.6 GT/s	12	2.2 GHz	3.20 GHz	85W	DDR4-2133
Intel® Xeon® Processor Silver 4214	CascadeLake SP	QRG6	L0	16.5MB	9.6 GT/s	12	2.2 GHz	3.20 GHz	85W	DDR4-2133
Intel® Xeon® Processor Silver 4210	CascadeLake SP	QRJF	R0	13.75MB	9.6 GT/s	10	2.2 GHz	3.20 GHz	85W	DDR4-2133
Intel® Xeon® Processor Silver 4209T	CascadeLake SP	QRJM	R0	11MB	9.6 GT/s	8	2.2 GHz	3.20 GHz	70W	DDR4-2133
Intel® Xeon® Processor Silver 4208	CascadeLake SP	QRJG	R0	11MB	9.6 GT/s	8	2.1 GHz	3.20 GHz	85W	DDR4-2133
Intel® Xeon® Processor Gold 6252N	CascadeLake SP	QSIW	B1	35.75MB	10.4 GT/s	24	2.3 GHz	3.60 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 5218T	CascadeLake SP	QSI1	B1	22MB	10.4 GT/s	16	2.1 GHz	3.80 GHz	105W	DDR4-2666
Intel® Xeon® Processor Gold 6240M	CascadeLake SP	QS25	B1	24.75MB	10.4 GT/s	18	2.6 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 5220S	CascadeLake SP	QSI2	B1	24.75MB	10.4 GT/s	18	2.7 GHz	3.90 GHz	125W	DDR4-2666
Intel® Xeon® Processor Gold 6222V	CascadeLake SP	QS2C	B1	27.5 MB	10.4 GT/s	20	1.8 GHz	3.60 GHz	115W	DDR4-2400
Intel® Xeon® Processor Gold 6238M	CascadeLake SP	QS27	B1	30.25MB	10.4 GT/s	22	2.1 GHz	3.70 GHz	140W	DDR4-2933
Intel® Xeon® Processor Gold 6262V	CascadeLake SP	QS2B	B1	33MB	10.4 GT/s	24	1.9 GHz	3.60 GHz	135W	DDR4-2933
Intel® Xeon® Processor Gold 6234	CascadeLake SP	QSIU	B1	24.75MB	10.4 GT/s	8	3.3 GHz	4.00 GHz	130W	DDR4-2933
Intel® Xeon® Processor Gold 6226	CascadeLake SP	QSIU	B1	19.25MB	10.4 GT/s	12	2.7 GHz	3.70 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 6230N	CascadeLake SP	QSI1	B1	27.5MB	10.4 GT/s	20	2.3 GHz	3.50 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 5220T	CascadeLake SP	QSI1	B1	24.75MB	10.4 GT/s	18	1.9 GHz	3.90 GHz	105W	DDR4-2666
Intel® Xeon® Processor Gold 6246	CascadeLake SP	QSIQ	B1	24.75MB	10.4 GT/s	8	3.3 GHz	4.20 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 6238	CascadeLake SP	QSI1	B1	30.25MB	10.4 GT/s	22	2.1 GHz	3.70 GHz	140W	DDR4-2933
Intel® Xeon® Processor Gold 6230T	CascadeLake SP	QSIY	B1	27.5MB	10.4 GT/s	20	2.1 GHz	3.90 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 6240L	CascadeLake SP	QS26	B1	24.75MB	10.4 GT/s	18	2.6 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6238L	CascadeLake SP	QS28	B1	30.25MB	10.4 GT/s	22	2.1 GHz	3.70 GHz	140W	DDR4-2933
Intel® Xeon® Processor Bronze 3204	CascadeLake SP	QPJK	R0	8.25MB	9.6 GT/s	6	1.90 GHz	1.90 GHz	85W	DDR4-2133
CascadeLake refresh - Intel® Xeon® Processor Scalable Family										
Intel® Xeon® Processor Gold 6250	CascadeLake refresh	SRGTR	B1	35.75MB	10.4 GT/s	8	3.9 GHz	4.5 GHz	185W	DDR4-2933
Intel® Xeon® Processor Gold 6258R	CascadeLake refresh	SRGZF	B1	38.50MB	10.4 GT/s	28	2.7GHz	4.0 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6248R	CascadeLake refresh	SRGZG	B1	35.75MB	10.4 GT/s	24	3.0 GHz	4.0 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6246R	CascadeLake refresh	SRGZL	B1	35.75MB	10.4 GT/s	16	3.4 GHz	4.1 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6242R	CascadeLake refresh	SRGZJ	B1	35.75MB	10.4 GT/s	20	3.1 GHz	4.1 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6240R	CascadeLake refresh	SRGZ8	B1	35.75MB	10.4 GT/s	24	2.4 GHz	4.0 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 6238R	CascadeLake refresh	SRGZ9	B1	38.50MB	10.4 GT/s	28	2.2 GHz	4.0 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 6230R	CascadeLake refresh	SRGZA	B1	35.75MB	10.4 GT/s	26	2.1 GHz	4.0 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6226R	CascadeLake refresh	SRGZC	B1	22MB	10.4 GT/s	16	2.9 GHz	3.9 GHz	150W	DDR4-2933
Intel® Xeon® Processor Silver 4215R	CascadeLake refresh	SRGZE	B1	11MB	10.4 GT/s	8	3.2 GHz	4.0 GHz	130W	DDR4-2400
Intel® Xeon® Processor Gold 5220R	CascadeLake refresh	SRGZP	B1	35.75MB	10.4 GT/s	24	2.2 GHz	4.0 GHz	150W	DDR4-2666
Intel® Xeon® Processor Gold 5218R	CascadeLake refresh	SRGZ7	B1	27.50MB	10.4 GT/s	20	2.1 GHz	4.0 GHz	125W	DDR4-2666
Intel® Xeon® Processor Silver 4214R	CascadeLake refresh	OSKT	L1	16.5MB	9.6 GT/s	12	2.4 GHz	3.5 GHz	100W	DDR4-2400
Intel® Xeon® Processor Silver 4210R	CascadeLake refresh	QSL1	R1	13.75MB	9.6 GT/s	10	2.4 GHz	3.2 GHz	100W	DDR4-2400
Intel® Xeon® Processor Bronze 3206R	CascadeLake refresh	QSL2	R1	11MB	9.6 GT/s	8	1.9 GHz	1.9 GHz	85W	DDR4-2133
Montage Jintide® Processor Scalable Family										
Montage Jintide® C24601	Jintide	SREUN	H0	33MB	10.4 GT/s	24	2.1 GHz	3.7 GHz	150W	DDR4
Montage Jintide® C10201	Jintide	SREUK	H0	13.75MB	9.6 GT/s	10	2.2 GHz	3.0 GHz	85W	DDR4
Montage Jintide® C08101	Jintide	SREUL	H0	11MB	9.6 GT/s	8	2.1 GHz	3.0 GHz	85W	DDR4
Montage Jintide® C16401	Jintide	SREUM	H0	22MB	10.4 GT/s	16	2.1 GHz	3.7 GHz	125W	DDR4

Montage Jintide® C12301	Jintide	SREUH	H0	16.5MB	10.4 GT/s	12	2.3 GHz	3.2 GHz	105W	DDR4
Montage Jintide® C14501	Jintide	SREUJ	H0	19.25MB	10.4 GT/s	14	2.2 GHz	3.2 GHz	105W	DDR4
Memory										
Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins
RDIMM										
KSM29RS4/16HCI	DDR4	Kingston	16GB	Skhynix-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32HCI	DDR4	Kingston	32GB	Skhynix-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RS8/8HCI	DDR4	Kingston	8GB	Skhynix-IDT	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
M393A2K40BB2-CTD	DDR4	Samsung	16GB	Samsung	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A4K40BB2-CTD	DDR4	Samsung	32GB	Samsung	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A8K40B22-CWD6Q	DDR4	Samsung	64GB	Samsung	2S2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266.18FD1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266.2G6D1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6D1	DDR4	Micron	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.36FD1	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266-2G6D1.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ.2G6D1	DDR4	Micron	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ.2G6D1SG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ.2G6D1RG	DDR4	Micron	32GB	Micron-Inphi	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ.2G6D1QK	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266-2G6D1	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR4N-VKT3	DDR4	SKhynix	16GB	Skhynix-Montage	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR4N-VKTF	DDR4	SKhynix	16GB	Skhynix-IDT	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR8N-VKT3	DDR4	SKhynix	16GB	Skhynix-Montage	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR8N-VKTF	DDR4	SKhynix	16GB	Skhynix-IDT	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
HMA84GR7AFR4N-VKT3	DDR4	SKhynix	32GB	Skhynix-Montage	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMA84GR7AFR4N-VKTF	DDR4	SKhynix	32GB	Skhynix-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFS4266.18FD1	DDR4	CRUCIAL	16GB		1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PZ-2G6D1QI	DDR4	Micron	16GB	Micron-Inphi	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266-2G6H1.001	DDR4	CRUCIAL	16GB		2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6H1QG	DDR4	Micron	16GB		2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266-2G6H1.001	DDR4	CRUCIAL	32GB		2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ-2G6H1QG	DDR4	Micron	32GB		2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RS8/8HAI	DDR4	Kingston	8GB	Skhynix-IDT	1Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RS4/16HAI	DDR4	Kingston	16GB	Hynix A IDT	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RD4/32HAI	DDR4	Kingston	32GB	Hynix A IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RS8/8MEI	DDR4	Kingston	8GB	Micron	1Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RS4/16MEI	DDR4	Kingston	16GB	Micron	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RD4/32MEI	DDR4	Kingston	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266-2G6E1.001	DDR4	Crucial	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266.18FE1	DDR4	Crucial	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6E1SG	DDR4	Micron	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6E1QG	DDR4	Micron	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT8G4RFS8266.9FD1	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA9ASF1G72PZ-2G6D1QI	DDR4	Micron	8GB	Micron	1Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
M393A2K40CB2-CTD6Q	DDR4	Samsung	16GB	Samsung-Montage	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A4K40CB2-CTD7Q	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD4266-2G6E1.001	DDR4	Crucial	16GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF2G72PZ-2G6E1	DDR4	Micron	16GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.2G6E1.001	DDR4	Crucial	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.36FE1	DDR4	Crucial	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ-2G6E1	DDR4	Micron	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT8G4RFD8266.18FE1	DDR4	Crucial	8GB	Micron	2R X8	1.2v	2666MHz	ECC Registered	19	288-pin
CT8G4RFD8266-2G6E1	DDR4	Crucial	8GB	Micron	2R X8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF1G72PDZ-2G6E1RG	DDR4	Micron	8GB	Micron	2R X8	1.2v	2666MHz	ECC Registered	19	288-pin

M393A2K40CB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A2K43CB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
M393A4K40CB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT8G4RFS8293.9FE1	DDR4	CRUCIAL	8GB	Micron	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT8G4RFS8293-2G9E1.001	DDR4	CRUCIAL	8GB	Micron	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF1G72PZ.2G9E1VG	DDR4	Micron	8GB	Micron-IDT	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF1G72PZ.2G9E1UG	DDR4	Micron	8GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF1G72PZ.2G9E1TI	DDR4	Micron	8GB	Micron-Montage	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293.18FE1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293-2G9E1.001	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ.2G9E1UG	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ.2G9E1VG	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFS4293.18FE1	DDR4	CRUCIAL	16GB	Micron	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFS4293-2G9E1.001	DDR4	CRUCIAL	16GB	Micron	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PZ.2G9E1TK	DDR4	Micron	16GB	Micron-Montage	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PZ.2G9E1VG	DDR4	Micron	16GB	Micron-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293-2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293.36FE2	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2VG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2UG	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA81GR7CJR8N-WM TG	DDR4	SKhynix	8GB	SKhynix-IDT	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
HMA82GR7CJR8N-WM T4	DDR4	SKhynix	16GB	SKhynix-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
HMA84GR7CJR4N-WM TG	DDR4	SKhynix	32GB	SKhynix-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD8/16MEI	DDR4	Kingston	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32MEI	DDR4	Kingston	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
NT16GA72D8PBX3P-IX	DDR4	Nanya	16GB	Nanya-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
NT32GA72D4NBX3P-IX	DDR4	Nanya	32GB	Nanya-Montage or IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RS4/16HCI	DDR4	Kingston	16GB	HYNIX (C-DIE)-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32HCI	DDR4	Kingston	32GB	HYNIX (C-DIE)-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RS8/8HCI	DDR4	Kingston	8GB	HYNIX (C-DIE)-IDT	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD8/16HCI	DDR4	Kingston	16GB	HYNIX (C-DIE)-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
M393A2K40DB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A4K40DB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ-2G9J3VI	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin

MTA18ASF2G72PDZ-2G9J3TI	DDR4	Micron	16GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32HDR	DDR4	Kingston	32GB	SKhynix-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A2K43DB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ-2G9J3TI	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD8/16HDR	DDR4	Kingston	16GB	SKhynix-Rambus	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
RDIMM (Only support CascadeLake)										
M393A8G40MB2-CTD7Q	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A4K40CB2-CTD6Q	DDR4	Samsung	64GB	Samsung	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMAA8GR7A2R4N-VNT3	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A8G40MB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMAA8GR7MJR4N-WM T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT64G4RFD4293-2G9B1.001	DDR4	CRUCIAL	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9B1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT64G4RFD4293-2G9B2.001	DDR4	Crucial	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9B2VI	DDR4	Crucial	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9E1TI	DDR4	Micron	64GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A8G40AB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF2G72PZ-2G9E1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF4G72PDZ-2G9E1TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
DDR4 Memory ECC LRDIMM										
M386AAK40B40-CWD6Q	DDR4	Samsung	128GB	Samsung	2S4Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M386AAK40B40-CWD7Q	DDR4	Samsung	128GB	Samsung	2S4Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMAA8GL7AMR4N-VKTF	DDR4	SKhynix	64GB	SKhynix	4DRx4	1.2v	2666MHz	ECC Unbuffer	17	288-pin
M386A8K40BM2-CTD7Q	DDR4	Samsung	64GB	Samsung	4DRx4	1.2v	2666MHz	ECC Registered	17	288-pin
M386A8K40CM2-CVFBY	DDR4	Samsung	64GB	Samsung	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin
Intel Optane™ Persistent Memory 100 Series (Apache PASS) Due to thermal limitaiton, please mark as orange color if test pass										
Product Name	Memory Type	Module Supplier	Size	TDP	Pins	Note				
NMA1XBD128G2SE 3DXP PAK 1	DDR-T	Intel	128GB	15W	288-pin					
NMA1XBD256GQS QUXD	DDR-T	Intel	256GB	18W	288-pin					
NMA1XBD512GQSE 3DXP PAK	DDR-T	Intel	512GB	18W	288-pin					
Seagate HDD (SAS HDD may need RAID Card support)										
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
Seagate Enterprise Capacity 2.5 HDD										
ST91000640NS	SATA	Seagate	2.5"	N/A	1TB	6Gb/s	Constellation 2	64MB	7200	N/A
ST1000NX0313	SATA	Seagate	2.5"	512e	1TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A
ST1000NX0353	SATA	Seagate	2.5"	512e	1TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A
ST1000NX0303	SATA	Seagate	2.5"	4Kn	1TB	6Gb/s	EXOS 7E2000	128MB	7200	N/A
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A
ST2000NX0283	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A
ST2000NX0303	SATA	Seagate	2.5"	4Kn	1TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A
ST2000NX0343	SATA	Seagate	2.5"	4Kn	1TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A
ST2000NX0403	SATA	Seagate	2.5"	512n	2TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A
ST1000NX0423	SATA	Seagate	2.5"	512n	1TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A
ST2000NX0253	SATA	Seagate	2.5"	512e	2TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A
SATA/SAS SSD										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note		
SATA/SAS SSD										
SSDSC2BB240G4	SSD	Intel	2.5"	SATA	240GB	6Gb/s				
XF1212-1A0512	SSD	Seagate	2.5"	SATA	480GB	6Gb/s	RL04			
SDLF1CRR-019T-1HA1	SSD	SanDisk	2.5"	SATA	1.92TB	6Gb/s	ZR04			
SSDSC2KB960G701 (Series DC S4500)	SSD	Intel	2.5"	SATA	960GB	6Gb/s				
SSDSC2KB480G701 (Series DC S4500)	SSD	Intel	2.5"	SATA	480GB	6Gb/s				
SRE100-960G00210000	SSD	Phison	2.5"	SATA	960GB	6Gb/s				

SRE100-480G00210000	SSD	Phison	2.5"	SATA	480GB	6Gb/s			
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s			
XA480LE10063	SSD	Seagate	2.5"	SATA	480GB	6Gb/s			
SEDC500M/3840G DC500M Series	SSD	Kingston	2.5"	SATA	3.84TB	6Gb/s			
SEDC500M/1920G DC500M Series	SSD	Kingston	2.5"	SATA	1.92TB	6Gb/s			
SEDC500M/960G DC500M Series	SSD	Kingston	2.5"	SATA	960GB	6Gb/s			
SEDC500M/480G DC500M Series	SSD	Kingston	2.5"	SATA	480GB	6Gb/s			
MZ7LH43T8HMLT PM883 Series	SSD	Samsung	2.5"	SATA	3.84TB	6Gb/s			
MZ7LH480HAHQ PM883 Series	SSD	Samsung	2.5"	SATA	480GB	6Gb/s			
ASR1100SS-240GT-B	SSD	Adata	2.5"	SATA	240GB	6Gb/s			
SSDSC2K019T8 D3-S4610 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s			
MTFDDAK3T8TDS-1AW1ZBYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s			
MTFDDAK1T9TDS-1AW1ZBYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s			
SSB240GTLCG-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	240GB	6Gb/s			
SSB480GTLCG-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	480GB	6Gb/s			
SSB960GTLCG-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	960GB	6Gb/s			
SSB1K9GTLCG-D2-SME520GBT ESM1220 Series	SSD	Phison	2.5"	SATA	1.92TB	6Gb/s			
PCIe SSD									
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note		
PCIe SSD									
SSDPEDMD400G4	PCIe	Intel	PCI-E 3.0	PCIe(NVMe)	400GB	-			
SSDPEDME400G4	PCIe	Intel	PCI-E 3.0	PCIe(NVMe)	400GB	-			
Netlist N1951 E3 NS1951AH33T2 Gen3 x8 3.2TB	PCIe	Netlist	PCI-E 3.0	PCIe(NVMe)	3.2TB	-			
Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	-			
SATA DOM									
Product Name	Type	Vendor	Capacity	Flash Type	Max. Channels	Max. Power Consumption	Note		
SATA III									
Innodisk SATADOM-SL 3ME4 DESSL-A28M41BCADCBC-D33	Vertical	INNODISK	128GB	MLC	1	1.02 W			
DESSL-64GD09BCADCBC (SATADOM™-SL 3ME3 V2)	Vertical	INNODISK	64GB	MLC	1	1.8 W			
DESSL-64GD72SCADNA (SATADOM™-SL 3ME2)	Vertical	INNODISK	64GB	MLC	2	0.8 W			
Innodisk SATADOM-ML 3ME4 DESML-64GM41BCADCBC	Vertical	INNODISK	64GB	MLC	2	0.815 W			
M.2 PCIe Card									
Product Name	Type	Vendor	Form Factor	Interface	Max. Channels	Interface Speed	Note		
CMT2014	PCIe	Gigabyte	22110	PCIe(NVMe)	4	Gen3 x 16bus			
CMT4032	PCIe	Gigabyte	22110	PCIe(NVMe)	2	Gen3 x 8bus			
CMT4034	PCIe	Gigabyte	22110	PCIe(NVMe)	4	Gen3 x 16bus			
GPGPU Card									
Product Name	Processor Cores	Memory Bandwidth (GB/sec)	VRAM	OpenGL	Microsoft DirectX	Graphics Card Power (W)	VIDIA SLI / AMD CrossFire Res	Note	
Quadro K2200	640	80 GBps		4.5	11.2	68W	-		
Quadro K620	384	29 GBps		4.5	11.2	45W	-		
NVIDIA Tesla									
RTX8000 passive (TURING)	4608	624 GB/s	48GB	-	-	250 W	-		(Maximum support 3pcs GPGPU)
P100 (Pascal)	3584	732 GB/s	16GB	-	-	250 W	-		(Maximum support 3pcs GPGPU)
V100 (VOLTA) 16GB	5120	900 GB/s	16GB	-	-	250 W	-		(Maximum support 3pcs GPGPU)
P40 (Pascal)	3840	346 GB/s	24GB	-	-	250 W	-		(Maximum support 3pcs GPGPU)
M60 (Maxwell)	4096	320 GB/s	16GB	-	-	300 W	-		(Maximum support 3pcs GPGPU)
P4 (Pascal)	2560	192 GB/s	8GB	-	-	50/70 W	-		(Maximum support 3pcs GPGPU)
T4 (TURING)	2560	320 GB/s	16GB	-	-	70 W	-		(Maximum support 3pcs GPGPU)
M40 (Maxwell)	3072	288 GB/s	12GB	-	-	250 W	-		(Maximum support 3pcs GPGPU)
RTX4000 (Quadro)	2304	461 GB/s	8GB	-	-	160 W	-		(Maximum support 3pcs GPGPU)
AMD Radeon Instinct									
M125	4096	484 GB/s	16GB	-	-	300 W	-		(Maximum support 3pcs GPGPU)
RAID Cards									
Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note	
GIGABYTE Storage Cards									
CRA3338	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 xMini-SAS HD for 8x SAS	-	-	12Gb/s ports		
CSA3548	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	-	-	8	2 x external Mini-SAS HD SFF8644	12Gb/s ports		
CRA4648	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	Up to 12Gb/s per port		
CSA4648	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	Up to 12Gb/s per port		
CRA4448	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports		
CRA4548	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	4	1 x internal Mini-SAS HD SFF8643	4	1 x external Mini-SAS HD SFF8644	12Gb/s ports		
CRAO338	LSI SAS 3008	OCP PCIe- x8 Gen3 x8 bus	8	2 x SlimSAS ports	-	-	12Gb/s ports		
CRAO438	LSI SAS 3108	OCP PCIe- x8 Gen3 x8 bus	8	2 x SlimSAS ports	-	-	12Gb/s ports		
CRAO358	LSI SAS 3008	OCP PCIe- x8 Gen3 x8 bus	4	1 x internal SlimSAS port	1	1 x OCULink port	12Gb/s ports		
CRAO558	LSI SAS 3108	OCP PCIe- x8 Gen3 x8 bus	4	1 x internal SlimSAS port	1	1 x OCULink port	12Gb/s ports		
LSI RAID Controller Cards									
MegaRAID SAS 9361-8i	LSISAS3108 dual core RAID on Chip (ROC)	x8 lane PCI Express® 3.0	8	2 x HD Mini-SAS SFF8643 (Horizontal mount)	-	-	Up to 12Gb/s per port		
LSI Host Bus Adapters (HBAs)									
LSI SAS 9400-8i without Tri-mode	SAS3408	x8 lane PCI Express® 3.1	8			2 Mini-SAS HD x4 SFF-8643	12Gb/s SAS		
LSI SAS 9400-16i without Tri-mode	SAS3416	x8 lane PCI Express® 3.1	16			4 Mini-SAS HD x4 SFF-8643	12Gb/s SAS		
Microsemi RAID Cards									

SmartRAID 3154-8i	PM8204	8-Lane PCIe Gen3	8	2 x Internal, SFF-8643	-	12 Gb/s per port	
SmartRAID 3154-16i	PM8236	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	12 Gb/s per port	
Microsemi Host Bus Adapters							
SmartHBA 2100-8i	PM8222	8-Lane PCIe Gen3	8	2 x Internal, SFF-8643	-	12 Gb/s per port	
HBA 1100-16i	PM8242	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	12 Gb/s per port	
HBA 1100-24i	PM8238	8-Lane PCIe Gen3	24	6 x Internal, SFF-8643	-	12 Gb/s per port	
LAN Cards							
Product Name	Connector	System Interface Type	# of Ports	System Interface Type	Data rate	Note	
GIGABYTE LAN Cards							
CLNO042	SFP28	OCPC PCIe x8	Dual	25Gb/s per port		Ologic (Cavium) QL41401-A2G Support OCP 2.0	
CLNO222	RJ-45	OCPC PCIe Gen3 x4	Dual	10Gb/s per port		INTEL X550-AT2	
CLNO832	SFP+	OCPC PCIe x8 Gen2 x8	Dual	10Gb/s per port		INTEL 82599ES	
CLN4C42	SFP28	PCIe Gen3 x16	Dual	25Gb/s per port		Mellanox ConnectX-4	
CLN4C44	SFP28	PCIe Gen3 x16	Quad	25Gb/s per port		Mellanox ConnectX-4	
CLN4M34	SFP28	PCIe Gen3 x16	Quad	10Gb/s per port		Mellanox ConnectX-4	
CLN4751	QSFP+	PCIe x8 Gen3 x8	Single	40Gb/s per port		INTEL XL710	
CLN4752	QSFP+	PCIe x8 Gen3 x8	Dual	40Gb/s per port		INTEL XL710	
CLN4312	RJ-45	PCIe x4 Gen2 x4	Dual	1Gb/s per port		INTEL i350-AM2	
CLN4314	RJ-45	PCIe x4 Gen2 x4	Quad	1Gb/s per port		INTEL i350-AM4	
CLN4522	RJ-45	PCIe x8 Gen2 x8	Dual	10Gb/s per port		INTEL X540	
CLN4831	SFP+	PCIe x8 Gen2 x8	Single	10Gb/s per port		INTEL 82599EN	
CLN4832	SFP+	PCIe x8 Gen2 x8	Dual	10Gb/s per port		INTEL 82599ES	
CLN4121	RJ-45	PCIe x4 Gen3 x4	single	10Gb/s per port		INTEL X550-AT2	
CLN4222	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port		INTEL X550-AT2	
CLN4224	RJ-45	PCIe x8 Gen3 x4	Quad	10Gb/s per port		INTEL X550-AT2	
GC-MNXE21	SFP+	PCIe x8 Gen3 x8	Dual	10Gb/s per port		Mellanox ConnectX-3	
GC-MLBZ1	SFP+	PCIe x8 Gen2 x8	Dual	10Gb/s per port		Broadcom BCM57810S	
Intel_GbE							
Intel® Ethernet Network Adapter XXV710-DA2 for OCP	SFP28	OCPC PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port			
Intel® Ethernet Network Adapter XXV710-DA2	SFP28	PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port			
Solarflare Onload Server Adapters							
SFN8522-PLUS	QSFP+	PCIe 3.1 x8	Dual	10Gb/s per port			
SFN8522-ScaleOut Onload	QSFP+	PCIe 3.1 x8	Dual	10Gb/s per port			
Qlogic LAN Adapters							
QLE3442-CU-CK	SFP+	PCIe x8 Gen3 x8	Dual	10Gb/s per port			
QLE3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port			
QL41132HLCU-SP	SFP28	PCIe x8 Gen3 x8	Dual	10Gb/s per port			
QL41212HLCU-SP	SFP28	PCIe x8 Gen3 x8	Dual	25Gb/s per port			
QL45611HLCU	QSFP28	PCIe x16 Gen3 x16	Single	100Gb/s per port			
Mellanox ConnectX®-3 VPI Adapter Cards							
MCX455A-ECAT	QSFP28	PCIe 3.0 x16	Single	100Gb/s per port		Mellanox ConnectX-4 VPI (InfiniBand)	
MCX354A-FCBT	QSFP	PCIe 3.0	Dual	FDR and 40/56GbE			
Mellanox ConnectX							
MCX556A-ECAT	QSFP28	PCIe3.0 x16	Dual	EDR IB (100Gb/s)		Mellanox ConnectX-5 VPI (InfiniBand)	
MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port		Mellanox ConnectX-5 EN	
MCX4421A-ACQN	SFP28	OCPC PCIe Gen3 x8	Dual	25Gb/s per port		Mellanox ConnectX-4 Lx EN / Support OCP 2.0	
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port		Mellanox ConnectX-4 Lx EN	
(Mellanox) NVIDIA BlueField-2 DPU Cards							
MBF2H322A-AEEOT	SFP56	PCIe Gen4 x8	Dual	25Gb/s per port		P-Series/ 2.5GHz	
Don't write "Test Items" under this line!!!							
Broadcom (Emulex) Ethernet Networking Adapters							
MSIP-REM-BCM-957414M4142	SFP+	OCPC PCIe 3.0 x8	Dual	25Gb/s per port		with RDMA / Support OCP 2.0 type1	
Broadcom FC Host Bus Adapter							
LPe32002-M2	SFP+	PCIe 3.0 x8	Dual	32Gb/s per port		XE501 controller	
Intel Omni-Path Host Fabric							
Intel® Omni-Path Host Fabric Adapters 100HFA016LS	QSFP28	PCIe3.0 x16	Single	100Gb/s per port			
USB Device							
Product Name	Type	Vendor	Capacity	Note			
USB 3.0							
PURE CLASSIC X176B1FWBO75	HDD	Gigabyte	500G				
GoFlex STAA500305	HDD	Seagate	500G				
NU EBC113	Blue-ray	NU					
NU ESW863 8X SLIM	DVD	NU					