

**"R282-Z93-A00"Qualification Vender List**

**Please contact FAE support for below orange blocks**

AMD CPU										
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7H12 100-000000055	ROME	SP3	PD	256MB	64 / 128	2.60	3.40	280W	225W/280W	DDR4-3200
AMD 7742 100-000000053	ROME	SP3	B0 PR	256MB	64 / 128	2.25	3.40	225W	225W/240W	DDR4-3200
AMD 7702 100-000000038	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.35	200W	165W/200W	DDR4-3200
AMD 7662 100-000000137	ROME	SP3	PD	256MB	64 / 128	2.00	3.30	225W	225W/240W	DDR4-3200
AMD 7642 100-000000074	ROME	SP3	B0 PR	192MB	48 / 96	2.30	3.40	225W	225W/240W	DDR4-3200
AMD 7552 100-000000076	ROME	SP3	B0 PR	192MB	48 / 96	2.20	3.30	200W	165W/200W	DDR4-3200
AMD 7542 100-000000075	ROME	SP3	B0 PR	128MB	32 / 64	2.90	3.40	225W	225W/240W	DDR4-3200
AMD 7532 100-000000136	ROME	SP3	PD	256MB	32 / 64	2.40	3.30	200W	180W/200W	DDR4-3200
AMD 7502 100-000000054	ROME	SP3	B0 PR	128MB	32 / 64	2.50	3.35	180W	165W/200W	DDR4-3200
AMD 7452 100-000000057	ROME	SP3	B0 PR	128MB	32 / 64	2.35	3.35	155W	155W/180W	DDR4-3200
AMD 7F72 100-000000141	ROME	SP3	PD	192MB	24 / 48	3.20	3.70	240W	225W/240W	DDR4-3200
AMD 7402 100-000000046	ROME	SP3	B0 PR	128MB	24 / 48	2.80	3.35	180W	165W/200W	DDR4-3200
AMD 7352 100-000000077	ROME	SP3	B0 PR	128MB	24 / 48	2.30	3.20	155W	155W/180W	DDR4-3200
AMD 7F52 100-000000140	ROME	SP3	PD	256MB	16 / 32	3.50	3.90	240W	225W/240W	DDR4-3200
AMD 7302 100-000000043	ROME	SP3	B0 PR	128MB	16 / 32	3.00	3.30	155W	155W/180W	DDR4-3200
AMD 7282 100-000000078	ROME	SP3	B0 PR	64MB	16 / 32	2.80	3.20	120W	120W/150W	DDR4-2666
AMD 7272 100-000000079	ROME	SP3	PD	64MB	12 / 24	2.90	3.20	120W	120W/150W	DDR4-2666
AMD 7F32 100-000000139	ROME	SP3	B0 PR	128MB	8 / 16	3.70	3.90	180W	165W/200W	DDR4-3200
AMD 7262 100-000000041	ROME	SP3	B0 PR	128MB	8 / 16	3.20	3.40	155W	155W/180W	DDR4-3200
AMD 7252 100-000000080	ROME	SP3	PD	64MB	8 / 16	3.10	3.20	120W	120W/150W	DDR4-2666
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7763 100-000000312	Milan	SP3	PR	256MB	64 / 128	2.45	3.50	280W	225W/280W	DDR4-3200
AMD 7713 100-000000344	Milan	SP3	PR	256MB	64 / 128	2.00	3.675	225W	225W/240W	DDR4-3200
AMD 7663 100-000000318	Milan	SP3	PR	256MB	56 / 112	2.00	3.50	240W	225W/240W	DDR4-3200
AMD 7643 100-000000326	Milan	SP3	PR	256MB	48 / 96	2.30	3.60	225W	225W/240W	DDR4-3200
AMD 75F3 100-000000313	Milan	SP3	PR	256MB	32 / 64	2.95	4.00	280W	225W/280W	DDR4-3200
AMD 7543 100-000000345	Milan	SP3	PR	256MB	32 / 64	2.80	3.70	225W	225W/240W	DDR4-3200
AMD 7513 100-000000334	Milan	SP3	PR	128MB	32 / 64	2.60	3.65	200W	165W/200W	DDR4-3200
AMD 7453 100-000000319	Milan	SP3	PR	64MB	28 / 56	2.75	3.45	225W	225W/240W	DDR4-3200
AMD 74F3 100-000000317	Milan	SP3	PR	256MB	24 / 48	3.20	4.00	240W	225W/240W	DDR4-3200
AMD 7443 100-000000340	Milan	SP3	PR	128MB	24 / 48	2.85	4.00	200W	165W/200W	DDR4-3200
AMD 7413 100-000000323	Milan	SP3	PR	128MB	24 / 48	2.65	3.60	180W	165W/200W	DDR4-3200
AMD 73F3 100-000000321	Milan	SP3	PR	256MB	16 / 32	3.50	4.00	240W	225W/240W	DDR4-3200
AMD 7343 100-000000338	Milan	SP3	PR	128MB	16 / 32	3.20	3.90	190W	165W/200W	DDR4-3200
AMD 7313 100-000000329	Milan	SP3	PR	128MB	16 / 32	3.00	3.70	155W	155W/180W	DDR4-3200
AMD 72F3 100-000000327	Milan	SP3	PR	256MB	8 / 16	3.70	4.10	180W	165W/200W	DDR4-3200
Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)										
Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins
RDIMM										

M393A2K43DB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
M393A4K40DB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A8G40AB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293.18FE1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293-2G9E1.001	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ.2G9E1UG	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ.2G9E1VG	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF2G72PZ-2G9E1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293-2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293.36FE2	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2VG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2UG	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF4G72PDZ-2G9E1TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9E1TI	DDR4	Micron	64GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMAA8GR7MJR4N-WM T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA82GR7DJR8N-XN T8	DDR4	SKhynix	16GB	SKhynix-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin

HMA82GR7DJR8N-XN TG	DDR4	SKhynix	16GB	SKhynix -IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7DJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7AJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T8	DDR4	SKhynix	64GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT16G4RFD832A-3G2E1.001	DDR4	Crucial	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2E1UK	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA9ASF2G72PZ-3G2E1TI	DDR4	Micron	16GB	Micron-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PZ-3G2E2TI	DDR4	Micron	16GB	Micron-Montage	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2J3UI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1TI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1UI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2R1VI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ.3G2B2TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2J3UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2E1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2E1TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ-3G2E1V1	DDR4	Micron	32GB	Micron	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF8G72PZ-3G2E1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K43DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB3-CWEGQ	DDR4	Samsung	16GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB3-CWECQ	DDR4	Samsung	16GB	Samsung-	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin

M393A4K40DB3-CWECQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4G40BB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWECQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40EB3-CWEBY	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A8G40BB4-CWEBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS8/16MER	DDR4	Kingston	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS4/32MER	DDR4	Kingston	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin

LRDIMM

M386A8K40CM2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin
M386AAG40MMB-CVFC0	DDR4	Samsung	128GB	Samsung	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin
M386A8K40DM2-CWELQ	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	3200MHz	ECC Registered	22	288-pin

HDD (If the system build-in with RAID card ,please refer to RAID card QVL list)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
Seagate Enterprise Capacity 2.5 HDD										
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A
Seagate Enterprise Capacity 3.5 HDD										
ST14000NM0018	SATA	Seagate	3.5"	512e	14TB	6Gb/s	Exos X14 (Enterprise Capacity)	256MB	7200	N/A
ST8000NM000A	SATA	Seagate	3.5"	512e	8TB	6Gb/s	EXOS 7E8	256MB	7200	N/A
ST8000NM001A	SAS	Seagate	3.5"	512e	8TB	12Gb/s	EXOS 7E8	256MB	7200	N/A
ST16000NM001G	SATA	Seagate	3.5"	512e/4Kn	16TB	6Gb/s	EXOS X16	256MB	7200	N/A
ST10000NM017B	SATA	Seagate	3.5"	512e	10TB	6Gb/s	EXOS 7E10	256MB	7200	N/A
WD Enterprise Hard Drives										
WUS721010ALE6L4	SATA	WD	3.5"	512e	10TB	6Gb/s	Ultrastar® DC HC330	256MB	7200	N/A
WUH721818ALE6L4	SATA	WD	3.5"	512e	18TB	6Gb/s	Ultrastar DC HC550	512MB	7200	N/A
Toshiba Enterprise Hard Drives										
MG07ACA14TE	SATA	Toshiba	3.5"	512e	14TB	6Gb/s	Capacity	256MB	7200	N/A
MG06SCA10TE	SAS	Toshiba	3.5"	512e	10TB	12Gb/s	Capacity	256MB	7200	N/A

**SATA/SAS SSD**

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note
SATA SSD								
MTFDDAK1T9TDN-1AT1ZABYY (5200 MAX)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s		
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s		
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s		
MZ-7LH1T9NE 883 DCT Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s		
SSDSC2KG019T8 D3-S4610 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s		
SSDSC2KB019T8 D3-S4510 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s		
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s		
XA480LE10063	SSD	Seagate	2.5"	SATA	480GB	6Gb/s		
SRE100-960G00210000	SSD	Phison	2.5"	SATA	960GB	6Gb/s		
SRE100-480G00210000	SSD	Phison	2.5"	SATA	480GB	6Gb/s		
KHK61RSE960G	SSD	Toshiba	2.5"	SATA	960GB	6Gb/s		

**PCIe SSD**

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note
PCIe SSD							
Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	PCIe Gen3 x8	
Netlist N1951 E3 NS1951AH33T2 Gen3 x8 3.2TB	PCIe	Netlist	PCI-E 3.0	PCIe(NVMe)	3.2TB	PCIe Gen3 x8	

**M.2**

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note
M.2							
SSDPELKH010T801 P4511 Series 1TB	M.2	Intel	22110	PCIe(NVMe)	1TB	PCIe Gen3 x4	
MZ-1LB1T9N 983 DCT Series	M.2	Samsung	22110	PCIe(NVMe)	1.92TB	PCIe Gen3 x4	
AF960GSTJA-YT1 ATP 960GB	M.2	ATP	2280	PCIe(NVMe)	960GB	PCIe Gen3 x4	
EPX-KW960 EPX Series	M.2	LITE-ON	22110	PCIe(NVMe)	960GB	PCIe Gen3 x4	
MTFDHBA960TDF 960GB 7300 Pro Series	M.2	Micron	2280	PCIe(NVMe)	960GB	PCIe Gen3 x4	
IM2P33F8-256GD1	M.2	ADATA	2280	PCIe(NVMe)	256GB	PCIe Gen3 x4	
IM2P33F8-512GD1	M.2	ADATA	2280	PCIe(NVMe)	512GB	PCIe Gen3 x4	
CA6-8D1024 CA6 Series	M.2	SSSTC	2280	PCIe(NVMe)	1TB	PCIe Gen4 x4	

**M.2 Expansion PCIe Card**

Product Name	Type	Vendor	Form Factor	Interface	Max. Channels	Interface Speed	Note
CMT4034	PCIe	Gigabyte	22110	PCIe(NVMe)	4	PCIe Gen3 x16	-

**GPGPU Card (GPGPU server only)**

Product Name	Processor Cores	Memory Bandwidth (GB/sec)	VRAM	OpenGL	Microsoft DirectX	Graphics Card Power (W)	NVIDIA SLI / AMD CrossFire Ready	Note
NVIDIA Tesla ( <a href="http://www.nvidia.com/object/tesla-supercomputing-solutions.html">http://www.nvidia.com/object/tesla-supercomputing-solutions.html</a> )								
V100 (VOLTA) 32GB	5120	900 GB/s	32GB			250 W	-	
V100S (VOLTA) 32GB	5120	1134 GB/s	32GB			250 W	-	
T4 (TURING)	2560	320 GB/s	16GB			70 W	-	
A100 (Ampere)	6912	1555 GB/s	40GB			250 W		
A100-80GB (Ampere)	6912	1935GB/s	80GB			300 W		
A10 (Ampere)	9216	600 GB/s	24GB			150 W		
A40 (Ampere)	10752	696 GB/s	48GB			300W		
NVIDIA Quadro ( <a href="https://www.nvidia.com/zh-tw/design-visualization/quadro/">https://www.nvidia.com/zh-tw/design-visualization/quadro/</a> )								
RTX 6000 Passive	4608	624GB/s	24GB			250W		
RTX 8000 Passive	4608	624GB/s	48GB			250W		

AMD Radeon Instinct

MI50 (Vega20) 32GB	3840	1024GB/s	32GB			300 W				
MI100 (CDNA)	7680	1228.8GB/s	32GB			300 W				

Graphics Card (GPGPU server & Workstation server only)

Product Name	Processor Cores	Memory Bandwidth (GB/sec)	VRAM	OpenGL	Microsoft DirectX	Graphics Card Power (W)	NVIDIA SLI / AMD CrossFire Ready	Note		
--------------	-----------------	---------------------------	------	--------	-------------------	-------------------------	----------------------------------	------	--	--

NVIDIA Quadro (<http://www.nvidia.com/object/quadro-desktop-gpus.html>)

RTX 4000	2304	416GB/s	8GB			160 W				
RTX 5000	3072	448GB/s	16GB			230 W				

FPGA Card

Product Name	Compute	HBM2 Total Capacity	HBM2 Total Bandwidth	DDR Format	DDR Memory Capacity	DDR Total Bandwidth	Internal SRAM Capacity	Internal SRAM Total Bandwidth	PCI Express	Network Interfaces
--------------	---------	---------------------	----------------------	------------	---------------------	---------------------	------------------------	-------------------------------	-------------	--------------------

Xilinx Alveo Accelerator Card (<https://www.xilinx.com/products/boards-and-kits/alveo.html>)

Alveo U280	24.5 INT8 TOPs (peak)	8GB	460GB/s	2x 16GB 72b DIMM DDR4	32GB	38GB/s	41MB	30TB/s	Gen4x8 with CCIX	2x QSFP28 (100GbE)
------------	-----------------------	-----	---------	-----------------------	------	--------	------	--------	------------------	--------------------

RAID Cards

Product Name	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note		
--------------	-------------------------	---------------	----------------	---------------------	----------------	---------------------	---------------------	------	--	--

GIGABYTE Storage Cards

CRA3338	LSI SAS 3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
CSA3548	LSI SAS 3008	PCIe Gen3 x8	-	-	8	2 x Mini-SAS HD SFF-8644	Up to 12Gb/s per port			
CSA4648	LSI SAS 3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
CRA4648	LSI SAS 3108	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
CRA4448	LSI SAS 3108	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
CRAO438	LSI SAS 3108	OCP PCIe Gen3 x8	8	2 x8 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port			
CRAO338	LSI SAS 3008	OCP PCIe Gen3 x8	8	2 x8 SlimSAS SFF-8654	-	-	Up to 12Gb/s per port			
CRAO358	LSI SAS 3008	OCP PCIe Gen3 x8	4	1 x4 SlimSAS SFF-8654		1 x OCuLink port	Up to 12Gb/s per port			
CRAO558	LSI SAS 3108	OCP PCIe Gen3 x8	4	1 x4 SlimSAS SFF-8654		1 x OCuLink port	Up to 12Gb/s per port			

LSI RAID Controller Cards

MegaRAID SAS 9361-8i	LSISAS3108 dual core RAID on Chip (ROC)	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			
MegaRAID SAS 9460-16i without Tri-mode	SAS3516 dual-core RAID-on-Chip (ROC)	PCIe Gen3 x8	8	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port			

LSI Host Bus Adapters (HBAs)

LSI SAS 9300-8e	SAS3008	PCIe Gen3 x8	-	-	8	2 x Mini-SAS HD SFF-8644	Up to 12Gb/s per port			
-----------------	---------	--------------	---	---	---	--------------------------	-----------------------	--	--	--

LSI SAS 9300-8i	SAS3008	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
LSI SAS 9400-16i without Tri-mode	SAS3416	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
PMC RAID Cards (Adaptec)									
Adaptec ASR-81605ZQ	-	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
Microsemi RAID Cards									
SmartRAID 3154-16i	PM8236	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
Microsemi Host Bus Adapters									
SmartHBA 2100-8i	PM8222	PCIe Gen3 x8	8	2 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
LSI Tri-mode card									
LSI SAS 9400-16i with Tri-mode	SAS3416	PCIe Gen3 x8	16	4 x Mini-SAS HD SFF-8643	-	-	Up to 12Gb/s per port		
<b>LAN Cards</b>									
Product Name	Connector	System Interface Type	# of Ports	Data Rate	Note				
GIGABYTE LAN Cards									
CLNO832	SFP+	<b>OC</b> P PCIe Gen2 x8	Dual	10Gb/s per port	INTEL 82599ES Support OCP 2.0 type1				
CLNOQ42	SFP28	<b>OC</b> P PCIe Gen3 x8	Dual	25Gb/s per port	Qlogic (Cavium) QL41401-A2G Support OCP 2.0				
CLNO222	RJ-45	<b>OC</b> P PCIe Gen3 x4	Dual	10Gb/s per port	INTEL X550-AT2 Support OCP 2.0 type1				
CLN4752	QSFP+	PCIe Gen3 x8	Dual	40Gb/s per port	INTEL XL710				
CLN4224	RJ-45	PCIe Gen3 x4	Quad	10Gb/s per port	INTEL X550-AT2				
CLN4C42	SFP28	PCIe Gen3 x16	Dual	25Gb/s per port	Mellanox ConnectX-4				
CLN4M34	SFP28	PCIe Gen3 x16	Quad	10Gb/s per port	Mellanox ConnectX-4				
Intel_10GbE									
Intel® Ethernet Converged Network Adapter X550-T2	RJ-45	PCIe Gen3 x4	Dual	10Gb/s per port					
Intel® Ethernet Network Adapter X722-DA4	SFP+	PCIe Gen3 x8	Quad	10Gb/s per port					
Intel® Ethernet Converged Network Adapter X710-DA2	SFP+	PCIe Gen3 x8	Dual	10Gb/s per port					
Intel_25GbE									
Intel® Ethernet Network Adapter E810-XXVDA2 for OCP	SFP28	<b>OC</b> P PCIe Gen4 x8	Dual	25Gb/s per port	Support OCP 3.0				
Intel® Ethernet Network Adapter E810-XXVDA4	SFP28	PCIe Gen4 x16	Quad	25Gb/s per port					
Intel_40GbE									
Intel® Ethernet Converged Network Adapter XL710-QDA2	QSFP+	PCIe Gen3 x8	Dual	40Gb/s per port					
Intel_100GbE									

Intel® Ethernet Network Adapter E810-CQDA2 for OCP	QSFP28	<b>OCF</b> PCIe Gen4 x16	Dual	100Gb/s per port	Support OCP 3.0
Intel® Ethernet Network Adapter E810-CQDA2	QSFP28	PCIe Gen4 x16	Dual	100Gb/s per port	
Mellanox ConnectX					
MCX631102AN-ADAT	SFP28	PCIe Gen4 x8	Dual	25Gb/s per port	ConnectX@-6 <b>Dx</b> without Crypto
MCX631432AN-ADAB	SFP28	<b>OCF</b> PCIe Gen4 x8	Dual	25Gb/s per port	ConnectX@-6 <b>Lx</b> without Crypto / Support OCP 3.0
MCX613106A-VDAT	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 EN
MCX565M-CDAB	QSFP28	<b>OCF</b> PCIe Gen4 x16	Single	100Gb/s per port	ConnectX@-5 Ex <b>Multi-Host</b> / Support OCP 3.0
MCX566A-CDAI	QSFP28	<b>OCF</b> PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN / Support OCP 3.0
MCX516A-CDAT	QSFP28	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN
MCX516A-BDAT	QSFP28	PCIe Gen4 x16	Dual	40Gb/s per port	Mellanox ConnectX-5 Ex EN
MCX516A-CCAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN
MCX4421A-ACQN	SFP28	<b>OCF</b> PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN / Support OCP 2.0
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN
MCX4121A-XCAT	SFP28	PCIe Gen3 x8	Dual	10Gb/s per port	Mellanox ConnectX-4 Lx EN
Mellanox VPI Adapter Cards					
MCX654106A-HCAT	QSFP56	PCIe Gen3 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand) PCIe3.0 x16 + PCIe3.0x16 aux. card Socket Direct
MCX653106A-HDAT	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653436A-HDAI	QSFP56	<b>OCF</b> PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand) / OCP3.0
MCX653105A-HDAT	QSFP56	PCIe Gen4 x16	Single	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653105A-ECAT	QSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653106A-ECAT	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX556A-EDAT	QSFP28	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex VPI (InfiniBand)
MCX555A-ECAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 VPI (InfiniBand)
(Mellanox) NVIDIA BlueField-2 DPU Cards					
MBF2H322A-AEEOT	SFP56	PCIe Gen4 x8	Dual	25Gb/s per port	P-Series/ 2.5GHz
QL45611HLCU	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	
QLE3442-RJ-CK	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	
Broadcom (Emulex) Ethernet Networking Adapters					



BCM957508-P2100G	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	BCM57508
BCM957414A41420C	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414
BCM957508-N2100G	QSFP56	<b>OCF</b> PCIe 4.0	Dual	100Gb/s per port	BCM57508 / Support <b>OCF 3.0</b>
BCM957504-N425G	SFP28	<b>OCF</b> PCIe 4.0	Quad	25Gb/s per port	BCM57504 / Support <b>OCF 3.0</b>
BCM957414N4140C	SFP28	<b>OCF</b> PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414 / Support <b>OCF 3.0</b>
BCM957416N4160C	RJ-45	<b>OCF</b> PCIe Gen3 x8	Dual	10Gb/s per port	BCM57416 / Support <b>OCF 3.0</b>
BCM957412N4120C	SFP+	<b>OCF</b> PCIe Gen3 x8	Dual	10Gb/s per port	BCM57412 / Support <b>OCF 3.0</b>
BCM957414M4142C	SFP28	<b>OCF</b> PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414 / Support OCF 2.0 type1
BCM957416A4160C	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	BCM5741 (P210TP)
BCM957416M4163C	RJ-45	<b>OCF</b> PCIe Gen3 x8	Dual	10Gb/s per port	BCM5741 / Support OCF 2.0 (M210TP)

Broadcom FC Host Bus Adapter

LPe32002-M2	SFP+	PCIe Gen3 x8	Dual	32Gb/s per port	XE501 controller
LPe31002-M6	SFP+	PCIe Gen3 x8	Dual	16Gb/s per port	XE501 controller

**USB Device**

Product Name	Type	Vendor	Capacity	Note				
--------------	------	--------	----------	------	--	--	--	--

USB 3.0

PURE CLASSIC X176B1FWBO75	HDD	Gigabyte	500G						
GoFlex STAA500305	HDD	Seagate	500G						
TOSHIBA CANVIO BASIC	HDD	Toshiba	500G						
NA317U+	Device	ineo							
SST-TS13	Device	Silver Stone							
S1-DS3-Plus	Device	CyberSLIM							
MB981U3-1S	Device	ICYDOCK							
i310-SB3(6G)	Device	STARDOM							