

"G242-Z11" Qualification Vender List

AMD CPU										
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	All Cores Boost Max Freq (GHz)	Processor Boost Max Freq (GHz)	TDP	Memory Types
AMD 7601 PS7601BDVIHAF	Naples	SP3	B2	64MB	32 / 64	2.20	2.70	3.20	180W	DDR4-2666
AMD 7551 PS7551BDVIHAF	Naples	SP3	B2	64MB	32 / 64	2.00	2.55	3.00	180W	DDR4-2666
AMD 7451 PS7451BDVHCAF	Naples	SP3	B2	64MB	24 / 48	2.30	3.20	3.20	180W	DDR4-2666
AMD 7351 PS7351BEVGPAP	Naples	SP3	B2	64MB	16 / 32	2.40	2.90	2.90	155/170W	DDR4-2400/2666
AMD 7351P PS7351PBEVGPAP	Naples	SP3	B2	64MB	16 / 32	2.40	2.90	2.90	155/170W	DDR4-2400/2666
AMD 7501 PS7501BEVIHAF	Naples	SP3	B2	64MB	32 / 64	2.00	2.60	3.00	155/170W	DDR4-2400/2666
AMD 7401 PS7401BEVHCAF	Naples	SP3	B2	64MB	24 / 48	2.00	2.80	3.00	155/170W	DDR4-2400/2666
AMD 7401P PS7401PBEVHCAF	Naples	SP3	B2	64MB	24 / 48	2.00	2.80	3.00	155/170W	DDR4-2400/2666
AMD 7371 PS7371BDVGPAP	Naples	SP3	B2	64MB	16 / 32	3.10	3.60	3.80	200W	DDR4-2666
AMD 7301 PS7301BEVGPAP	Naples	SP3	B2	64MB	16 / 32	2.20	2.70	2.70	155/170W	DDR4-2400/2666
AMD 7281 PS7281BEVGAAF	Naples	SP3	B2	64MB	16 / 32	2.10	2.70	2.70	155/170W	DDR4-2400/2666
AMD 7261 PS7261BEV8RAF	Naples	SP3	B2	64MB	8 / 16	2.50	2.90	2.90	155/170W	DDR4-2400/2666
AMD 7251 PS7251BFV8SAF	Naples	SP3	B2	32MB	8 / 16	2.00	2.90	2.90	120W	DDR4-2400
Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types
AMD 7H12 100-000000055	ROME	SP3	B0 PR	256MB	64 / 128	2.60	3.30	240W	240W/280W	DDR4-3200
AMD 7742 100-000000053	ROME	SP3	B0 PR	256MB	64 / 128	2.25	3.40	225W	225W/240W	DDR4-3200
AMD 7702 100-000000038	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.35	200W	165W/200W	DDR4-3200
AMD 7662 100-000000137	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.30	225W	225W/240W	DDR4-3200
AMD 7642 100-000000074	ROME	SP3	B0 PR	192MB	48 / 96	2.30	3.40	225W	225W/240W	DDR4-3200
AMD 7552 100-000000076	ROME	SP3	B0 PR	192MB	48 / 96	2.20	3.30	200W	165W/200W	DDR4-3200
AMD 7542 100-000000075	ROME	SP3	B0 PR	128MB	32 / 64	2.90	3.40	225W	225W/240W	DDR4-3200
AMD 7532 100-000000136	ROME	SP3	B0 PR	256MB	32 / 64	2.40	3.30	200W	180W/200W	DDR4-3200
AMD 7502 100-000000054	ROME	SP3	B0 PR	128MB	32 / 64	2.50	3.35	180W	165W/200W	DDR4-3200
AMD 7452 100-000000057	ROME	SP3	B0 PR	128MB	32 / 64	2.35	3.35	155W	155W/180W	DDR4-3200
AMD 7F72 100-000000141	ROME	SP3	PD	192MB	24 / 48	3.20		240W	225W/240W	DDR4-3200
AMD 7402 100-000000046	ROME	SP3	B0 PR	128MB	24 / 48	2.80	3.35	180W	165W/200W	DDR4-3200
AMD 7352 100-000000077	ROME	SP3	B0 PR	128MB	24 / 48	2.30	3.20	155W	155W/180W	DDR4-3200
AMD 7302 100-000000043	ROME	SP3	B0 PR	128MB	16 / 32	3.00	3.30	155W	155W/180W	DDR4-3200
AMD 7282 100-000000078	ROME	SP3	B0 PR	64MB	16 / 32	2.80	3.20	120W	120W/150W	DDR4-2666
AMD 7272 100-000000079	ROME	SP3	B0 PR	64MB	12 / 24	2.90	3.20	120W	120W/150W	DDR4-3200
AMD 7F32 100-000000139	ROME	SP3	B0 PR	128MB	8 / 16	3.70	3.90	180W	165W/200W	DDR4-3200
AMD 7262 100-000000041	ROME	SP3	B0 PR	128MB	8 / 16	3.20	3.40	155W	155W/180W	DDR4-3200
AMD 7252 100-000000080	ROME	SP3	B0 PR	64MB	8 / 16	3.10	3.20	120W	120W/150W	DDR4-2666
AMD 7702P 100-000000047	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.35	200W	165W/200W	DDR4-3200
AMD 7502P 100-000000045	ROME	SP3	B0 PR	128MB	32 / 64	2.50	3.35	180W	165W/200W	DDR4-3200
AMD 7402P 100-000000048	ROME	SP3	B0 PR	128MB	24 / 48	2.80	3.35	180W	165W/200W	DDR4-3200
AMD 7302P 100-000000049	ROME	SP3	B0 PR	128MB	16 / 32	3.00	3.30	155W	155W/180W	DDR4-3200
AMD 7232P 100-000000081	ROME	SP3	B0 PR	32MB	8 / 16	3.10	3.20	120W	120W/150W	DDR4-3200
Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)										
Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins

RDIMM

KSM32RS4/32MER	DDR4	Kingston	32GB	Micron-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RS8/16MER	DDR4	Kingston	16GB	Micron-Rambus	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K43CB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
M393A4K40CB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A8G40MB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293-2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293.36FE2	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2VG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2UG	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA84GR7CJR4N-WM TG	DDR4	SKhynix	32GB	SKhynix-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMAA8GR7MJR4N-WM T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32MEI	DDR4	Kingston	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT64G4RFD4293-2G9B2.001	DDR4	Crucial	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9B2VI	DDR4	Crucial	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA81GR7CJR8N-XN TG	DDR4	SKhynix	8GB	SKhynix-IDT	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA82GR7CJR8N-XN T4	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA82GR7CJR8N-XN T8	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA82GR7CJR8N-XN TG	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7CJR4N-XN T8	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7CJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7CJR4N-XN TG	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7AJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT8G4RFS832A.9FE1	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
CT8G4RFS832A-3G2E1.001	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin

MTA9ASF1G72PZ.3G2E1VG	DDR4	Micron	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
CT16G4RFD832A.18FE1	DDR4	Crucial	16GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ.3G2E1VG	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
CT16G4RFS432A.18FE1	DDR4	Crucial	16GB	Micron-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT16G4RFS432A-3G2E1.001	DDR4	Crucial	16GB	Micron-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PZ.3G2E1VG	DDR4	Micron	16GB	Micron-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT16G4RFD832A-3G2E1.001	DDR4	Crucial	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF2G72PDZ-3G2E1UK	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
CT32G4RFD432A.36FE2 (3200MHz only support on 1DPC)	DDR4	Crucial	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT32G4RFD432A-3G2E2.001 (3200MHz only support on 1DPC)	DDR4	Crucial	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ.3G2E2TG (3200MHz only support on 1DPC)	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT32G4RFD432A-3G2E7.001	DDR4	Crucial	32GB	Micron-Montage or Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
CT32G4RFD432A.36FE7	DDR4	Crucial	32GB	Micron-Montage or Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ.3G2E7VI	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ.3G2E7TI	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB2-CWEBQ (3200MHz only support on 1DPC)	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K43DB2-CWEBQ (3200MHz only support on 1DPC)	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K43DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB3-CWEGQ	DDR4	Samsung	16GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A2K40DB3-CWECQ	DDR4	Samsung	16GB	Samsung-	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB2-CWEBQ (3200MHz only support on 1DPC)	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWECQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
M393A8G40AB2-CWEBQ	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin

TR416G32S422-XNC	DDR4	V-color	16GB	SKhynix-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD8/16MEI	DDR4	Kingston	16GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32RD4/32MEI	DDR4	Kingston	32GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
AD4R3200316G22-BSSC	DDR4	ADATA	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
CT64G4RFD432A-3G2B2.001	DDR4	Crucial	64GB	Micron	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF8G72PZ.3G2B2T1	DDR4	Micron	64GB	Micron	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA18ASF4G72PDZ.3G2B2T1	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA82GR7DJR8N-XN T8	DDR4	SKhynix	16GB	SKhynix-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMA84GR7DJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
MTA36ASF4G72PZ-3G2J3UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
KSM32R58/8MEI	DDR4	Kingston	8GB	MICRON-IDT	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T8	DDR4	SKhynix	64GB	SKhynix-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin
HMAA8GR7CJR4N-XN T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin

LRDIMM

M386A8K40CM2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin
M386A8K40DM2-CWELQ	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	3200MHz	ECC Registered	22	288-pin
M386AAG40MMB-CVFC0	DDR4	Samsung	128GB	Samsung	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin

Seagate HDD (SAS HDD may need RAID Card support)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
--------------	------	--------	-------------	--------	----------	-----------------	--------	-------	-----	------------

Seagate Enterprise Capacity 2.5 HDD

ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A
--------------	------	---------	------	-----	-----	-------	---------------------------------------	-------	------	-----

Seagate Enterprise Capacity 3.5 HDD

ST8000NM000A	SATA	Seagate	3.5"	512e	8TB	6Gb/s	EXOS 7E8	256MB	7200	N/A
ST10000NM0016	SATA	Seagate	3.5"	512e	10TB	6Gb/s	Exos X10 (Enterprise Capacity V.6)	256MB	7200	N/A
ST14000NM0018	SATA	Seagate	3.5"	512e	14TB	6Gb/s	Exos X14 (Enterprise Capacity)	256MB	7200	N/A
ST16000NM001G	SATA	Seagate	3.5"	512e/4Kn	16TB	6Gb/s	EXOS X16	256MB	7200	N/A

WD HDD(SAS HDD may need RAID Card support)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
--------------	------	--------	-------------	--------	----------	-----------------	--------	-------	-----	------------

Enterprise Hard Drives

WUS721010ALE6L4	SATA	WD	3.5"	512e	10TB	6Gb/s	Ultrastar® DC HC330	256MB	7200	N/A
WUH721818ALE6L4	SATA	WD	3.5"	512e	18TB	6Gb/s	Ultrastar DC HC550	512MB	7200	N/A

Toshiba HDD (SAS HDD may need RAID Card support)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
Enterprise Hard Drives										
MG07ACA14TE	SATA	Toshiba	3.5"	512e	14TB	6Gb/s	Capacity	256MB	7200	N/A
SATA/SAS SSD										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note		
SATA/SAS SSD										
MTFDDAK1T9TDN-1AT1ZABYY (5200 MAX)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s				
MZ-7LH1T9NE 883 DCT Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s				
SSDSC2KB019T8 D3-S4510 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s				
XA480LE10063	SSD	Seagate	2.5"	SATA	480GB	6Gb/s				
KHK61RSE960G	SSD	Toshiba	2.5"	SATA	960GB	6Gb/s				
PCIe SSD										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
PCIe SSD										
SSDPEDKX040T701 P4500 Series PCIe Gen3 x4 4TB	PCIe	Intel	PCI-E 3.0	PCIe(NVMe)	4TB	Gen3 x4				
Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	Gen3 x8				
U.2										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
U.2										
SSDPE2KE032T801 P4610 Series	U.2	Intel	2.5"	SFF8639(NVMe)	3.2TB	Gen3 x4				
SSDPE2KX020T801 P4510 Series	U.2	Intel	2.5"	SFF8639(NVMe)	2TB	Gen3 x4				
MZWLL3T2HAJQ PM1725b Series	U.2	Samsung	2.5"	SFF8639(NVMe)	3.2TB	Gen3 x4				
MZQLW1T9HMJP PM963 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	Gen3 x4				
MZWLJ3T8HBL5 PM1733 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	3.84TB	Gen4 x4				
MTFDHAL3T2TCU 9200 Series	U.2	Micron	2.5"	SFF8639(NVMe)	3.2TB	Gen3 x4				
KCD51LUG960G CD5 Series	U.2	Toshiba	2.5"	SFF8639(NVMe)	960GB	Gen3 x4				
MTFDHBE3T8TDF 7300 Pro Series	U.2	Micron	2.5"	SFF8639(NVMe)	3.84TB	Gen3 x4				
MTFDHBE960TDF 7300 Pro Series	U.2	Micron	2.5"	SFF8639(NVMe)	960GB	Gen3 x4	MTFDHBE960TDF-1AW4ZABYY			
PWFX100 3.2TB	U.2	PHISON	2.5"	SFF8639(NVMe)	3.2TB	PCIe Gen3 x4				
U.3										
KCM61RUL3T84 CM6-R Series	U.3	KIOXIA	2.5"	SFF8639(NVMe)	3.84TB	PCIe Gen4 x4				
GPGPU Card (GPGPU server only)										
Product Name	Processor Cores	Memory Bandwidth (GB/sec)	VRAM	OpenGL	Microsoft DirectX	Graphics Card Power (W)	NVIDIA SLI / AMD CrossFire Ready	Note		
NVIDIA Tesla (http://www.nvidia.com/object/tesla-supercomputing-solutions.html)										
V100 (VOLTA) 16GB	5120	900 GB/s	16GB			250 W		(Maximum support 4pcs GPGPU)		
T4 (TURING)	2560	320 GB/s	16GB			70 W	-	(Maximum support 4pcs GPGPU)		
A100 (Ampere)	6912	1555 GB/s	40GB			250 W		(Maximum support 4pcs GPGPU)		
NVIDIA Quadro (https://www.nvidia.com/zh-tw/design-visualization/quadro/)										
RTX 6000 passive	4608	624 GB/s	24GB			250 W	-	(Maximum support 4pcs GPGPU)		
AMD Radeon Instinct										
MI50 (Vega20) 16GB	3840	1024GB/s	16GB			300 W		(Maximum support 4pcs GPGPU)		
MI50 (Vega20) 32GB	3840	1024GB/s	32GB			300 W		(Maximum support 4pcs GPGPU)		

MI100 (CDNA)	7680	1228.8GB/s	32GB			300 W		(Maximum support 4pcs GPGPU)
RAID Cards								
Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note
GIGABYTE Storage Cards								
CRA3338	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 x Mini-SAS HD for 8x SAS	-	-	12Gb/s ports	
CSA3548	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	-	-	8	2 x external Mini-SAS HD SFF8644	12Gb/s ports	
CRA4448	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports	
LSI RAID Controller Cards								
MegaRAID SAS 9460-16i	SAS3516 dual-core RAID-on-Chip (ROC)	x8 lane PCI Express® 3.1	8	4 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0	
LSI Host Bus Adapters (HBAs)								
LSI SAS 9400-16i	SAS3416	x8 lane PCI Express® 3.1	16	4 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0	
Microsemi RAID Cards								
SmartRAID 3154-16i	PM8236	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	-	12 Gb/s per port	
Microsemi Host Bus Adapters								
SmartHBA 2100-8i	PM8222	8-Lane PCIe Gen3	8	2 x Internal, SFF-8643	-	-	12 Gb/s per port	
LAN Cards								
Product Name	Connector	System Interface Type	# of Ports	Data Rate	Note			
GIGABYTE LAN Cards								
CLN4752	QSFP+	PCIe x8 Gen3 x8	Dual	40Gb/s per port	INTEL XL710			
CLN4224	RJ-45	PCIe x8 Gen3 x4	Quad	10Gb/s per port	INTEL X550-AT2			
CLN4M34	SFP28	PCIe Gen3 x16	Quad	10Gb/s per port	Mellanox ConnectX-4			
Intel_10GbE								
Intel® Ethernet Network Adapter X722-DA4	SFP+	PCIe v3.0 (8.0 GT/s)	Quad	10Gb/s per port				
Intel_25GbE								
Intel® Ethernet Network Adapter XXV710-DA2	SFP28	PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port				
Intel_40GbE								
Intel® Ethernet Converged Network Adapter XL710-QDA2	QSFP+	PCIe v3.0 (8.0 GT/s)	Dual	40Gb/s per port				
Mellanox ConnectX								
MCX566A-CDAI	QSFP28	OCPC PCIe 4.0 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN / Support OCP 3.0			
MCX516A-CCAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN			
MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN			
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN			
Mellanox VPI Adapter Cards								
MCX653106A-HDAT	QSFP56	PCIe 4.0 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)			
MCX653105A-ECAT	QSFP56	PCIe 4.0 x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)			
MCX555A-ECAT	QSFP28	PCIe 3.0 x16	Single	100Gb/s per port	Mellanox ConnectX-5 VPI (InfiniBand)			

Qlogic LAN Adapters					
QL45611HLCU	QSFP28	PCIe x16 Gen3 x16	Single	100Gb/s per port	
QLE3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port	
Broadcom (Emulex) Ethernet Networking Adapters					
BCM957414A4142CC	SFP28	PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414
BCM957414N4140C	SFP28	OCP PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414 / Support OCP 3.0
BCM957416N4160C	RJ-45	OCP PCIe 3.0 x8	Dual	10Gb/s per port	BCM57416 / Support OCP 3.0
USB Device					
Product Name	Type	Vendor	Capacity	Note	
USB 3.0					
PURE CLASSIC X176B1FWBO75	HDD	Gigabyte	500G		
GoFlex STAA500305	HDD	Seagate	500G		
TOSHIBA CANVIO BASIC	HDD	Toshiba	500G		
NA317U+	Device	ineo			
SST-TS13	Device	Silver Stone			
S1-DS3-Plus	Device	CyberSLIM			
MB981U3-1S	Device	ICYDOCK			
i310-SB3(6G)	Device	STARDOM			