

**"G481-S80" Qualification Vender List**

Please contact FAE support for below orange blocks

Intel CPU										
Product Name	Code Name	Q-Spec	Stepping	Cache	System Bus	# of Cores	Processor Base Frequency	Max Turbo Frequency	TDP	Memory Types
Purley - Intel® Xeon® Processor Scalable Family										
Intel® Xeon® Processor Platinum 8180	SKYLAKE-S	QMQ7	H0	38.5 MB L3	10.4 GT/s	28	2.50 GHz	3.80 GHz	205 W	DDR4-2666
Intel® Xeon® Processor Platinum 8176M	SKYLAKE-S	QM7R	H0	38.5 MB L3	10.4 GT/s	28	2.10 GHz	3.80 GHz	165 W	DDR4-2666
Intel® Xeon® Processor Platinum 8176F	SKYLAKE-S	QNC8	H0	38.5 MB L3	10.4 GT/s	28	2.10 GHz	3.80 GHz	173 W	DDR4-2666
Intel® Xeon® Processor Platinum 8176	SKYLAKE-S	QMQ3	H0	38.5 MB L3	10.4 GT/s	28	2.10 GHz	3.80 GHz	165 W	DDR4-2666
Intel® Xeon® Processor Platinum 8170	SKYLAKE-S	QMQC	H0	35.75 MB L3	10.4 GT/s	26	2.10 GHz	3.70 GHz	165 W	DDR4-2666
Intel® Xeon® Processor Platinum 8168	SKYLAKE-S	QMQ8	H0	33 MB L3	10.4 GT/s	24	2.70 GHz	3.70 GHz	205 W	DDR4-2666
Intel® Xeon® Processor Platinum 8164	SKYLAKE-S	Q MS8	H0	35.75 MB L3	10.4 GT/s	26	2.00 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Platinum 8160T	SKYLAKE-S	QMRG	H0	33 MB L3	10.4 GT/s	24	2.10 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Platinum 8160	SKYLAKE-S	QMRV	H0	33 MB L3	10.4 GT/s	24	2.10 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Platinum 8153	SKYLAKE-S	QMS7	H0	22 MB L3	10.4 GT/s	16	2.00 GHz	2.80 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6154	SKYLAKE-S	QMQ9	H0	24.75 MB L3	10.4 GT/s	18	3.00 GHz	3.70 GHz	200 W	DDR4-2666
Intel® Xeon® Processor Gold 6152	SKYLAKE-S	QMRZ	H0	30.25 MB L3	10.4 GT/s	22	2.10 GHz	3.70 GHz	140 W	DDR4-2666
Intel® Xeon® Processor Gold 6150	SKYLAKE-S	QMQ6	H0	24.75 MB L3	10.4 GT/s	18	2.70 GHz	3.70 GHz	165 W	DDR4-2666
Intel® Xeon® Processor Gold 6148F	SKYLAKE-S	QN3G	H0	27.5 MB L3	10.4 GT/s	20	2.40 GHz	3.70 GHz	160 W	DDR4-2666
Intel® Xeon® Processor Gold 6148	SKYLAKE-S	QMS1	H0	27.5 MB L3	10.4 GT/s	20	2.40 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Gold 6146	SKYLAKE-S	QN7C	H0	24.75 MB L3	10.4 GT/s	12	3.20 GHz	4.20 GHz	165 W	DDR4-2666
Intel® Xeon® Processor Gold 6144	SKYLAKE-S	QN7D	H0	24.75 MB L3	10.4 GT/s	8	3.50 GHz	4.20 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Gold 6142M	SKYLAKE-S	QMRW	H0	22 MB L3	10.4 GT/s	16	2.60 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Gold 6142F	SKYLAKE-S	QN3F	H0	22 MB L3	10.4 GT/s	16	2.60 GHz	3.70 GHz	160 W	DDR4-2666
Intel® Xeon® Processor Gold 6142	SKYLAKE-S	QMRT	H0	22 MB L3	10.4 GT/s	16	2.60 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Gold 6140M	SKYLAKE-S	QMRU	H0	24.75 MB L3	10.4 GT/s	18	2.30 GHz	3.70 GHz	140 W	DDR4-2666
Intel® Xeon® Processor Gold 6140	SKYLAKE-S	QMRS	H0	24.75 MB L3	10.4 GT/s	18	2.30 GHz	3.70 GHz	140 W	DDR4-2666
Intel® Xeon® Processor Gold 6138T	SKYLAKE-S	Q MS9	H0	27.5 MB L3	10.4 GT/s	20	2.00 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6138F	SKYLAKE-S	QN3H	H0	27.5 MB L3	10.4 GT/s	20	2.00 GHz	3.70 GHz	135 W	DDR4-2666
Intel® Xeon® Processor Gold 6138	SKYLAKE-S	QMS0	H0	27.5 MB L3	10.4 GT/s	20	2.00 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6136	SKYLAKE-S	QMRX	H0	24.75 MB L3	10.4 GT/s	12	3.00 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Gold 6134	SKYLAKE-S	QMRL	H0	24.75 MB L3	10.4 GT/s	8	3.20 GHz	3.70 GHz	130 W	DDR4-2666
Intel® Xeon® Processor Gold 6132	SKYLAKE-S	QN33	H0	19.25 MB L3	10.4 GT/s	14	2.60 GHz	3.70 GHz	140 W	DDR4-2666
Intel® Xeon® Processor Gold 6130T	SKYLAKE-S	QN38	H0	22 MB L3	10.4 GT/s	16	2.10 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6130F	SKYLAKE-S	QMHX	H0	22 MB L3	10.4 GT/s	16	2.10 GHz	3.70 GHz	135 W	DDR4-2666
Intel® Xeon® Processor Gold 6130	SKYLAKE-S	QMS6	H0	22 MB L3	10.4 GT/s	16	2.10 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6128	SKYLAKE-S	QN34	H0	19.25 MB L3	10.4 GT/s	6	3.40 GHz	3.70 GHz	115 W	DDR4-2666
Intel® Xeon® Processor Gold 6126T	SKYLAKE-S	QN39	H0	19.25 MB L3	10.4 GT/s	12	2.60 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6126F	SKYLAKE-S	Q MHS	H0	19.25 MB L3	10.4 GT/s	12	2.60 GHz	3.70 GHz	135 W	DDR4-2666
Intel® Xeon® Processor Gold 6126	SKYLAKE-S	QMRY	H0	19.25 MB L3	10.4 GT/s	12	2.60 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 5122	SKYLAKE-S	QMRN	H0	16.5 MB L3	10.4 GT/s	4	3.60 GHz	3.70 GHz	105 W	DDR4-2666
Intel® Xeon® Processor Gold 5120T	SKYLAKE-S	QMXL	M0	19.25 MB L3	10.4 GT/s	14	2.20 GHz	3.20 GHz	105 W	DDR4-2400
Intel® Xeon® Processor Gold 5120	SKYLAKE-S	QMXJ	M0	19.25 MB L3	10.4 GT/s	14	2.20 GHz	3.20 GHz	105 W	DDR4-2400
Intel® Xeon® Processor Gold 5119T	SKYLAKE-S	QN11	M0	19.25 MB L3	10.4 GT/s	14	1.90 GHz	3.20 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Gold 5118	SKYLAKE-S	QMXH	M0	16.5 MB L3	10.4 GT/s	12	2.30 GHz	3.20 GHz	105 W	DDR4-2400
Intel® Xeon® Processor Gold 5117F	SKYLAKE-S	QN98	H0	19.25MB L3	10.4 GT/s	14	2.00 GHz	2.80 GHz	113W	DDR4-2400
Intel® Xeon® Processor Gold 5115	SKYLAKE-S	QMXG	M0	13.75 MB L3	10.4 GT/s	10	2.40 GHz	3.20 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Silver 4116T	SKYLAKE-S	QN7B	M0	16.5 MB L3	9.6 GT/s	12	2.10 GHz	3.00 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Silver 4116	SKYLAKE-S	QN1J	M0	16.5 MB L3	9.6 GT/s	12	2.10 GHz	3.00 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Silver 4114T	SKYLAKE-S	QN7A	U0	13.75 MB L3	9.6 GT/s	10	2.20 GHz	3.00 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Silver 4114	SKYLAKE-S	QN0B	U0	13.75 MB L3	9.6 GT/s	10	2.20 GHz	3.00 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Silver 4112	SKYLAKE-S	QN0E	U0	8.25MB	9.6 GT/s	4	2.6 GHz	3.00 GHz	85W	DDR4-2400

Intel® Xeon® Processor Silver 4110	SKYLAKE-S	QN09	U0	11MB	9.6 GT/s	8	2.1 GHz	3.00 GHz	85W	DDR4-2400
Intel® Xeon® Processor Silver 4109T	SKYLAKE-S	QN0F	U0	11 MB L3	9.6 GT/s	8	2.00 GHz	3.00 GHz	70 W	DDR4-2400
Intel® Xeon® Processor Silver 4108	SKYLAKE-S	QN0A	U0	11MB	9.6 GT/s	8	1.8 GHz	3.00 GHz	85W	DDR4-2400
Intel® Xeon® Processor Bronze 3106	SKYLAKE-S	QN0C	U0	11MB	9.6 GT/s	8	1.7 GHz	None	85W	DDR4-2133
Intel® Xeon® Processor Bronze 3104	SKYLAKE-S	QN0D	U0	8.25MB	9.6 GT/s	6	1.7 GHz	None	85W	DDR4-2133
Purley - Intel® Xeon® Processor Scalable Family										
Intel® Xeon® Processor Platinum 8280M	CascadeLake SP	QRL0	B0	38.5MB	10.4 GT/s	28	2.6 GHz	4.00 GHz	205W	DDR4-2933
Intel® Xeon® Processor Platinum 8280L	CascadeLake SP	QRL1	B0	38.5MB	10.4 GT/s	28	2.6 GHz	4.00 GHz	205W	DDR4-2933
Intel® Xeon® Processor Platinum 8280	CascadeLake SP	QRKZ	B0	38.5MB	10.4 GT/s	28	2.6 GHz	4.00 GHz	205W	DDR4-2933
Intel® Xeon® Processor Platinum 8276M	CascadeLake SP	QRAW	B0	38.5MB	10.4 GT/s	28	2.2 GHz	4.00 GHz	165W	DDR4-2933
Intel® Xeon® Processor Platinum 8276L	CascadeLake SP	QRAV	B0	38.5MB	10.4 GT/s	28	2.2 GHz	4.00 GHz	165W	DDR4-2933
Intel® Xeon® Processor Platinum 8270	CascadeLake SP	QRAU	B0	35.75MB	10.4 GT/s	26	2.7 GHz	4.00 GHz	205W	DDR4-2933
Intel® Xeon® Processor Platinum 8268	CascadeLake SP	QRAT	B0	33MB	10.4 GT/s	24	2.9 GHz	3.90 GHz	205W	DDR4-2933
Intel® Xeon® Processor Platinum 8260M	CascadeLake SP	QRC4	B0	33MB	10.4 GT/s	24	2.3 GHz	3.90 GHz	165W	DDR4-2933
Intel® Xeon® Processor Platinum 8260L	CascadeLake SP	QRC2	B0	33MB	10.4 GT/s	24	2.3 GHz	3.90 GHz	165W	DDR4-2933
Intel® Xeon® Processor Platinum 8256	CascadeLake SP	QRAP	B0	16.5MB	10.4 GT/s	4	3.8 GHz	3.90 GHz	105W	DDR4-2933
Intel® Xeon® Processor Platinum 8253	CascadeLake SP	QRAN	B0	22MB	10.4 GT/s	16	2.2 GHz	3.00 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 6256	CascadeLake SP	QTBQ	B1	33MB	10.4 GT/s	12	3.6 GHz	4.50 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6254	CascadeLake SP	QRAM	B0	24.75MB	10.4 GT/s	18	3.1 GHz	4.00 GHz	200W	DDR4-2933
Intel® Xeon® Processor Gold 6252	CascadeLake SP	QRAL	B0	33MB	10.4 GT/s	24	2.1 GHz	3.70 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6248	CascadeLake SP	QRAK	B0	27.5MB	10.4 GT/s	20	2.5 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6244	CascadeLake SP	QRAJ	B0	24.75MB	10.4 GT/s	8	3.6 GHz	4.40 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6242	CascadeLake SP	QRAH	B0	22MB	10.4 GT/s	16	2.8 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6240Y	CascadeLake SP	QRBX	B0	24.75MB	10.4 GT/s	18	2.6 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6240	CascadeLake SP	QRAG	B0	24.75MB	10.4 GT/s	18	2.6 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6238T	CascadeLake SP	QRBW	B0	30.25MB	10.4 GT/s	22	1.9 GHz	3.70 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 6230	CascadeLake SP	QRAD	B0	27.5MB	10.4 GT/s	20	2.1 GHz	3.90 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 5218	CascadeLake SP	QRA9	B0	22MB	10.4 GT/s	16	2.3 GHz	3.90 GHz	125W	DDR4-2666
Intel® Xeon® Processor Platinum 8260Y	CascadeLake SP	QRC1	B0	33MB	10.4 GT/s	24	2.3 GHz	3.90 GHz	165W	DDR4-2933
Intel® Xeon® Processor Platinum 8260	CascadeLake SP	QRC3	B0	33MB	10.4 GT/s	24	2.3 GHz	3.90 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 5220	CascadeLake SP	QRGH	L0	24.75MB	10.4 GT/s	18	2.2 GHz	3.90 GHz	125W	DDR4-2666
Intel® Xeon® Processor Gold 5218N	CascadeLake SP	QRGD	L0	22MB	10.4 GT/s	16	2.3 GHz	3.70 GHz	105W	DDR4-2666
Intel® Xeon® Processor Gold 5218B	CascadeLake SP	QRGE	L0	22MB	10.4 GT/s	16	2.3 GHz	3.90 GHz	125W	DDR4-2666
Intel® Xeon® Processor Gold 5217	CascadeLake SP	QRGC	L0	11MB	10.4 GT/s	8	3.0 GHz	3.70 GHz	115W	DDR4-2666
Intel® Xeon® Processor Gold 5215L	CascadeLake SP	QRGB	L0	13.75MB	10.4 GT/s	10	2.5 GHz	3.40 GHz	85W	DDR4-2666
Intel® Xeon® Processor Gold 5215M	CascadeLake SP	QRGA	L0	13.75MB	10.4 GT/s	10	2.5 GHz	3.40 GHz	85W	DDR4-2666
Intel® Xeon® Processor Gold 5215	CascadeLake SP	QRG9	L0	13.75MB	10.4 GT/s	10	2.5 GHz	3.40 GHz	85W	DDR4-2666
Intel® Xeon® Processor Silver 4216	CascadeLake SP	QRG8	L0	22MB	9.6 GT/s	16	2.1 GHz	3.20 GHz	100W	DDR4-2133
Intel® Xeon® Processor Silver 4215	CascadeLake SP	QRG7	L0	11MB	9.6 GT/s	8	2.5 GHz	3.50 GHz	85W	DDR4-2133
Intel® Xeon® Processor Silver 4214Y	CascadeLake SP	QRHY	L0	16.5MB	9.6 GT/s	12	2.2 GHz	3.20 GHz	85W	DDR4-2133
Intel® Xeon® Processor Silver 4214	CascadeLake SP	QRG6	L0	16.5MB	9.6 GT/s	12	2.2 GHz	3.20 GHz	85W	DDR4-2133
Intel® Xeon® Processor Silver 4210	CascadeLake SP	QPJF	R0	13.75MB	9.6 GT/s	10	2.2 GHz	3.20 GHz	85W	DDR4-2133
Intel® Xeon® Processor Silver 4209T	CascadeLake SP	QPJM	R0	11MB	9.6 GT/s	8	2.2 GHz	3.20 GHz	70W	DDR4-2133
Intel® Xeon® Processor Silver 4208	CascadeLake SP	QPJG	R0	11MB	9.6 GT/s	8	2.1 GHz	3.20 GHz	85W	DDR4-2133
Intel® Xeon® Processor Gold 6252N	CascadeLake SP	QS1W	B1	35.75MB	10.4 GT/s	24	2.3 GHz	3.60 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 5218T	CascadeLake SP	QS1T	B1	22MB	10.4 GT/s	16	2.1 GHz	3.80 GHz	105W	DDR4-2666
Intel® Xeon® Processor Gold 6240M	CascadeLake SP	QS25	B1	24.75MB	10.4 GT/s	18	2.6 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 5220S	CascadeLake SP	QS1Z	B1	24.75MB	10.4 GT/s	18	2.7 GHz	3.90 GHz	125W	DDR4-2666
Intel® Xeon® Processor Gold 6222V	CascadeLake SP	QS2C	B1	27.5 MB	10.4 GT/s	20	1.8 GHz	3.60 GHz	115W	DDR4-2400
Intel® Xeon® Processor Gold 6238M	CascadeLake SP	QS27	B1	30.25MB	10.4 GT/s	22	2.1 GHz	3.70 GHz	140W	DDR4-2933
Intel® Xeon® Processor Gold 6262V	CascadeLake SP	QS2B	B1	33MB	10.4 GT/s	24	1.9 GHz	3.60 GHz	135W	DDR4-2933
Intel® Xeon® Processor Gold 6234	CascadeLake SP	QS1U	B1	24.75MB	10.4 GT/s	8	3.3 GHz	4.00 GHz	130W	DDR4-2933
Intel® Xeon® Processor Gold 6226	CascadeLake SP	QS1V	B1	19.25MB	10.4 GT/s	12	2.7 GHz	3.70 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 6230N	CascadeLake SP	QS1X	B1	27.5MB	10.4 GT/s	20	2.3 GHz	3.50 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 5220T	CascadeLake SP	QS1R	B1	24.75MB	10.4 GT/s	18	1.9 GHz	3.90 GHz	105W	DDR4-2666
Intel® Xeon® Processor Gold 6246	CascadeLake SP	QS1Q	B1	24.75MB	10.4 GT/s	8	3.3 GHz	4.20 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 6238	CascadeLake SP	QS1S	B1	30.25MB	10.4 GT/s	22	2.1 GHz	3.70 GHz	140W	DDR4-2933

Intel® Xeon® Processor Gold 6230T	CascadeLake SP	QS1Y	B1	27.5MB	10.4 GT/s	20	2.1 GHz	3.90 GHz	125W	DDR4-2933
Intel® Xeon® Processor Gold 6240L	CascadeLake SP	QS26	B1	24.75MB	10.4 GT/s	18	2.6 GHz	3.90 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6238L	CascadeLake SP	QS28	B1	30.25MB	10.4 GT/s	22	2.1 GHz	3.70 GHz	140W	DDR4-2933
Intel® Xeon® Processor Bronze 3204	CascadeLake SP	QPJK	R0	8.25MB	9.6 GT/s	6	1.90 GHz	1.90 GHz	85W	DDR4-2133
CascadeLake refresh - Intel® Xeon® Processor Scalable Family										
Intel® Xeon® Processor Gold 6250	CascadeLake refresh	SRGTR	B1	35.75MB	10.4 GT/s	8	3.9 GHz	4.5 GHz	185W	DDR4-2933
Intel® Xeon® Processor Gold 6258R	CascadeLake refresh	SRGFZ	B1	38.50MB	10.4 GT/s	28	2.7GHz	4.0 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6248R	CascadeLake refresh	SRGZG	B1	35.75MB	10.4 GT/s	24	3.0 GHz	4.0 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6246R	CascadeLake refresh	SRGZL	B1	35.75MB	10.4 GT/s	16	3.4 GHz	4.1 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6242R	CascadeLake refresh	SRGZJ	B1	35.75MB	10.4 GT/s	20	3.1 GHz	4.1 GHz	205W	DDR4-2933
Intel® Xeon® Processor Gold 6240R	CascadeLake refresh	SRGZ8	B1	35.75MB	10.4 GT/s	24	2.4 GHz	4.0 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 6238R	CascadeLake refresh	SRGZ9	B1	38.50MB	10.4 GT/s	28	2.2 GHz	4.0 GHz	165W	DDR4-2933
Intel® Xeon® Processor Gold 6230R	CascadeLake refresh	SRGZA	B1	35.75MB	10.4 GT/s	26	2.1 GHz	4.0 GHz	150W	DDR4-2933
Intel® Xeon® Processor Gold 6226R	CascadeLake refresh	SRGZC	B1	22MB	10.4 GT/s	16	2.9 GHz	3.9 GHz	150W	DDR4-2933
Intel® Xeon® Processor Silver 4215R	CascadeLake refresh	SRGZE	B1	11MB	10.4 GT/s	8	3.2 GHz	4.0 GHz	130W	DDR4-2400
Intel® Xeon® Processor Gold 5220R	CascadeLake refresh	SRGZP	B1	35.75MB	10.4 GT/s	24	2.2 GHz	4.0 GHz	150W	DDR4-2666
Intel® Xeon® Processor Gold 5218R	CascadeLake refresh	SRGZ7	B1	27.50MB	10.4 GT/s	20	2.1 GHz	4.0 GHz	125W	DDR4-2666
Intel® Xeon® Processor Silver 4214R	CascadeLake refresh	QSKT	L1	16.5MB	9.6 GT/s	12	2.4 GHz	3.5 GHz	100W	DDR4-2400
Intel® Xeon® Processor Silver 4210R	CascadeLake refresh	QSL1	R1	13.75MB	9.6 GT/s	10	2.4 GHz	3.2 GHz	100W	DDR4-2400
Intel® Xeon® Processor Bronze 3206R	CascadeLake refresh	QSL2	R1	11MB	9.6 GT/s	8	1.9 GHz	1.9 GHz	85W	DDR4-2133
Montage Jintide® Processor Scalable Family										
Montage Jintide® C24601	Jintide	SREUN	H0	33MB	10.4 GT/s	24	2.1 GHz	3.7 GHz	150W	DDR4
Montage Jintide® C10201	Jintide	SREUK	H0	13.75MB	9.6 GT/s	10	2.2 GHz	3.0 GHz	85W	DDR4
Montage Jintide® C08101	Jintide	SREUL	H0	11MB	9.6 GT/s	8	2.1 GHz	3.0 GHz	85W	DDR4
Montage Jintide® C16401	Jintide	SREUM	H0	22MB	10.4 GT/s	16	2.1 GHz	3.7 GHz	125W	DDR4
Montage Jintide® C12301	Jintide	SREUH	H0	16.5MB	10.4 GT/s	12	2.3 GHz	3.2 GHz	105W	DDR4
Montage Jintide® C14501	Jintide	SREUJ	H0	19.25MB	10.4 GT/s	14	2.2 GHz	3.2 GHz	105W	DDR4
Memory										
Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins
RDIMM										
M4R0-BGS3GCSJ	DDR4	INNODISK	32GB	Samsung	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin
M393A2K43BB1-CTD6Q	DDR4	Samsung	16GB	Samsung	2R X8	1.2V	2666MHz	ECC Registered	19	288-pin
M393A2K40CB2-CTD6Q	DDR4	Samsung	16GB	Samsung-Montage	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A2K40BB2-CTD	DDR4	Samsung	16GB	Samsung	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A4K40BB2-CTD	DDR4	Samsung	32GB	Samsung	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A8K40B22-CWD6Q	DDR4	Samsung	64GB	Samsung	2S2Rx4	1.2v	2666MHz	ECC Registered	17	288-pin
M393A4K40CB2-CTD7Q	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA9ASF1G72PZ-2G6D1QI	DDR4	Micron	8GB	Micron	1Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266-2G6E1.001	DDR4	CRUCIAL	16GB	Micron-Montage	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6E1SG	DDR4	Micron	16GB	Micron-Montage	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6E1QG	DDR4	Micron	16GB	Micron-Montage	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266.18FD1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266.2G6D1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6D1	DDR4	Micron	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.36FD1	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266-2G6D1.001	DDR4	Crucial	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266-2G6D1	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin

MTA36ASF4G72PZ.2G6D1	DDR4	Micron	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266-.2G6D1	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.2G6H1.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD4266-2G6E1.001	DDR4	Crucial	16GB	Micron	2Rx4	1.2V	2666MHz	ECC Registered	19	288-pin
MTA36ASF2G72PZ-2G6E1	DDR4	Micron	16GB	Micron	2Rx4	1.2V	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266.18FE1	DDR4	Crucial	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT8G4RFS8266.9FD1	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.2G6E1.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.36FE1	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ-2G6E1	DDR4	Micron	32GB	Micron	2Rx4	1.2V	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR4N-VKT3	DDR4	SKhynix	16GB	Skhynix-Montage	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR8N-VKT3	DDR4	SKhynix	16GB	Skhynix-Montage	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR8N-VKTF	DDR4	SKhynix	16GB	Skhynix-IDT	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
HMA84GR7AFR4N-VKT3	DDR4	SKhynix	32GB	Skhynix-Montage	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMAA8GR7A2R4N-VNT3	DDR4	SKhynix	64GB	Skhynix	2S2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RD4/32HAI	DDR4	Kingston	32GB	Skhynix-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RS4/16HAI	DDR4	Kingston	16GB	Skhynix-IDT	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RS8/8HAI	DDR4	Kingston	8GB	Skhynix-IDT	1Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
M393A2K40CB2-CTD6Q	DDR4	Samsung	16GB	Samsung-Montage	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT8G4RFD8266.18FE1	DDR4	Crucial	8GB	Micron	2R X8	1.2v	2666MHz	ECC Registered	19	288-pin
CT8G4RFD8266-2G6E1	DDR4	Crucial	8GB	Micron	2R X8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF1G72PDZ-2G6E1RG	DDR4	Micron	8GB	Micron	2R X8	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR4N-VKTF	DDR4	SKhynix	16GB	Skhynix-IDT	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266-2G6H1.001	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6H1QG	DDR4	Micron	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFS4266.18FD1	DDR4	CRUCIAL	16GB	Micron	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PZ-2G6D1QI	DDR4	Micron	16GB	Micron	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266-2G6H1.001	DDR4	Crucial	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ-2G6H1QG	DDR4	Micron	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A2K40CB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A2K43CB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
M393A4K40CB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT8G4RFS8293.9FE1	DDR4	CRUCIAL	8GB	Micron	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT8G4RFS8293-2G9E1.001	DDR4	CRUCIAL	8GB	Micron	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF1G72PZ.2G9E1VG	DDR4	Micron	8GB	Micron-IDT	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF1G72PZ.2G9E1UG	DDR4	Micron	8GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF1G72PZ.2G9E1TI	DDR4	Micron	8GB	Micron-Montage	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293.18FE1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293-2G9E1.001	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ.2G9E1UG	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ.2G9E1VG	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFS4293.18FE1	DDR4	CRUCIAL	16GB	Micron	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFS4293-2G9E1.001	DDR4	CRUCIAL	16GB	Micron	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PZ.2G9E1TK	DDR4	Micron	16GB	Micron-Montage	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PZ.2G9E1VG	DDR4	Micron	16GB	Micron-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293-2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin

CT32G4RFD4293.36FE2	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2VG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2UG	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA81GR7CJR8N-WM TG	DDR4	SKhynix	8GB	SKhynix-IDT	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
HMA82GR7CJR8N-WM T4	DDR4	SKhynix	16GB	SKhynix-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
HMA84GR7CJR4N-WM TG	DDR4	SKhynix	32GB	SKhynix-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD8/16MEI	DDR4	Kingston	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32MEI	DDR4	Kingston	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
NT16GA72D8PBX3P-IX	DDR4	Nanya	16GB	Nanya-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
NT32GA72D4NBX3P-IX	DDR4	Nanya	32GB	Nanya-Montage or IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A2K40DB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A4K40DB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ-2G9J3VI	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ-2G9J3TI	DDR4	Micron	16GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32HDR	DDR4	Kingston	32GB	SKhynix-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A2K43DB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ-2G9J3TI	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD8/16HDR	DDR4	Kingston	16GB	SKhynix-Rambus	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
<b>RDIMM (Only support CascadeLake)</b>										
M393A8G40MB2-CTD7Q	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A8G40MB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMAA8GR7MJR4N-WM T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT64G4RFD4293-2G9B1.001	DDR4	CRUCIAL	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9B1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT64G4RFD4293-2G9B2.001	DDR4	Crucial	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9B2VI	DDR4	Crucial	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF8G72PZ-2G9E1TI	DDR4	Micron	64GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A8G40AB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF2G72PZ-2G9E1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF4G72PDZ-2G9E1TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
<b>LRDIMM</b>										
M386A8K40CM2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMAA8GL7AMR4N-VKTF	DDR4	SKhynix	64GB	SKhynix	4DRx4	1.2v	2666MHz	ECC Registered	17	288-pin
CT32G4LFD424A-2G3B1	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2400MHz	ECC Registered	17	288-pin
M386A8K40BM2-CTD7Q	DDR4	Samsung	64GB	Samsung	4DRx4	1.2v	2666MHz	ECC Registered	17	288-pin
<b>Apache Pass DIMM</b>										
Product Name	Memory Type	Module Supplier	Size	TDP	Pins	Note				
NMA1XBD128G2SE 3DXP PAK 1	Apache Pass	Intel	128GB	15W	288-pin					
NMA1XBD256GQS QUXD	Apache Pass	Intel	256GB	18W	288-pin					
NMA1XBD512GQSE 3DXP PAK	Apache Pass	Intel	512GB	18W	288-pin					
<b>Seagate HDD (SAS HDD may need RAID Card support)</b>										
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
<b>Seagate Enterprise Capacity 2.5 HDD</b>										
ST1000NX0303	SATA	Seagate	2.5"	4Kn	1TB	6Gb/s	EXOS 7E2000	128MB	7200	N/A
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A
ST2000NX0403	SATA	Seagate	2.5"	512n	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A

ST2000NX0253	SATA	Seagate	2.5"	512E	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A
<b>SATA/SAS SSD</b>										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note		
SATA/SAS SSD										
SSDSC2KB480G701 (Series DC S4500)	SSD	Intel	2.5"	SATA	480GB	6Gb/s				
SSDSC2KB960G701 (Series DC S4500)	SSD	Intel	2.5"	SATA	960GB	6Gb/s				
SSDSC2KG019T701 (Series DC S4600)	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s				
MZ7KM1T9HJMJP-0005 (SM863a)	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s				
Micron 5100 MTFDDAK960TBY-1AR1ZABYY	SSD	Micron	2.5"	SATA	960GB	6Gb/s				
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s				
XA480LE10063	SSD	Seagate	2.5"	SATA	480GB	6Gb/s				
MZ-7LH1T9NE 883 DCT Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s				
SRE100-960G00210000	SSD	Phison	2.5"	SATA	960GB	6Gb/s				
SRE100-480G00210000	SSD	Phison	2.5"	SATA	480GB	6Gb/s				
SEDC500M/3840G DC500M Series	SSD	Kingston	2.5"	SATA	3.84TB	6Gb/s				
SEDC500M/1920G DC500M Series	SSD	Kingston	2.5"	SATA	1.92TB	6Gb/s				
SEDC500M/960G DC500M Series	SSD	Kingston	2.5"	SATA	960GB	6Gb/s				
SEDC500M/480G DC500M Series	SSD	Kingston	2.5"	SATA	480GB	6Gb/s				
ASR1100SS-240GT-B	SSD	Adata	2.5"	SATA	240GB	6Gb/s				
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s				
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s				
<b>PCIe SSD</b>										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
PCIe SSD										
SSDPEDKX040T701 P4500 Series PCIe Gen3 x4 4TB	PCIe	Intel	PCI-E 3.0	PCIe(NVMe)	4TB	-				
Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	-				
Samsung PM1725a MZPLL1T6HEHP PCIe Gen3 x8 1.6TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	1.6TB	-				
Techman XC100C5C-1600 1600GB	PCIe	Techman	PCI-E 3.0	PCIe(NVMe)	1.6TB	-				
<b>U.2</b>										
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note			
U.2 (VROC support)										
SSDPE2KE032T701 P4600 Series	U.2	Intel	2.5"	SFF8639(NVMe)	3.2TB	-				
SSDPE2KX010T701 P4500 Series	U.2	Intel	2.5"	SFF8639(NVMe)	1TB	-				
SSDPE7KX010T701 P4501 Series	U.2	Intel	2.5"	SFF8639(NVMe)	1TB	-				
U.2										
SSDPE2KE032T701 P4600 Series	U.2	Intel	2.5"	SFF8639(NVMe)	3.2TB	-				
SSDPE2KX010T701 P4500 Series	U.2	Intel	2.5"	SFF8639(NVMe)	1TB	-				
SSDPE7KX010T701 P4501 Series	U.2	Intel	2.5"	SFF8639(NVMe)	1TB	-				
MZWLL3T2HMJP PM1725a Series	U.2	Samsung	2.5"	SFF8639(NVMe)	3.2TB	-				
MZ-QLB1T9N 983 DCT Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	-				
MZQLW1T9HJMJP PM963 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	-				
XC100E55	U.2	Techman	2.5"	SFF8639(NVMe)	1.6TB	-				
KCD51LUG960G CD5 Series	U.2	Toshiba	2.5"	SFF8639(NVMe)	960GB	-				
NS1951UF13T8 Netlist N1951 D2 Series	U.2	Netlist	2.5"	SFF8639(NVMe)	3.84TB	Gen3 x4				
NS1551U711T9 Netlist N1551 D2 Series	U.2	Netlist	2.5"	SFF8639(NVMe)	1.92TB	Gen3 x4				
PS5012-E12	U.2	PHISON	2.5"	SFF8639(NVMe)	1.92TB	Gen3 x4				
<b>GPGPU Card (GPGPU server only)</b>										
Product Name	Processor Cores	Memory Bandwidth (GB/sec)	VRAM	OpenGL	Microsoft DirectX	Graphics Card Power (W)	NVIDIA SLI / AMD CrossFire Ready	N		
NVIDIA Tesla ( <a href="http://www.nvidia.com/object/tesla-supercomputing-solutions.html">http://www.nvidia.com/object/tesla-supercomputing-solutions.html</a> )										
SXM2 V100 (Volta)	5120	900 GB/s	16GB			300 W	(Maximum support 8pcs GPGPU)			
<b>RAID Cards</b>										
Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note		
GIGABYTE										

CRA3338	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 xMini-SAS HD for 8x SAS	-	-	Up to 12Gb/s per port		
CSA3548	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	-	-	8	2 x external Mini-SAS HD SFF8644	12Gb/s ports		
CRA4448	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports		
CSA4648	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	Up to 12Gb/s per port		
CRA4648	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	Up to 12Gb/s per port		
LSI RAID Controller Cards									
MegaRAID SAS 9341-8i	LSISAS3008 PowerPC 476 controller @ 1.2 GHz	x8 lane PCI Express® 3.0	8	2 x HD Mini-SAS SFF8643 (Horizontal mount)	-	-	Up to 12Gb/s per port		
MegaRAID SAS 9380-8e	LSISAS3108 dual core RAID on Chip (ROC)	x8 lane PCI Express® 3.0	-	-	8	2 x Mini-SAS HD SFF8644	Up to 12Gb/s per port		
MegaRAID SAS 9361-8i	LSISAS3108 dual core RAID on Chip (ROC)	x8 lane PCI Express® 3.0	8	2 x HD Mini-SAS SFF8643 (Horizontal mount)	-	-	Up to 12Gb/s per port		
MegaRAID SAS 9380-8e	LSISAS3108 dual core RAID on Chip (ROC)	x8 lane PCI Express® 3.0	-	-	8	2 x Mini-SAS HD SFF8644	Up to 12Gb/s per port		
MegaRAID SAS 9460-8i	SAS3508 dual-core RAID-on-Chip (ROC)	x8 lane PCI Express® 3.1	8	2 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0		
MegaRAID SAS 9460-16i	SAS3516 dual-core RAID-on-Chip (ROC)	x8 lane PCI Express® 3.1	8	4 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0		
LSI Host Bus Adapters (HBAs)									
LSI SAS 9400-8i	SAS3408	x8 lane PCI Express® 3.1	8	2 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0		
LSI SAS 9300-8i	SAS3008	x8 lane PCI Express® 3.0	8	2 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0		
LSI SAS 9400-16i	SAS3416	x8 lane PCI Express® 3.1	16	4 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0		
PMC RAID Cards (Adaptec)									
Adaptec ASR-8885Q		8-lane PCIe Gen3	8	2 x internal mini SAS HD (SFF-8643),	8	2 x external mini SAS HD (SFF-8644)	12Gb/s per port		
Microsemi Host Bus Adapters									
HBA 1100-24i	12 Gbps IOC	8-Lane PCIe Gen3	24	6 x Internal, SFF-8643	-	-	12 Gb/s per port		
HBA 1100-16i	12 Gbps IOC	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	-	12 Gb/s per port		
SmartHBA 2100-8i	12 Gbps IOC	8-Lane PCIe Gen3	8	2 x Internal, SFF-8643	-	-	12 Gb/s per port		
Microsemi RAID Cards									
SmartRAID 3154-8i	SmartROC 3100	8-Lane PCIe Gen3	8	2 x Internal, SFF-8643	-	-	12 Gb/s per port		
SmartRAID 3154-16i	SmartROC 3100	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	-	12 Gb/s per port		
SmartRAID 3154-16i	SmartROC 3100	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	-	12 Gb/s per port		
LAN Cards									
Product Name	Connector	System Interface Type	# of Ports	System Interface Type	Data rate	Note			
GIGABYTE LAN Cards									
CLN4C42	SFP28	PCIe Gen3 x16	Dual		25Gb/s per port	Mellanox ConnectX-4			
CLNO222	RJ-45	PCIe Gen3 x4	Dual		10Gb/s per port	INTEL X550-AT2			
CLNO832	SFP+	OCPC PCIe x8 Gen2 x8	Dual		10Gb/s per port	INTEL 82599ES			
CLN4832	SFP+	PCIe x8 Gen2 x8	Dual		10Gb/s per port	INTEL 82599ES			
CLN4752	QSFP+	PCIe x8 Gen3 x8	Dual		40Gb/s per port	INTEL XL710			
CLN4831	SFP+	PCIe x8 Gen2 x8	Single		10Gb/s per port	INTEL 82599EN			
CLN4751	QSFP+	PCIe x8 Gen3 x8	Single		40Gb/s per port	INTEL XL710			
CLN4121	RJ-45	PCIe x8 Gen3 x4	Single		10Gb/s per port	INTEL X550-AT			
CLN4222	RJ-45	PCIe x8 Gen3 x4	Dual		10Gb/s per port	INTEL X550-AT2			
CLN4314	RJ-45	PCIe x4 Gen2 x4	Quad		1Gb/s per port	INTEL i350-AM4			
CLN4312	RJ-45	PCIe x4 Gen2 x4	Dual		1Gb/s per port	INTEL i350-AM2			
CLN4M32	SFP28	PCIe Gen3 x16	Dual		10Gb/s per port	Mellanox ConnectX-4			
GC-MNXE21	SFP+	PCIe x8 Gen3 x8	Dual		10Gb/s per port	Mellanox ConnectX-3			
Intel_25GbE									

Intel® Ethernet Network Adapter XXV710-DA2 for OCP	SFP28	OCP PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port	Support OCP 2.0 type1			
Intel_40GbE								
Intel® Ethernet Server Adapter XL710-QDA2 for OCP	QSFP+	OCP PCIe v3.0 (8.0 GT/s)	Dual	40Gb/s per port	Support OCP 2.0			
Mellanox VPI Adapter Cards								
MCX654106A-HCAT	QSFP56	PCIe 3.0 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)			
MCX653106A-ECAT	QSFP56	PCIe 4.0 x16	Dual	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)			
MCX653105A-ECAT	QSFP56	PCIe 4.0 x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)			
Mellanox ConnectX								
MCX516A-GCAT	QSFP28	PCIe Gen3 x16	Dual	50Gb/s per port	Mellanox ConnectX-5 EN			
MCX516A-CCAT	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN			
MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN			
MCX4431A-GCAN	QSFP28	OCP PCIe Gen3 x8	Single	50Gb/s per port	Mellanox ConnectX-4 Lx EN / Support OCP 2.0			
MCX4421A-ACQN	SFP28	OCP PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN / Support OCP 2.0			
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN			
Qlogic LAN Adapters								
QL45611HLCU	QSFP28	PCIe x16 Gen3 x16	Single	100Gb/s per port				
QL3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port				
QL45412HLCU-CK	QSFP+	PCIe x16 Gen3 x16	Dual	40Gb/s per port				
QL41132HLCU-SP	SFP28	PCIe x8 Gen3 x8	Dual	10Gb/s per port				
QL41112HLRJ	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port				
Broadcom (Emulex) Ethernet Networking Adapters								
MSIP-REM-BCM-957414M4142	SFP+	OCP PCIe 3.0 x8	Dual	25Gb/s per port	with RDMA / Support OCP 2.0 type1			
OCe14102-NX	SFP+	PCIe 3.0 x8	Dual	10Gb/s per port				
Intel Omni-Path Host Fabric								
Intel® Omni-Path Host Fabric Adapters 100HFA016LS	QSFP28	PCIe v3.0 x16	Single	100Gb/s per port				