

"H23N-R40" Qualification Vender List Ver:2.0

Intel CPU											
Product Name	Code Name	Q-Spec	Stepping	Cache	System Bus	# of Cores	Processor Base Frequency	Max Turbo Frequency	TDP	Memory Types	Processor Graphics
Intel® Xeon® Processor E5-2600v3 series											
Intel® Xeon® Processor E5-2695v3 (35M Cache, 2.30 GHz)	Haswell-EP	Q GN4	C1	35 MB	9.6 GT/s	14	2.3 GHz	3.3 GHz	120 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2690v3 (30M Cache, 2.60 GHz)	Haswell-EP	Q GNY	M1	30 MB	9.6 GT/s	12	2.6 GHz	3.5 GHz	135 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2683v3 (35M Cache, 2.00 GHz)	Haswell-EP	Q GN5	C1	35 MB	9.6 GT/s	14	2 GHz	3 GHz	120 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2680v3 (30M Cache, 2.50 GHz)	Haswell-EP	Q GNZ	M1	30 MB	9.6 GT/s	12	2.5 GHz	3.3 GHz	120 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2670v3 (30M Cache, 2.30 GHz)	Haswell-EP	Q GP2	M1	30 MB	9.6 GT/s	12	2.3 GHz	3.1 GHz	120 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2667v3 (20M Cache, 3.20 GHz)	Haswell-EP	Q GSQ	R2	20 MB	9.6 GT/s	8	3.2 GHz	3.6 GHz	135 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2660v3 (25M Cache, 2.60 GHz)	Haswell-EP	Q GP1	M1	25 MB	9.6 GT/s	10	2.6 GHz	3.3 GHz	105 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2650Lv3 (30M Cache, 1.80 GHz)	Haswell-EP	Q GPB	M1	30 MB	9.6 GT/s	12	1.8 GHz	2.5 GHz	65 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2650v3 (25M Cache, 2.30 GHz)	Haswell-EP	Q GPL	M1	25 MB	9.6 GT/s	10	2.3 GHz	3 GHz	105 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2643v3 (20M Cache, 3.40 GHz)	Haswell-EP	Q GSR	R2	20 MB	9.6 GT/s	6	3.4 GHz	3.7 GHz	135 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2640v3 (20M Cache, 2.60 GHz)	Haswell-EP	Q GSF	R2	20 MB	8 GT/s	8	2.6 GHz	3.4 GHz	90 W	DDR4-1600/1866	None
Intel® Xeon® Processor E5-2637v3 (15M Cache, 3.50 GHz)	Haswell-EP	Q GSP	R2	15 MB	9.6 GT/s	4	3.5 GHz	3.7 GHz	135 W	DDR4-1600/1866/2133	None
Intel® Xeon® Processor E5-2630Lv3 (20M Cache, 1.80 GHz)	Haswell-EP	Q GST	R2	20 MB	8 GT/s	8	1.8 GHz	2.9 GHz	55 W	DDR4-1600/1866	None
Intel® Xeon® Processor E5-2630v3 (20M Cache, 2.40 GHz)	Haswell-EP	Q GZX	R2	20 MB	8 GT/s	8	2.4 GHz	3.2 GHz	85 W	DDR4-1600/1866	None
Intel® Xeon® Processor E5-2623v3 (10M Cache, 3.00 GHz)	Haswell-EP	Q GSS	R2	10 MB	8 GT/s	4	3 GHz	3.5 GHz	105 W	DDR4-1600/1866	None
Intel® Xeon® Processor E5-2620v3 (15M Cache, 2.40 GHz)	Haswell-EP	Q GSH	R2	15 MB	8 GT/s	6	2.4 GHz	3.2 GHz	85 W	DDR4-1600/1866	None
Intel® Xeon® Processor E5-2609v3 (15M Cache, 1.90 GHz)	Haswell-EP	Q GPN	M1	15 MB	6.4 GT/s	6	1.9 GHz	None	85 W	DDR4-1600	None
Intel® Xeon® Processor E5-2603v3 (15M Cache, 1.60 GHz)	Haswell-EP	Q GSK	R2	15 MB	6.4 GT/s	6	1.6 GHz	None	85 W	DDR4-1600	None
Intel® Xeon® Processor E5-2600v4 series											
Intel® Xeon® Processor E5-2603v4	Broadwell-EP	Q KEV	R0			6	1.7 GHz		85W		
Intel® Xeon® Processor E5-2608Lv4	Broadwell-EP	Q KF4	R0			8	1.6 GHz		50W		
Intel® Xeon® Processor E5-2609v4	Broadwell-EP	Q KEW	R0			8	1.7 GHz		85W		
Intel® Xeon® Processor E5-2618Lv4	Broadwell-EP	Q KF9	R0			10	2.2 GHz		75W		
Intel® Xeon® Processor E5-2620v4	Broadwell-EP	Q KES	R0			8	2.1 GHz		85W		
Intel® Xeon® Processor E5-2623v4	Broadwell-EP	Q KFD	R0			4	2.6 GHz		85W		
Intel® Xeon® Processor E5-2628Lv4	Broadwell-EP	Q K9B	M0			12	1.9 GHz		75W		
Intel® Xeon® Processor E5-2630Lv4	Broadwell-EP	Q KEX	R0			10	1.8 GHz		55W		
Intel® Xeon® Processor E5-2630v4	Broadwell-EP	Q KET	R0			10	2.2 GHz		85W		

Intel® Xeon® Processor E5-2637v4	Broadwell-EP	Q KEY	R0			4	3.5 GHz		135W	
Intel® Xeon® Processor E5-2640v4	Broadwell-EP	Q KEU	R0			10	2.4 GHz		90W	
Intel® Xeon® Processor E5-2643 v4	Broadwell-EP	Q KEZ	R0			6	3.4 GHz		135W	
Intel® Xeon® Processor E5-2648Lv4	Broadwell-EP	Q K9C	M0			14	1.8 GHz		75W	
Intel® Xeon® Processor E5-2650Lv4	Broadwell-EP	Q K93	M0			14	1.7 GHz		65W	
Intel® Xeon® Processor E5-2650v4	Broadwell-EP	Q K8Y	M0			12	2.2 GHz		105W	
Intel® Xeon® Processor E5-2658v4	Broadwell-EP	Q K9A	M0			14	2.3 GHz		105W	
Intel® Xeon® Processor E5-2660v4	Broadwell-EP	Q K8Z	M0			14	2.0 GHz		105W	
Intel® Xeon® Processor E5-2667 v4	Broadwell-EP	Q KF0	R0			8	3.2 GHz		135W	
Intel® Xeon® Processor E5-2680v4	Broadwell-EP	Q K92	M0			14	2.4 GHz		120W	
Intel® Xeon® Processor E5-2683v4	Broadwell-EP	Q K7K	B0			16	2.1 GHz		120W	
Intel® Xeon® Processor E5-2690v4	Broadwell-EP	Q K8X	M0			14	2.6 GHz		135W	
Intel® Xeon® Processor E5-2695v4	Broadwell-EP	Q K3E	B0			18	2.1 GHz		120W	
Intel® Xeon® Processor E5-2698v4	Broadwell-EP	Q K7M	B0			20	2.2 GHz		135W	

Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins	Note
--------------	-------------	-----------------	------	------------	------	---------	--------------------	------------------	-------------	------	------

RDIMM

MTA9ASF51272PZ-2G1A2HG	DDR4	Micron	4GB	Micron	1R	1.2v	2133MHz	ECC Registered	15	288-pin	Only test Micron DIMM
CT4G4RFS8213.9FA2	DDR4	CRUCIAL	4GB	Micron	1R	1.2v	2133MHz	ECC Registered	15	288-pin	same as above Micron DIMM
MTA18ASF1G72PDZ-2G1A1	DDR4	Micron	8GB	Micron	2R	1.2v	2133MHz	ECC Registered	15	288-pin	Only test Micron DIMM
CT8G4RFD8213.18FA1	DDR4	CRUCIAL	8GB	Micron	2R	1.2v	2133MHz	ECC Registered	15	288-pin	same as above Micron DIMM
M393A2G40DB0-CPB	DDR4	SAMSUNG	16GB	Samsung	2R	1.2v	2133MHz	ECC Registered	15	288-pin	Only test Samsung DIMM
M4R0-AGSQGCRG	DDR4	INNODISK	16GB	Samsung	2R	1.2v	2133MHz	ECC Registered	15	288-pin	same as above Samsung DIMM
TS2GHR72V1Z	DDR4	Transcend	16GB	Samsung	2R	1.2v	2133MHz	ECC Registered	15	288-pin	same as above Samsung DIMM
75.DA3G0.G000B	DDR4	Apacer	16GB	Samsung	2R	1.2v	2133MHz	ECC Registered	15	288-pin	same as above Samsung DIMM
M393A1G40DB0-CPB	DDR4	SAMSUNG	8GB	Samsung	1R	1.2v	2133MHz	ECC Registered	15	288-pin	Only test Samsung DIMM
M4R0-8GSQECRG	DDR4	INNODISK	8GB	Samsung	1R	1.2v	2133MHz	ECC Registered	15	288-pin	same as above Samsung DIMM
KVR21R15S4/8	DDR4	Kingston	8GB	SKhynix	1R	1.2v	2133MHz	ECC Registered	15	288-pin	
T4C8R10S61159A	DDR4	TeamGroup	4GB			1.2v	2133MHz	ECC Registered	15	288-pin	
T4D6R10S62000	DDR4	TeamGroup	8GB	Samsung	1R X4	1.2v	2133MHz	ECC Registered	15	288-pin	
T4E1R10S62000	DDR4	TeamGroup	16GB	Samsung	2R X4	1.2v	2133MHz	ECC Registered	15	288-pin	
HMA42GR7MFR4N-TF TD	DDR4	HYNIX	16GB	SKhynix	2R	1.2v	2133MHz	ECC Registered	15	288-pin	
HMA451R7MFR8N-TF	DDR4	SK Hynix	4GB	Samsung	1R	1.2v	2133MHz	ECC Registered	15	288-pin	

CT16G4RFD824A.18FA1	DDR4	Crucial	16GB	Micron	2R X8	1.2v	2400MHz	ECC Registered	17	288-pin	
CT32G4RFD424A.36FA1	DDR4	Crucial	32GB	Micron	2R	1.2v	2400MHz	ECC Registered	17	288-pin	
CT16G4RFD824A.18FB1	DDR4	Crucial	16GB	Micron	2R X8	1.2v	2400MHz	ECC Registered	17	288-pin	
CT32G4RFD424A.36FB1	DDR4	Crucial	32GB	Micron	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	
CT8G4RFS424A.18FB1	DDR4	Crucial	8GB	Micron	1RX4	1.2v	2400MHz	ECC Registered	17	288-pin	
CT16G4RFD424A.36FB1	DDR4	Crucial	16GB	Micron	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	
CT16G4RFS424A.18FB1	DDR4	Crucial	16GB	Micron	1RX4	1.2v	2400MHz	ECC Registered	17	288-pin	
M4R0-AGS3ECSJ	DDR4	INNODISK	16GB	Samsung	1R X4	1.2v	2400MHz	ECC Registered	17	288-pin	
M4R0-BGS3GCSJ	DDR4	INNODISK	32GB	Samsung	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	
M4R0-8GSQECSJ	DDR4	INNODISK	8GB	Samsung	1R X4	1.2v	2400MHz	ECC Registered	17	288-pin	
HMA81GR7AFR8N-UH	DDR4	SKhynix	8GB	SKhynix	1Rx8	1.2v	2400MHz	ECC Registered	17	288-pin	
HMA82GR7AFR8N-UHTD	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	2400MHz	ECC Registered	17	288-pin	
J4AGR1G8PGXC	DDR4	MBG-JBM	16GB	SKhynix	2Rx8	1.2v	2400MHz	ECC Registered	17	288-pin	
HMA84GR7AFR4N-UH	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	2400MHz	ECC Registered	17	288-pin	
HMA84GR7AFR4N-UHTD	DDR4	SKhynix	32GB	SKhynix	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	
J4AGR1G8PGXC	DDR4	MBG-JBM	32GB	SKhynix	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	
CT32G4RFD424A.36FB1	DDR4	Crucial	32GB	Micron	2R X4	1.2v	2400	ECC Registered	17	288-pin	
CT8G4RFS824A-2G3B1	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	2400MHz	ECC Registered	17	288-pin	same as above Micron DIMM
MTA9ASF1G72PZ-2G3B1MG	DDR4	Micron	8GB	Micron	1Rx8	1.2v	2400MHz	ECC Registered	17	288-pin	
TR416G24S417	DDR4	V-color	16GB		1Rx4	1.2v	2400MHz	ECC Registered		288-pin	
TR432G24D417	DDR4	V-color	32GB		2Rx4	1.2v	2400MHz	ECC Registered		288-pin	
M4R0-8GSSBCSJ	DDR4	Innodisk	8GB		2Rx8	1.2v	2400MHz	ECC Registered		288-pin	
CT32G4RFD424A.2G3B1	DDR4	Crucial	32GB	Micron	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	Just test this DIMM to cover
CT32G4RFD424A.36FB1	DDR4	Crucial	32GB	Micron	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	Same as above
MTA36ASF4G72PZ-2G3B1MG	DDR4	Micron	32GB	Micron	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	Same as above
LRDIMM											
Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins	Note
HMAA8GL7AMR4N-UHTE	DDR4	SKhynix	64GB	SKhynix	4DRx4	1.2v	2400MHz	ECC Unbuffer	17	288-pin	
M386A8K40BM1-CRC4Q M	DDR4	Samsung	64GB	Samsung	4DRx4	1.2v	2400MHz	ECC Unbuffer	17	288-pin	

CT32G4LFD424A.2G3B1	DDR4	Crucial	32GB	Micron	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	Just test this DIMM to cover
MTA36ASF4G72LZ-2G3B1MG	DDR4	Micron	32GB	Micron	2R X4	1.2v	2400MHz	ECC Registered	17	288-pin	Same as above
Seagate HDD (SAS HDD may need RAID Card support)											
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	FW
Seagate Enterprise Capacity 2.5 HDD											
ST9250610NS	SATA	Seagate	2.5"	N/A	250GB	6Gb/s	Constellation 2	64MB	7200	N/A	SN02
ST2000NX0253	SATA	Seagate	2.5"	N/A	2TB	6Gb/s	Constellation 2	128MB	7200	N/A	
ST1800MM0018	SAS	Seagate	2.5"	512E	1.8TB	12Gb/s	Performance	129MB	10000	N/A	E004
ST2000NX0403	SATA	Seagate	2.5"	512n	2TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A	
ST1000NX0423	SATA	Seagate	2.5"	512n	1TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A	
Workstation											
Toshiba HDD											
AL13SXB60EE	SAS	Toshiba	2.5"	N/A	600GB	12Gb/s	Performance	128MB	15000	N/A	O1O1
AL14SEB18EQ	SAS	Toshiba	2.5"	512e	1.8TB	12Gb/s	Performance	128MB	15000	N/A	
AL14SEB120N	SAS	Toshiba	2.5"	512N	1.2TB	12Gb/s	Performance	128MB	10000	N/A	O1O2
HGST HDD (SAS HDD may need RAID Card support)											
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	FW
Enterprise Hard Drives											
HUC101212CSS600	SAS	HGST	2.5"	N/A	1.2TB	6Gb/s	Ultrastar C10K1200	64MB	10K	N/A	A35A
HUC109090CSS600	SAS	HGST	2.5"	N/A	900GB	6Gb/s	Ultrastar C10K900	64MB	10K	N/A	A440
SSD											
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note			
SDLF1CRR-019T-1HA1	SSD	SanDisk	2.5"	SATA	1.92TB	6Gb/s	ZR04				
M.2											
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note			
M.2											
PX-G128M6e-2280	M.2	PLEXTOR	-	PCI-E	128GB	-					
MZHPV256HDGL-00000	M.2	Samsung	-	PCIe 3.0 x4	256GB						
MZHPV512HDGL-00000	M.2	Samsung	-	PCIe(AHCI)	512GB						
MZVPV128HDGM	M.2	Samsung	2280	PCIe(NVMe)	128GB						
MZVPV512HDGL	M.2	Samsung	2280	PCIe(NVMe)	512GB						
U.2											
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note			
Hard drive											
Techman XC100E55	SSD	Techman	NVMe	2.5"	1.6TB						
SSDPE2MD400G4	SSD	Intel	NVMe	2.5"	400GB	-					
SSDPE2MD800G4	SSD	Intel	NVMe	2.5"	800GB	-					

Hard Drive SATA DOM										
Product Name	Type	Vendor	Capacity	Flash Type	Max. Channels	FW	Max. Power Consumption	Note		
DESSL-64GM41BC1SCB	Vertical	INNODISK	64GB	MLC	1	0.734W (5V x 146.9mA)				
DESSL-64GM41BCADCB	Vertical	INNODISK	64GB	MLC	2	0.815W (5V x 163mA)				
DESSH-64GM41BC1SCB	Horizontal	INNODISK	64GB	MLC						
RAID Cards										
Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	FW	Note	
GIGABYTE Storage Cards										
CRA3338	LSI SAS 3208	PCIe- x8 Gen3 x8 bus	2	Mini-SAS for 8x SAS	-	-	12Gb/s ports			
CSA6548	LSI SAS 3008	Mezzanine Gen3 x8 bus	-	-	2	*2 x external Mini-SAS HD SFF8644	12Gb/s ports			
CSA6648	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	2	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports			
GC-MSLZ2	LSI SAS 2008	PCIe- x8 Gen2 x8 bus	2	Mini-SAS for 8x SAS	-	-	6Gb/s ports			
CRA4548	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	4	1 x internal Mini-SAS HD SFF8643	4	1 x external Mini-SAS HD SFF8644	12Gb/s ports			
CSA3548	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	-	-	8	2 x external Mini-SAS HD SFF8644	12Gb/s ports			
CRA4448	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports			
RA200-8	LSI SAS 2308	PCIe- x8 Gen3 x8 bus	8	2 x Mini-SAS for 8x SAS	-	-	6Gb/s ports			
LSI Host Bus Adapters (HBAs)										
LSI SAS 9300-8e	LSI SAS3008	x8 lane PCI Express®	-	-	8	2 mini-SAS HD	12Gb/s SAS 3.0 compliant			
LAN Cards										

Product Name	Connector	System Interface Type	# of Ports	System Interface Type	Data rate	Note
GIGABYTE LAN Cards						
GC-MNXE21	SFP+	PCIe x8 Gen3 x8	Dual	10Gb/s per port		Mellanox ConnectX-3
GC-MLIZS	SFP+	Mezzanine Gen2 x8	Dual	10Gb/s per port		INTEL 82599
GC-MLIZ	RJ-45	Mezzanine Gen2 x8	Dual	10Gb/s per port		INTEL X540
GC-MNXE2	QSFP+	PCIe x8 Gen3 x8	Dual	56Gb/s per port		Mellanox ConnectX-3
CLN4831	SFP+	PCIe x8 Gen2 x8	Single	10Gb/s per port		INTEL 82599EN
CLN4832	SFP+	PCIe x8 Gen2 x8	Dual	10Gb/s per port		INTEL 82599ES
CLN4522	RJ-45	PCIe x8 Gen2 x8	Dual	10Gb/s per port		INTEL X540
CLN4751	QSFP+	PCIe x8 Gen3 x8	Single	40Gb/s per port		INTEL XL710
CLN4752	QSFP+	PCIe x8 Gen3 x8	Dual	40Gb/s per port		INTEL XL710
CLN4312	RJ-45	PCIe x4 Gen2 x4	Dual	10Gb/s per port		INTEL i350-AM4
CLN4314	RJ-45	PCIe x4 Gen2 x4	Quad	10Gb/s per port		INTEL i350-AM4
GC-MNXE20	SFP+	PCIe x8 Gen3 x8	Dual	10Gb/s per port		Mellanox ConnectX-3
GC-MLIZS	SFP+	Mezzanine Gen2 x8	Dual	10Gb/s per port		INTEL 82599
CLN4832	SFP+	PCIe x8 Gen2 x8	Dual	10Gb/s per port		INTEL 82599ES
GC-MLBZ1	SFP+	PCIe x8 Gen2 x8	Dual	10Gb/s per port		Broadcom BCM57810S
CLN4831	SFP+	PCIe x8 Gen2 x8	Single	10Gb/s per port		INTEL 82599EN
Intel_GbE						
Intel® Ethernet Server Adapter I350-T4	RJ-45	PCIe v2.1 (5.0GT/s)	Quad	1Gb/s per port		
Intel_10GbE						
Intel® Ethernet Converged Network Adapter X520-DA2	SFP+	PCIe v2.0 (5.0GT/s)	Dual	10Gb/s per port		
Mellanox ConnectX®-3 VPI Adapter Cards						
MCX354A-FCBT	QSFP	PCIe 3.0	Dual	FDR and 40/56GbE		
Solarflare Onload Server Adapters						
SFN6122F	SFP+	5.0GT/s (Gen2)	Dual	10Gb/s per port		
Qlogic Fibre Channel Adapters						
QLE2562	Fibre Channe	PCIe x8 Gen2 x8	Dual	10/42Gbps auto-negotiation		
QLE3442-CU-CK	SFP+	PCIe x8 Gen3 x8	Dual	10Gb/s per port		
QLE3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port		
Emulex Ethernet Networking Adapters						
OCe14101-NX	SFP+	PCIe 3.0 x8	Single	10Gb/s per port		
OCe14102-NX	SFP+	PCIe 3.0 x8	Dual	10Gb/s per port		
Transceiver / AOC / DAC						
Product Name / Product Number	Speed	Form Factor	Length	Connector type	nominal optical wavelength (nm)	Note
Transceiver						
Formerica TAS-A1NH1-P11	10Gb	SFP+	N/A	LC	850	
UMEC PDGSFPPTLNS01	10Gb/1Gb	SFP+	N/A	LC	850	
FTLX8574D3BCL (Not support 1G)	10G	SFP+	N/A		850	
FTLX8574D3BCV (Support 1G)	10G	SFP+	N/A		850	
UMEC SFP+ 10G Transceiver PDGSFTSRL00	10Gb/1Gb	SFP+	N/A	LC	850	
Avago AFBR-709DMZ	10G/1G	SFP+	N/A	LC	850	
Direct Attach Copper (DAC)						
FCI 10110818-3030LF	10Gb	SFP+	3M	N/A	850	
FCI 10110818-3010LF	10Gb	SFP+	1M	N/A	850	

安富利 586710005	10Gb	SFP+	10M	N/A	850		
安富利 586710004	10Gb	SFP+	7M	N/A	850		
安富利 586710003	10Gb	SFP+	5M	N/A	850		
安富利 586710002	10Gb	SFP+	3M	N/A	850		
安富利 586710007	10Gb	SFP+	1M	N/A	850		
MOLEX 747524701	10Gb	SFP+	7M	N/A	850		
MOLEX 747524501	10Gb	SFP+	5M	N/A	850		
MOLEX 747521301	10Gb	SFP+	3M	N/A	850		
MOLEX 747521101	10Gb	SFP+	1M	N/A	850		
Active Optical Cables (AOC)							
Formerica TAS-A1NH8-XAE03	10Gb	SFP+	3M	N/A	850		
Avogo AFBR-7CER03Z	10Gb	SFP+	3M	N/A	850		
Avogo AFBR-7CER07Z	10Gb	SFP+	7M	N/A	850		
USB Device							
Product Name	Type	Vendor	Capacity	Note			
USB 3.0							
TOSHIBA CANVIO BASIC	HDD	Toshiba	500G				
EXTEK BYTECC-ME535U3	Blue-ray	Pioneer					
NU EBC113	Blue-ray	NU					
NU ESW863 8X SLIM	DVD	NU					
SILICON POWER BLAZE B10 16GB	Flash	SILICON	16G				
ADATA SUPERIOR S102 PRO 8GB	Flash	ADATA	8G				
S1-DS3 TURBO	Device	CyberSLIM					
NA317U+	Device	ineo					