

"R121-X30". Qualification Vender List Ver:2.0

Intel CPU											
Product Name	Code Name	Q-Spec	Stepping	Cache	System Bus	# of Cores	Processor Base Frequency	Max Turbo Frequency	TDP	Memory Types	Processor Graphics
Intel® Xeon® Processor E3-1200v6 series											
Intel® Xeon® Processor E3-1220v6	Kabylake-S	QKHR	B0	6MB	8 GT/s	4	3.0 GHz	3.5 GHz	72W	DDR4-2400	None
Intel® Xeon® Processor E3-1225v6	Kabylake-S	QKHN	B0	6MB	8 GT/s	4	3.3 GHz	3.7 GHz	73W	DDR4-2400	Intel® HD Graphics P630 (Graphic function can not be used)
Intel® Xeon® Processor E3-1230v6	Kabylake-S	QKHV	B0	6MB	8 GT/s	4	3.5 GHz	3.9 GHz	72W	DDR4-2400	None
Intel® Xeon® Processor E3-1240v6	Kabylake-S	QKHU	B0	6MB	8 GT/s	4	3.7GHz	4.1 GHz	72W	DDR4-2400	None
Intel® Xeon® Processor E3-1245v6	Kabylake-S	QKHQ	B0	6MB	8 GT/s	4	3.7GHz	4.1 GHz	73W	DDR4-2400	Intel® HD Graphics P630 (Graphic function can not be used)
Intel® Xeon® Processor E3-1270v6	Kabylake-S	QKHT	B0	6MB	8 GT/s	4	3.8 GHz	4.2 GHz	72W	DDR4-2400	None
Intel® Xeon® Processor E3-1275v6	Kabylake-S	QKHP	B0	6MB	8 GT/s	4	3.8 GHz	4.2 GHz	73W	DDR4-2400	Intel® HD Graphics P630 (Graphic function can not be used)
Intel® Xeon® Processor E3-1280v6	Kabylake-S	QKHS	B0	6MB	8 GT/s	4	3.9GHz	4.2 GHz	72W	DDR4-2400	None
7th Generation Intel® Core™ i7/i5 Processors series (UDIMM ECC memory support only)											
Intel® Core™ i5-7400 Processor (6M Cache, 3.50 GHz)	Kabylake-DT	QKZQ	B0	6 MB	8 GT/s	4	3.0 GHz	3.5 GHz	65 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i5-7400T Processor (6M Cache, 3.00 GHz)	Kabylake-DT	QKHH	B0	6 MB	8 GT/s	4	2.4 GHz	3.0 GHz	35 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i5-7500 Processor (6M Cache, 3.80 GHz)	Kabylake-DT	QKHC	B0	6 MB	8 GT/s	4	3.4 GHz	3.8 GHz	65 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i5-7500T Processor (6M Cache, 3.30 GHz)	Kabylake-DT	QKHG	B0	6 MB	8 GT/s	4	2.7 GHz	3.3 GHz	35 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i5-7600 Processor (6M Cache, 4.10 GHz)	Kabylake-DT	QKHB	B0	6 MB	8 GT/s	4	3.5 GHz	4.1 GHz	65 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i5-7600T Processor (6M Cache, 3.70 GHz)	Kabylake-DT	QKHF	B0	6 MB	8 GT/s	4	2.8 GHz	3.7 GHz	35 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i7-7700 Processor (8M Cache, 4.20 GHz)	Kabylake-DT	QKHA	B0	8 MB	8 GT/s	4	3.6 GHz	4.2 GHz	65 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i7-7700T Processor (8M Cache, 3.80 GHz)	Kabylake-DT	QKHE	B0	8 MB	8 GT/s	4	2.9 GHz	3.8 GHz	35 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
7th Generation Intel® Core™ i3/Pentium/Celeron Processors (UDIMM ECC memory support only)											
Intel® Core™ i3-7300 Processor (4M Cache, 4.00 GHz)	Kabylake-DT	QL35	S0	4 MB	8 GT/s	2	4.0 GHz	None	51 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i3-7300T Processor (4M Cache, 3.50 GHz)	Kabylake-DT	QL3M	S0	4 MB	8 GT/s	2	3.5 GHz	None	35 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i3-7320 Processor (4M Cache, 4.10 GHz)	Kabylake-DT	QL34	S0	4 MB	8 GT/s	2	4.1 GHz	None	51 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i3-7100 Processor (3M Cache, 3.90 GHz)	Kabylake-DT	QL38	S0	3 MB	8 GT/s	2	3.9 GHz	None	51 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Core™ i3-7100T Processor (3M Cache, 3.40 GHz)	Kabylake-DT	QL3P	S0	3 MB	8 GT/s	2	3.4 GHz	None	35 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Pentium® Processor G4620 (3M Cache, 3.70 GHz)	Kabylake-DT	QL3A	S0	3 MB	8 GT/s	2	3.7 GHz	None	51 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Pentium® Processor G4600 (3M Cache, 3.60 GHz)	Kabylake-DT	QL3B	S0	3 MB	8 GT/s	2	3.6 GHz	None	51 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Pentium® Processor G4600T (3M Cache, 3.00 GHz)	Kabylake-DT	QL3R	S0	3 MB	8 GT/s	2	3.0 GHz	None	35 W	DDR4-2400	Intel® HD Graphics 630 (Graphic function can not be used)
Intel® Pentium® Processor G4560 (3M Cache, 3.50 GHz)	Kabylake-DT	QKZZ	B0	3 MB	8 GT/s	2	3.5 GHz	None	54 W	DDR4-2400	Intel® HD Graphics 610 (Graphic function can not be used)
Intel® Pentium® Processor G4560T (3M Cache, 2.90 GHz)	SKYLAKE-DT	QL3T	S0	3 MB	8 GT/s	2	2.9 GHz	None	35 W	DDR4-2400	Intel® HD Graphics 610 (Graphic function can not be used)
Intel® Celeron® Processor G3930 (2M Cache, 2.90 GHz)	SKYLAKE-DT	QL3H	S0	2 MB	8 GT/s	2	2.9 GHz	None	51W	DDR4-2133	Intel® HD Graphics 610 (Graphic function can not be used)
Intel® Celeron® Processor G3930T (2M Cache, 2.70 GHz)	SKYLAKE-DT	QL3V	S0	2 MB	8 GT/s	2	2.7 GHz	None	35 W	DDR4-2133	Intel® HD Graphics 610 (Graphic function can not be used)

Intel® Celeron® Processor G3950 (2M Cache, 3.00 GHz)	SKYLAKE-DT	QL3G	S0	2 MB	8 GT/s	2	3.0 GHz	None	51 W	DDR4-2133	Intel® HD Graphics 610 (Graphic function can not be used)
Intel® Xeon® Processor E3-1200v5 series											
Intel® Xeon® Processor E3-1220v5	SKnLAKE-S	Q JFX	R0	8MB	8 GT/s	4	3.0 GHz	3.5 GHz	80W	DDR4-2133	None
Intel® Xeon® Processor E3-1225v5	SKnLAKE-S	SR2CS	R0	8MB	8 GT/s	4	3.3 GHz	3.7 GHz	80W	DDR4-2133	Intel® HD Graphics P530 (Graphic function can not be used)
Intel® Xeon® Processor E3-1230v5	SKnLAKE-S	Q J79	R0	8MB	8 GT/s	4	3.4 GHz	3.8 GHz	80W	DDR4-2133	None
Intel® Xeon® Processor E3-1235Lv5	SKnLAKE-S	SR2CV	R0	8MB	8 GT/s	4	2.0 GHz	3.0 GHz	25W	DDR4-2133	Intel® HD Graphics P530 (Graphic function can not be used)
Intel® Xeon® Processor E3-1240Lv5	SKnLAKE-S	Q JHG	R0	8MB	8 GT/s	4	2.1 GHz	3.2 GHz	25W	DDR4-2133	None
Intel® Xeon® Processor E3-1240v5	SKnLAKE-S	Q J78	R0	8MB	8 GT/s	4	3.5 GHz	3.9 GHz	80W	DDR4-2133	None
Intel® Xeon® Processor E3-1245v5	SKnLAKE-S	SR2CU	R0	8MB	8 GT/s	4	3.5 GHz	3.9 GHz	80W	DDR4-2133	Intel® HD Graphics P530 (Graphic function can not be used)
Intel® Xeon® Processor E3-1260Lv5	SKnLAKE-S	Q JGT	R0	8MB	8 GT/s	4	2.9 GHz	3.9 GHz	45W	DDR4-2133	None
Intel® Xeon® Processor E3-1270v5	SKnLAKE-S	Q J7A	R0	8MB	8 GT/s	4	3.6 GHz	4.0 GHz	80W	DDR4-2133	None
Intel® Xeon® Processor E3-1275v5	SKnLAKE-S	SR2CT	R0	8MB	8 GT/s	4	3.6 GHz	4.0 GHz	80W	DDR4-2133	Intel® HD Graphics P530 (Graphic function can not be used)
Intel® Xeon® Processor E3-1280v5	SKnLAKE-S	Q JHF	R0	8MB	8 GT/s	4	3.7 GHz	4.0 GHz	80W	DDR4-2133	None
6th Generation Intel® Core™ i7/i5 Processors series (UDIMM ECC memory support only)											
Intel® Core™ i5-6400 Processor (6M Cache, 3.30 GHz)	SKyLAKE-DT	QJEH	R0	6 MB	8 GT/s	4	2.7 GHz	3.3 GHz	65 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i5-6400T Processor (6M Cache, 2.80 GHz)	SKyLAKE-DT	QJE7	R0	6 MB	8 GT/s	4	2.2 GHz	2.8 GHz	35 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i5-6500 Processor (6M Cache, 3.60 GHz)	SKyLAKE-DT	QJEF	R0	6 MB	8 GT/s	4	3.2 GHz	3.6 GHz	65 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i5-6500T Processor (6M Cache, 3.10 GHz)	SKyLAKE-DT	QJEJ	R0	6 MB	8 GT/s	4	2.5 GHz	3.1 GHz	35 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i5-6600 Processor (6M Cache, 3.90 GHz)	SKyLAKE-DT	QJEE	R0	6 MB	8 GT/s	4	3.3 GHz	3.9 GHz	65 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i5-6600T Processor (6M Cache, 3.50 GHz)	SKyLAKE-DT	QJEK	R0	6 MB	8 GT/s	4	2.7 GHz	3.5 GHz	35 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i7-6700 Processor (8M Cache, 4.00 GHz)	SKyLAKE-DT	QJE9	R0	8 MB	8 GT/s	4	3.4 GHz	4.0 GHz	65 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i7-6700T Processor (8M Cache, 3.60 GHz)	SKyLAKE-DT	QJEB	R0	8 MB	8 GT/s	4	2.8 GHz	3.6 GHz	35 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
6th Generation Intel® Core™ i3/Pentium/Celeron Processors (UDIMM ECC memory support only)											
Intel® Core™ i3-6300 Processor (4M Cache, 3.80 GHz)	SKYLAKE-DT	QJZ9	S0	4 MB	8 GT/s	2	3.8 GHz	None	51 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i3-6300T Processor (4M Cache, 3.30 GHz)	SKYLAKE-DT	QJZC	S0	4 MB	8 GT/s	2	3.3 GHz	None	35 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i3-6320 Processor (4M Cache, 3.90 GHz)	SKYLAKE-DT	QJZ8	S0	4 MB	8 GT/s	2	3.9 GHz	None	51 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i3-6100 Processor (3M Cache, 3.70 GHz)	SKYLAKE-DT	QJZG	S0	3 MB	8 GT/s	2	3.7 GHz	None	51 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Core™ i3-6100T Processor (3M Cache, 3.20 GHz)	SKYLAKE-DT	QJZE	S0	3 MB	8 GT/s	2	3.2 GHz	None	35 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Pentium® Processor G4520 (3M Cache, 3.60 GHz)	SKYLAKE-DT	QJZM	S0	3 MB	8 GT/s	2	3.6 GHz	None	51 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Pentium® Processor G4500T (3M Cache, 3.00 GHz)	SKYLAKE-DT	QK1A	S0	3 MB	8 GT/s	2	3 GHz	None	35 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Pentium® Processor G4500 (3M Cache, 3.50 GHz)	SKYLAKE-DT	QJZJ	S0	3 MB	8 GT/s	2	3.5 GHz	None	51 W	DDR4-2133	Intel® HD Graphics 530 (Graphic function can not be used)
Intel® Pentium® Processor G4400 (3M Cache, 3.30 GHz)	SKYLAKE-DT	QJZK	S0	3 MB	8 GT/s	2	3.3 GHz	None	54 W	DDR4-2133	Intel® HD Graphics 510 (Graphic function can not be used)
Intel® Pentium® Processor G4400T (3M Cache, 2.90 GHz)	SKYLAKE-DT	QJZQ	S0	3 MB	8 GT/s	2	2.9 GHz	None	35 W	DDR4-2133	Intel® HD Graphics 510 (Graphic function can not be used)
Intel® Celeron® Processor G3900 (2M Cache, 2.80 GHz)	SKYLAKE-DT	QJZU	S0	2 MB	8 GT/s	2	2.8 GHz	None	51W	DDR4-2133	Intel® HD Graphics 510 (Graphic function can not be used)

Intel® Celeron® Processor G3900T (2M Cache, 2.60 GHz)	SKYLAKE-DT	QJZS	S0	2 MB	8 GT/s	2	2.6 GHz	None	35 W	DDR4-2133	Intel® HD Graphics 510 (Graphic function can not be used)
Intel® Celeron® Processor G3920 (2M Cache, 2.90 GHz)	SKYLAKE-DT	QJZW	S0	2 MB	8 GT/s	2	2.8 GHz	None	51 W	DDR4-2133	Intel® HD Graphics 510 (Graphic function can not be used)

Memory

Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins	Note
ECC UDIMM											
M4C0-8GSSMCRG	DDR4	INNODISK	8GB	Samsung		1.2v	2133MHz	ECC Unbuffer	15	288-pin	
M4C0-4GSSLCRG	DDR4	INNODISK	4GB	Samsung		1.2v	2133MHz	ECC Unbuffer	15	288-pin	
TS512MLH72V1H	DDR4	Transcend	4GB	Samsung	1R	1.2v	2133MHz	ECC Unbuffer	15	288-pin	
TS1GLH72V1H	DDR4	Transcend	8GB	Samsung	2Rx8	1.2v	2133MHz	ECC Unbuffer	15	288-pin	
PED42133C158GVS	DDR4	Panram	8GB	SKhnnix		1.2v	2133MHz	ECC Unbuffer	15	288-pin	
PED42133C154GVS	DDR4	Panram	4GB	SKhnnix		1.2v	2133MHz	ECC Unbuffer	15	288-pin	
CMA6-3GA01DAR01MEO	DDR4	acpi	8GB			1.2v	2133MHz	ECC Unbuffer	15	288-pin	
M391A1G43DB0-CPB	DDR4	Samsung	8GB	Samsung	2R	1.2v	2133MHz	ECC Unbuffer	15	288-pin	
M391A2K43BB1-CPB	DDR4	Samsung	16GB	Samsung	2R	1.2v	2133MHz	ECC Unbuffer	15	288-pin	
T4D4C10S61163	DDR4	TeamGroup	8GB	Samsung	1R	1.2v	2133MHz	ECC Unbuffer	15	288-pin	
78_B1GM4_AF00B	DDR4	Apacer	4GB	SKhnnix		1.2v	2133MHz	ECC Unbuffer	15	288-pin	
CT8G4WFD8213.18FA1	DDR4	Crucial	8GB	Micron	2R	1.2v	2133MHz	ECC Unbuffer	15	288-pin	
CT4G4WFS8213.9FA1	DDR4	Crucial	4GB	Micron	1R	1.2v	2133MHz	ECC Unbuffer	15	288-pin	
T4D4C10S61163	DDR4	TeamGroup	8GB	Samsung	1R	1.2v	2133MHz	ECC Unbuffer	15	288-pin	
CMA6-3GA01DAR01MEO	DDR4	acpi	8GB			1.2v	2133MHz	ECC Unbuffer	15	288-pin	
KVR21E15D8/8HA	DDR4	Kingston	8GB	SKhnnix	2R	1.2v	2133MHz	ECC Unbuffer	15	288-pin	
CT8G4WFD824A.18FB1	DDR4	Crucial	8GB	Micron	2RX8	1.2v	2400MHz	ECC Unbuffer	17	288-pin	
MTA18ASF1G72AZ-2G3B1ZK	DDR4	Micron	8GB	Micron	2RX8	1.2v	2400MHz	ECC Unbuffer	17	288-pin	
KVR21N15D8/8	DDR4	Kingston	8GB			1.2v	2133MHz	ECC Unbuffer	15	288-pin	
HMA81GU7AFR8N-UHT0	DDR4	SKhynix	8GB		1Rx8	1.2v	2400MHz	ECC Unbuffer	17	288-pin	
AD4U2400316G17-B	DDR4	ADATA	16GB			1.2v	2400MHz	ECC Unbuffer	17	288-pin	
HMA82GU7AFR8N-UHT0	DDR4	SK Hynix	16GB	SKhynix	2Rx8	1.2v	2400MHz	ECC Unbuffer	17	288-pin	
KVR24E17S8/8MA	DDR4	Kingston	8GB		1Rx8	1.2v	2400MHz	ECC Unbuffer	17	288-pin	
KVR24E17D8/16MA	DDR4	Kingston	16GB		2Rx8	1.2v	2400MHz	ECC Unbuffer	17	288-pin	
M4C0-AGS1MCSJ	DDR4	Innodisk	16GB		2Rx8	1.2v	2400MHz	ECC Unbuffer	17	288-pin	

Seagate HDD (SAS HDD may need RAID Card support)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	FW
Seagate Enterprise Capacity 2.5 HDD											
ST9250610NS	SATA	Seagate	2.5"	N/A	250GB	6Gb/s	Constellation 2	64MB	7200	N/A	SN02
ST91000640NS	SATA	Seagate	2.5"	N/A	1TB	6Gb/s	Constellation 2	64MB	7200	N/A	
ST2000NX0253	SATA	Seagate	2.5"	N/A	2TB	6Gb/s	Constellation 2	128MB	7200	N/A	
ST2000NX0403	SATA	Seagate	2.5"	512n	2TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A	
ST1000NX0423	SATA	Seagate	2.5"	512n	1TB	6Gb/s	Enterprise Capacity V.3	128MB	7200	N/A	
Seagate Enterprise Capacity 3.5 HDD											
ST4000NM0023	SAS	Seagate	3.5"	512N	4TB	6Gb/s	ES.3	128MB	7200	N/A	
ST4000NM0033	SATA	Seagate	3.5"	512N	4TB	6Gb/s	ES.3	128MB	7200	N/A	
ST6000NM0014	SAS	Seagate	3.5"	4KN	6TB	12Gb/s	V.4	128MB	7200	N/A	
ST6000NM0034	SAS	Seagate	3.5"	512E	6TB	12Gb/s	V.4	128MB	7200	N/A	
ST8000NM0016	SATA	Seagate	3.5"	N/A	8TB	12Gb/s	Performance	256MB	7200	N/A	SNC0
ST8000NM0055	SATA	Seagate	3.5"	512E	8TB	6Bb/s	ES.3	256MB	7200	N/A	

ST8000NM0045	SATA	Seagate	3.5"	4Kn	8TB	6Gb/s	Exos 7E8 (Enterprise Capacity V.5)	256MB	7200	N/A	
WD HDD											
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	FW
Datacenter											
WD4001FYYG-01SL3W0	SAS	WD	3.5"	N/A	4TB	6Gb/s	WD Re	32MB	7200	N/A	01SL3W0
WD4000FYYZ-01UL1B1	SATA	WD	3.5"	N/A	4TB	6Gb/s	WD Re	64MB	7200	N/A	01UL1B1
WD6001FSYZ-01SS7B0	SATA	WD	3.5"	4KN	6TB	6Gb/s	WD Re	128MB	7200	N/A	01UL1B1
Workstation											
WD2500BHTZ-04JCPV0	SATA	WD	2.5"	N/A	250GB	6Gb/s	WD VelociRaptor	64MB	10K	N/A	04JCPV0
Toshiba HDD											
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	FW
Enterprise Hard Drives											
MG04ACA500E	SATA	Toshiba	3.5"	N/A	5TB	6Gb/s	Enterprise Capacity	128MB	7200	N/A	FP3B
MG05ACA800A	SATA	Toshiba	3.5"	4KN	8TB	6Gb/s	Enterprise Capacity	128MB	7200	N/A	GX1A
MG05ACA800E	SATA	Toshiba	3.5"	512e	8TB	6Gb/s	Enterprise Capacity	128MB	7200	N/A	GX1A
MG04ACA600E	SATA	Toshiba	3.5"	512e	6TB	6Gb/s	Enterprise Capacity	128MB	7200	N/A	FS2B
MG04ACA100N	SATA	Toshiba	3.5"	512e	1TB	6Gb/s	Capacity	128MB	7200	N/A	A0
HGST HDD (SAS HDD may need RAID Card support)											
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	FW
Enterprise Hard Drives											
HUC101212CSS600	SAS	HGST	2.5"	N/A	1.2TB	6Gb/s	Ultrastar C10K1200	64MB	10K	N/A	A35A
HUC109090CSS600	SAS	HGST	2.5"	N/A	900GB	6Gb/s	Ultrastar C10K900	64MB	10K	N/A	A440
HUS724040ALS640	SAS	HGST	3.5"	512N	4TB	6Gb/s	Ultrastar 7K4000	64MB	7200	N/A	A152
HUA722010CLA330	SATA	HGST	3.5"	512	1TB	3Gb/s	Ultrastar A7K2000	32MB	7200	N/A	
HUS724040ALA640	SATA	HGST	3.5"	512N	4TB	6Gb/s	Ultrastar 7K4000	64MB	7200	N/A	8B0
HUH728080ALE604	SATA	HGST	3.5"	512e	8TB	6Gb/s	Ultrastar He8	128MB	7200	N/A	514
HUS726060ALE610	SATA	HGST	3.5"	512e	6TB	6Gb/s	Ultrastar 7K6000	128MB	7200	N/A	517
M.2											
Model	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note			
MZHPV128HDGM	M.2	Samsung	-	PCIe 3.0 x4	128GB						
MZHPV256HDGL-00000	M.2	Samsung	-	PCIe 3.0 x4	256GB						
MZVPV128HDGM-0000	M.2	Samsung	-	PCIe(NVMe)	128GB						
MZVPV512HDGL-0000	M.2	Samsung	-	PCIe(NVMe)	512GB						
MZHPV512HDGL-00000	M.2	Samsung	-	PCIe(AHCI)	512GB						
PX-G128M6e-2280	M.2	PLEXTOR	-	PCI-E	128GB						
ND280C-512GM-MT	M.2	TECHCOMP	2280	PCIe	512GB						
Me.262 256GB M.2	M.2	Ezlink	2280	PCIe	256GB						
SSD											
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note			
SDLF1CRR-019T-1HA1	SSD	SanDisk	SATA	2.5"	1.92TB						
SSDPEDMD400G4	SSD	Intel	NVMe	PCI-E 3.0	400GB						

SSDPEDME400G4	SSD	Intel	NVMe	PCI-E 3.0	400GB	-				
Hard Drive SATA DOM										
Model	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note		
DESSL-64GM41BC1SCB	Vertical	INNODISK	64GB	MLC	1	0.734W (5V x 146.9mA)				
DESSL-64GM41BCADC	Vertical	INNODISK	64GB	MLC	2	0.815W (5V x 163mA)				
DESSH-64GM41BC1SCB	Horizontal	INNODISK	64GB	MLC						
RAID Cards										
Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	FW	Note	
GIGABYTE Storage Cards										
GC-MSEE4	Marvell 9230	PCIe- x4 Gen2 x4 bus	4	SATA III	-	-	6Gb/s ports			
RA201-A	LSI SAS 2208	PCIe- x8 Gen3 x8 bus	2	Mini-SAS for 8x SAS	-	-	6Gb/s ports			
GC-MSLZ2	LSI SAS 2008	PCIe- x8 Gen2 x8 bus	8	2 x Mini-SAS for 8x SAS	-	-	6Gb/s ports			
LSI RAID Controller Cards										
MegaRAID SAS 9271-8i	LSISAS2208 Dual-Core RAID on Chip (ROC)	x8 lane PCI Express® 3.0	8	2 Mini-SAS SFF8087 (side mount)	-	-	Up to 6Gb/s per port			
LAN Cards										
Product Name	Connector	System Interface Type	# of Ports	System Interface Type	Data rate	Note				
GIGABYTE LAN Cards										
GC-MLBZ1	SFP+	PCIe x8 Gen2 x8	Dual	10Gb/s per port	Broadcom BCM57810S					
CLN4312	RJ-45	PCIe x4 Gen2 x4	Dual	1Gb/s per port	INTEL i350-AM4					
CLN4314	RJ-45	PCIe x4 Gen2 x4	Quad	1Gb/s per port	INTEL i350-AM4					
CLN4222	RJ-45	PCIe x4 Gen3 x4	Dual	10Gb/s per port						
CLN4121	RJ-45	PCIe x4 Gen3 x4	single	10Gb/s per port						
CLN4522	RJ-45	PCIe x8 Gen2 x8	Dual	10Gb/s per port	INTEL X540					
Qlogic Fibre Channel Adapters										
QLE3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port						
Intel_GbE										
Intel i350-T2 Dual Port Server Adapter										
PSU										
Product Name	Vendor	Input Voltage	Wattage	Application	Efficiency	FW	Note			
FSP250-50LC	FSP	100~240Vac	250W	Server	80Bronze					