

**"R282-Z93" Qualification Vender List**

**Please contact FAE support for below orange blocks**

**AMD CPU**

Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	All Cores Boost Max Freq (GHz)	Processor Boost Max Freq (GHz)	TDP	Memory Types	Processor Graphics
AMD 7601 PS7601BDVIHAF	Naples	SP3	B2	64MB	32 / 64	2.20	2.70	3.20	180W	DDR4-2666	None
AMD 7551 PS7551BDVIHAF	Naples	SP3	B2	64MB	32 / 64	2.00	2.55	3.00	180W	DDR4-2666	None
AMD 7451 PS7451BDVHCAF	Naples	SP3	B2	64MB	24 / 48	2.30	3.20	3.20	180W	DDR4-2666	None
AMD 7351 PS7351BEVGPAP	Naples	SP3	B2	64MB	16 / 32	2.40	2.90	2.90	155/170W	DDR4-2400/2666	None
AMD 7501 PS7501BEVIHAF	Naples	SP3	B2	64MB	32 / 64	2.00	2.60	3.00	155/170W	DDR4-2400/2666	None
AMD 7401 PS7401BEVHCAF	Naples	SP3	B2	64MB	24 / 48	2.00	2.80	3.00	155/170W	DDR4-2400/2666	None
AMD 7371 PS7371BDVGPAP	Naples	SP3	B2	64MB	16 / 32	3.10	3.60	3.80	200W	DDR4-2666	None
AMD 7301 PS7301BEVGPAP	Naples	SP3	B2	64MB	16 / 32	2.20	2.70	2.70	155/170W	DDR4-2400/2666	None
AMD 7281 PS7281BEVGAAF	Naples	SP3	B2	64MB	16 / 32	2.10	2.70	2.70	155/170W	DDR4-2400/2666	None
AMD 7261 PS7261BEV8RAF	Naples	SP3	B2	64MB	8 / 16	2.50	2.90	2.90	155/170W	DDR4-2400/2666	None
AMD 7251 PS7251BFV8SAF	Naples	SP3	B2	32MB	8 / 16	2.00	2.90	2.90	120W	DDR4-2400	None

Product Name	Code Name	Package	Stepping	L3 Cache	# of Cores / Threads	Processor Base Freq (GHz)	Processor Boost Max Freq (GHz)	Default TDP	cTDP Min / cTDP Max	Memory Types	Processor Graphics
AMD 7H12 100-000000055	ROME	SP3	B0 PR	256MB	64 / 128	2.60	3.30	240W	240W/280W	DDR4-3200	None
AMD 7F72 100-000000141	ROME	SP3	PD	192MB	24 / 48	3.20	3.70	240W	225W/240W	DDR4-3200	None
AMD 7F52 100-000000140	ROME	SP3	PD	256MB	16 / 32	3.50	3.90	240W	225W/240W	DDR4-3200	None
AMD 7F32 100-000000139	ROME	SP3	B0 PR	128MB	8 / 16	3.70	3.90	180W	165W/200W	DDR4-3200	None
AMD 7742 100-000000053	ROME	SP3	B0 PR	256MB	64 / 128	2.25	3.40	225W	225W/240W	DDR4-3200	None
AMD 7702 100-000000038	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.35	200W	165W/200W	DDR4-3200	None
AMD 7662 100-000000137	ROME	SP3	B0 PR	256MB	64 / 128	2.00	3.30	225W	225W/240W	DDR4-3200	None
AMD 7642 100-000000074	ROME	SP3	B0 PR	192MB	48 / 96	2.30	3.40	225W	225W/240W	DDR4-3200	None
AMD 7552 100-000000076	ROME	SP3	B0 PR	192MB	48 / 96	2.20	3.30	200W	165W/200W	DDR4-3200	None
AMD 7542 100-000000075	ROME	SP3	B0 PR	128MB	32 / 64	2.90	3.40	225W	225W/240W	DDR4-3200	None
AMD 7532 100-000000136	ROME	SP3	B0 PR	256MB	32 / 64	2.40	3.30	200W	180W/200W	DDR4-3200	None
AMD 7502 100-000000054	ROME	SP3	B0 PR	128MB	32 / 64	2.50	3.35	180W	165W/200W	DDR4-3200	None
AMD 7452 100-000000057	ROME	SP3	B0 PR	128MB	32 / 64	2.35	3.35	155W	155W/180W	DDR4-3200	None
AMD 7402 100-000000046	ROME	SP3	B0 PR	128MB	24 / 48	2.80	3.35	180W	165W/200W	DDR4-3200	None
AMD 7352 100-000000077	ROME	SP3	B0 PR	128MB	24 / 48	2.30	3.20	155W	155W/180W	DDR4-3200	None
AMD 7302 100-000000043	ROME	SP3	B0 PR	128MB	16 / 32	3.00	3.30	155W	155W/180W	DDR4-3200	None
AMD 7282 100-000000078	ROME	SP3	B0 PR	64MB	16 / 32	2.80	3.20	120W	120W/150W	DDR4-3200	None
AMD 7272 100-000000079	ROME	SP3	B0 PR	64MB	12 / 24	2.90	3.20	120W	120W/150W	DDR4-3200	None
AMD 7262 100-000000041	ROME	SP3	B0 PR	128MB	8 / 16	3.20	3.40	155W	155W/180W	DDR4-3200	None
AMD 7252 100-000000080	ROME	SP3	B0 PR	64MB	8 / 16	3.10	3.20	120W	120W/150W	DDR4-3200	None

**Memory (Memory actually maximum frequency will follow memory controller's spec of CPU you used)**

Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins	Note
RDIMM											
M393A2K43DB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support;
M393A8G40AB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support;
M393A2K43CB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support;
M393A4K40CB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support;
M393A8G40MB2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support;

CT16G4RFD8293.18FE1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Just test this DIMM to cover
CT16G4RFD8293-2G9E1.001	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
MTA18ASF2G72PDZ.2G9E1UG	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
MTA18ASF2G72PDZ.2G9E1VG	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
CT16G4RFS4293.18FE1	DDR4	CRUCIAL	16GB	Micron	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Just test this DIMM to cover
CT16G4RFS4293-2G9E1.001	DDR4	CRUCIAL	16GB	Micron	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
MTA18ASF2G72PZ.2G9E1TK	DDR4	Micron	16GB	Micron-Montage	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
MTA18ASF2G72PZ.2G9E1VG	DDR4	Micron	16GB	Micron-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
CT32G4RFD4293-2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Just test this DIMM to cover
CT32G4RFD4293.36FE2	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
MTA36ASF4G72PZ.2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
MTA36ASF4G72PZ.2G9E2VG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
MTA36ASF4G72PZ.2G9E2UG	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
CT64G4RFD4293-2G9B1.001	DDR4	CRUCIAL	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Just test this DIMM to cover
MTA36ASF8G72PZ-2G9B1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
HMAA8GR7MJR4N-WM T4	DDR4	SKhynix	64GB	SKhynix-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support;
CT64G4RFD4293-2G9B2.001	DDR4	Crucial	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Just test this DIMM to cover
MTA36ASF8G72PZ-2G9B2VI	DDR4	Crucial	64GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
MTA18ASF2G72PDZ-2G9J3VI	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
MTA18ASF2G72PDZ-2G9J3TI	DDR4	Micron	16GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support; Same as above
M393A2K40DB2-CVFBQ	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support;
M393A4K40DB2-CVFBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support;
MTA9ASF2G72PZ-2G9E1UI	DDR4	Micron	16GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support

MTA18ASF4G72PDZ-2G9E1TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support
MTA36ASF8G72PZ-2G9E1TI	DDR4	Micron	64GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support
MTA36ASF4G72PZ-2G9J3TI	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support
HMA81GR7CJR8N-XN TG	DDR4	SKhynix	8GB	SKhynix-IDT	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
HMA82GR7CJR8N-XN T4	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support; Just test this DIMM to cover
HMA82GR7CJR8N-XN T8	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support; Same as above
HMA82GR7CJR8N-XN TG	DDR4	SKhynix	16GB	SKhynix	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support; Same as above
HMA84GR7CJR4N-XN T8	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support; Just test this DIMM to cover
HMA84GR7CJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support; Same as above
HMA84GR7CJR4N-XN TG	DDR4	SKhynix	32GB	SKhynix	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support; Same as above
HMAA8GR7AJR4N-XN TG	DDR4	SKhynix	64GB	SKhynix-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support; Just test this DIMM to cover
CT8G4RFS832A.9FE1	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT8G4RFS832A-3G2E1.001	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA9ASF1G72PZ.3G2E1VG	DDR4	Micron	8GB	Micron	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT16G4RFD832A.18FE1	DDR4	Crucial	16GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA18ASF2G72PDZ.3G2E1VG	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT16G4RFS432A.18FE1	DDR4	Crucial	16GB	Micron-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT16G4RFS432A-3G2E1.001	DDR4	Crucial	16GB	Micron-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA18ASF2G72PZ.3G2E1VG	DDR4	Micron	16GB	Micron-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT16G4RFD832A-3G2E1.001	DDR4	Crucial	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA18ASF2G72PDZ-3G2E1UK	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT32G4RFD432A.36FE2 (3200MHz only support on 1DPC)	DDR4	Crucial	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT32G4RFD432A-3G2E2.001 (3200MHz only support on 1DPC)	DDR4	Crucial	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA36ASF4G72PZ.3G2E2TG (3200MHz only support on 1DPC)	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
M393A2K40DB2-CWEBQ (3200MHz only support on 1DPC)	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support, 3200MHz only support on 1DPC
M393A2K43DB2-CWEBQ (3200MHz only support on 1DPC)	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support, 3200MHz only support on 1DPC
M393A2K43DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support,
M393A2K40DB3-CWEGQ	DDR4	Samsung	16GB	Samsung-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support,
M393A2K40DB3-CWEBQ	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support; Same as above
M393A2K40DB3-CWECQ	DDR4	Samsung	16GB	Samsung-	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support; Same as above
M393A4K40DB2-CWEBQ (3200MHz only support on 1DPC)	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support, 3200MHz only support on 1DPC

M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support,
M393A4K40DB3-CWEBQ	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support,
M393A4K40DB3-CWEGQ	DDR4	Samsung	32GB	Samsung-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support,
M393A8G40AB2-CWEBQ	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support,
M393A1K43DB2-CWEBQ (3200MHz only support on 1DPC)	DDR4	Samsung	8GB	Samsung-IDT	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support,
KSM32RD8/16MEI	DDR4	Kingston	16GB	Micron-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
KSM32RD4/32MEI	DDR4	Kingston	32GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT64G4RFD432A-3G2B2.001	DDR4	Crucial	64GB	Micron	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA36ASF8G72PZ.3G2B2TI	DDR4	Micron	64GB	Micron	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
TR416G32S422-XNC	DDR4	V-color	16GB	SKhynix-Rambus	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT32G4RFD432A-3G2E7.001	DDR4	Crucial	32GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
CT32G4RFD432A.36FE7	DDR4	Crucial	32GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA36ASF4G72PZ.3G2E7VI	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA36ASF4G72PZ.3G2E7TI	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
AD4R3200316G22-BSSC	DDR4	ADATA	16GB	Samsung-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA18ASF4G72PDZ.3G2B2TI	DDR4	Micron	32GB	Micron-Montage	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
HMA82GR7DJR8N-XN T8	DDR4	SKhynix	16GB	SKhynix-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support;
HMA84GR7DJR4N-XN T4	DDR4	SKhynix	32GB	SKhynix-Montage	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support;
MTA36ASF4G72PZ-3G2J3UI	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
KSM32RS8/8MEI	DDR4	Kingston	8GB	MICRON-IDT	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
M393AAG40M32-CAEBQ	DDR4	Samsung	128GB	Samsung	2S2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support,
MTA18ASF2G72PZ-3G2E2TI	DDR4	Micron	16GB	Micron-Montage	1Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA9ASF2G72PZ-3G2E1TI	DDR4	Micron	16GB	Micron-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA18ASF4G72PDZ-3G2E1UI	DDR4	Micron	32GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA36ASF8G72PZ-3G2E1VI	DDR4	Micron	64GB	Micron-IDT	2Rx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
MTA18ASF2G72PDZ-3G2J3UI	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
AD4R3200716G22-BHYA	DDR4	ADATA	16GB	SKhynix-Montage	1Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support
HMA82GR7DJR8N-XNTG	DDR4	SKhynix	16GB	SKhynix-IDT	2Rx8	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support;

LRDIMM

M386A8K40CM2-CVFBY	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	2933MHz	ECC Registered	21	288-pin	For Intel Purley-refresh & AMD Rome support
M386A8K40DM2-CWELQ	DDR4	Samsung	64GB	Samsung-IDT	4DRx4	1.2v	3200MHz	ECC Registered	22	288-pin	For AMD Rome support

Seagate HDD (SAS HDD may need RAID Card support)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	FW
--------------	------	--------	-------------	--------	----------	-----------------	--------	-------	-----	------------	----

Seagate Enterprise Capacity 2.5 HDD											
ST1000NX0303	SATA	Seagate	2.5"	4Kn	1TB	6Gb/s	EXOS 7E2000	128MB	7200	N/A	NN02
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A	NN02
Seagate Enterprise Capacity 3.5 HDD											
ST8000NM0055	SATA	Seagate	3.5"	512e	8TB	6Gb/s	Exos 7E8 (Enterprise Capacity V.5)	256MB	7200	N/A	
ST14000NM0018	SATA	Seagate	3.5"	512e	14TB	6Gb/s	Exos X14 (Enterprise Capacity)	256MB	7200	N/A	SN02
ST8000NM000A	SATA	Seagate	3.5"	512e	8TB	6Gb/s	EXOS 7E8	256MB	7200	N/A	FW:SN01
ST16000NM001G	SATA	Seagate	3.5"	512e/4Kn	16TB	6Gb/s	EXOS X16	256MB	7200	N/A	FW:SN02
HGST HDD (SAS HDD may need RAID Card support)											
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	Note
Enterprise Hard Drives											
HUS726T6TALE6L4	SATA	HGST / WD	3.5"	512e	6TB	6Gb/s	Ultrastar DC HC310 (7K6)	256MB	7200	N/A	40H
HUS726T4TALE6L4	SATA	HGST / WD	3.5"	512e	4TB	6Gb/s	Ultrastar DC HC310 (7K6)	256MB	7200	N/A	
HUS728T8TALE6L4	SATA	HGST / WD	3.5"	512e	8TB	6Gb/s	Ultrastar® DC HC320 (7K8)	256MB	7200	Secure Erase	410
HUS722T2TALA604 / 1W10002	SATA	HGST / WD	3.5"	512n	2TB	6Gb/s	Ultrastar DC HA210 (7K2)	128MB	7200	N/A	RAGNWA09
Toshiba HDD (SAS HDD may need RAID Card support)											
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	Note
Enterprise Hard Drives											
MG07ACA14TE	SATA	Toshiba	3.5"	512e	14TB	6Gb/s	Capacity	256MB	7200	N/A	FW:0104
WD HDD(SAS HDD may need RAID Card support)											
Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption	Note
Enterprise Hard Drives											
WUS721010ALE6L4	SATA	WD	3.5"	512e	10TB	6Gb/s	Ultrastar® DC HC330	256MB	7200	N/A	920
WUH721818ALE6L4	SATA	WD	3.5"	512e	18TB	6Gb/s	Ultrastar DC HC550	512MB	7200	N/A	120
SATA/SAS SSD											
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note			
SATA/SAS SSD											
MTFDDAK1T9TDN-1A1ZABYY (5200 MAX)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s					
MZ-7LH1T9NE 883 DCT Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s					
SSDSC2KG019T8 D3-S4610 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s					
SSDSC2KB019T8 D3-S4510 Series	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s					
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s					
XA480LE10063	SSD	Seagate	2.5"	SATA	480GB	6Gb/s					
SRE100-960G00210000	SSD	Phison	2.5"	SATA	960GB	6Gb/s					
SRE100-480G00210000	SSD	Phison	2.5"	SATA	480GB	6Gb/s					
SEDC500M/3840G DC500M Series	SSD	Kingston	2.5"	SATA	3.84TB	6Gb/s					
SEDC500M/1920G DC500M Series	SSD	Kingston	2.5"	SATA	1.92TB	6Gb/s					
SEDC500M/960G DC500M Series	SSD	Kingston	2.5"	SATA	960GB	6Gb/s					
SEDC500M/480G DC500M Series	SSD	Kingston	2.5"	SATA	480GB	6Gb/s					
ASR1100SS-240GT-B	SSD	Adata	2.5"	SATA	240GB	6Gb/s					
KHK61RSE960G	SSD	Toshiba	2.5"	SATA	960GB	6Gb/s					
MTFDDAK3T8TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	3.84TB	6Gb/s					
MTFDDAK1T9TDS-1AW1ZABYY (5300 PRO)	SSD	Micron	2.5"	SATA	1.92TB	6Gb/s					
PCIe SSD											
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note				
PCIe SSD											

Samsung PM1725b MZPLL3T2HAJQ PCIe Gen3 x8 3.2TB	PCIe	Samsung	PCI-E 3.0	PCIe(NVMe)	3.2TB	-						
Netlist N1951 E3 NS1951AH33T2 Gen3 x8 3.2TB	PCIe	Netlist	PCI-E 3.0	PCIe(NVMe)	3.2TB	-						
<b>M.2</b>												
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	Note					
M.2												
SSDPXLX010T801 P4511 Series 1TB	M.2	Intel	22110	PCIe(NVMe)	1TB							
SSDPEKKA010T801 P4101 Series 1TB	M.2	Intel	2280	PCIe(NVMe)	1TB							
MZ-1LB1T9N 983 DCT Series	M.2	Samsung	22110	PCIe(NVMe)	1.92TB							
EP3-KW960 EPX Series	M.2	LITE-ON	22110	PCIe(NVMe)	960GB							
IM2P33F8-256GD	M.2	ADATA	2280	PCIe(NVMe)	256GB	-						
IM2P33F8-512GD	M.2	ADATA	2280	PCIe(NVMe)	512GB	-						
AF960GSTJA-YT1 ATP 960GB	M.2	ATP	2280	PCIe(NVMe)	960GB	-						
<b>GPGPU Card (GPGPU server only)</b>												
Product Name	Processor Cores	Memory Bandwidth (GB/sec)	OpenGL		Microsoft DirectX	Graphics Card Power (W)	NVIDIA SLI / AMD CrossFire Ready	Note				
NVIDIA Tesla ( <a href="http://www.nvidia.com/object/tesla-supercomputing-solutions.html">http://www.nvidia.com/object/tesla-supercomputing-solutions.html</a> )												
V100 (VOLTA) 32GB	5120	1134 GB/s	32GB			250 W						
T4 (TURING)	2560	320 GB/s	16GB			70 W						
V100S (VOLTA) 32GB	5120	1134 GB/s	32GB			250 W						
NVIDIA Quadro ( <a href="https://www.nvidia.com/zh-tw/design-visualization/quadro/">https://www.nvidia.com/zh-tw/design-visualization/quadro/</a> )												
RTX 6000 Passive	4608	624GB/s	24GB			250W						
RTX 8000 Passive	4608	624GB/s	48GB			250W						
AMD Radeon Instinct												
MI50 (Vega20) 32GB	3840	1024GB/s	32GB			300 W						
<b>Graphics Card (GPGPU server &amp; Workstation server only)</b>												
Product Name	Processor Cores	Memory Bandwidth (GB/sec)	VRAM	OpenGL	Microsoft DirectX	Graphics Card Power (W)	NVIDIA SLI / AMD CrossFire Ready	Note				
NVIDIA Quadro ( <a href="http://www.nvidia.com/object/quadro-desktop-gpus.html">http://www.nvidia.com/object/quadro-desktop-gpus.html</a> )												
RTX 4000 Active	2304	416GB/s	8GB			160 W						
RTX 5000 Active	3072	448GB/s	16GB			230 W						
RTX 6000 Active	4608	624GB/s	24GB			260 W						
<b>FPGA Card</b>												
Product Name	Compute	HBM2 Total Capacity	HBM2 Total Bandwidth	DDR Format	DDR Memory Capacity	DDR Total Bandwidth	Internal SRAM Capacity	Internal SRAM Total Bandwidth	PCI Express	Network Interfaces		
Xilinx Alveo Accelerator Card ( <a href="https://www.xilinx.com/products/boards-and-kits/alveo.html">https://www.xilinx.com/products/boards-and-kits/alveo.html</a> )												
Alveo U280	24.5 INT8 TOPs (peak)	8GB	460GB/s	2x 16GB 72b DIMM DDR4	32GB	38GB/s	41MB	30TB/s	Gen4x8 with CCIX	2x QSFP28 (100GbE)		
<b>RAID Cards</b>												
Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note				
GIGABYTE Storage Cards												
CRA3338	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 xMini-SAS HD for 8x SAS	-	-	12Gb/s ports					
CSA3548	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	-	-	8	2 x external Mini-SAS HD SFF8644	12Gb/s ports					
CSA4648	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports					
CRA4648	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports					
CRA4448	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports					

CRAO438	LSI SAS 3108	OCF PCIe-x8 Gen3 x8 bus	8	2 x SlimSAS ports	-	-	12Gb/s ports			
CRAO338	LSI SAS 3008	OCF PCIe-x8 Gen3 x8 bus	8	2 x SlimSAS ports	-	-	12Gb/s ports			
CRAO358	LSI SAS 3008	OCF PCIe-x8 Gen3 x8 bus	4	1 x internal SlimSAS port	1	1 x OCuLink port	12Gb/s ports			
CRAO558	LSI SAS 3108	OCF PCIe-x8 Gen3 x8 bus	4	1 x internal SlimSAS port	1	1 x OCuLink port	12Gb/s ports			
LSI RAID Controller Cards										
MegaRAID SAS 9361-8i	LSISAS3108 dual core RAID on Chip (ROC)	x8 lane PCI Express® 3.0	8	2 x HD Mini-SAS SFF8643 (Horizontal mount)	-	-	Up to 12Gb/s per port			
MegaRAID SAS 9460-16i	SAS3516 dual-core RAID-on-Chip (ROC)	x8 lane PCI Express® 3.1	8	4 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0			
LSI Host Bus Adapters (HBAs)										
LSI SAS 9300-8e	SAS3008	x8 lane PCI Express® 3.0	-	-	8	2 x mini-SAS HD SFF8644	12Gb/s SAS 3.0			FW:14.0.0.0
LSI SAS 9300-8i	SAS3008	x8 lane PCI Express® 3.0	8	2 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0			
LSI SAS 9400-16i	SAS3416	x8 lane PCI Express® 3.1	16	4 x Mini-SAS HD SFF-8643	-	-	12Gb/s SAS 3.0			
PMC RAID Cards (Adaptec)										
Adaptec ASR-81605ZQ	-	8-lane PCIe Gen3	16	4 x internal mini SAS HD (SFF-8643)	-	-	12Gb/s per port			
Microsemi RAID Cards										
SmartRAID 3154-16i	PM8236	8-Lane PCIe Gen3	16	4 x Internal, SFF-8643	-	-	12 Gb/s per port			
Microsemi Host Bus Adapters										
SmartHBA 2100-8i	PM8222	8-Lane PCIe Gen3	8	2 x Internal, SFF-8643	-	-	12 Gb/s per port			
LAN Cards										
Product Name	Connector	System Interface Type	# of Ports	System Interface Type	Data rate	Note				
GIGABYTE LAN Cards										
CLNO832	SFP+	OCF PCIe x8 Gen2 x8	Dual	10Gb/s per port	INTEL 82599ES Support OCP 2.0 type1					
CLNOQ42	SFP28	OCF PCIe x8	Dual	25Gb/s per port	Qlogic (Cavium) QL41401-A2G Support OCP 2.0					
CLNO222	RJ-45	OCF PCIe Gen3 x4	Dual	10Gb/s per port	INTEL X550-AT2					
CLN4752	QSFP+	PCIe x8 Gen3 x8	Dual	40Gb/s per port	INTEL XL710					
CLN4224	RJ-45	PCIe x8 Gen3 x4	Quad	10Gb/s per port	INTEL X550-AT2					
CLN4M34	SFP28	PCIe Gen3 x16	Quad	10Gb/s per port	Mellanox ConnectX-4					
Intel_10GbE										
Intel® Ethernet Converged Network Adapter X710-DA2	SFP+	PCIe v3.0 (8.0 GT/s)	Dual	10Gb/s per port						
Intel® Ethernet Converged Network Adapter X550-T2	RJ-45	PCIe v3.0 (8.0 GT/s)	Dual	10Gb/s per port						
Intel_25GbE										
Intel® Ethernet Network Adapter XXV710-DA2 for OCP	SFP28	OCF PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port	Support OCP 2.0 type1					
Intel® Ethernet Network Adapter XXV710-DA2	SFP28	PCIe v3.0 (8.0 GT/s)	Dual	25Gb/s per port						
Intel_40GbE										

Intel® Ethernet Converged Network Adapter XL710-QDA2	QSFP+	PCIe v3.0 (8.0 GT/s)	Dual	40Gb/s per port		
Mellanox ConnectX						
MCX566A-CDAI	QSFP28	<b>QCP PCIe 4.0</b> x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN / Support OCP 3.0	Only for new project which supported PCIe 4.0
MCX516A-CDAT	QSFP28	<b>PCIe 4.0</b> x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex EN	Only for new project which supported PCIe 4.0
MCX516A-BDAT	QSFP28	<b>PCIe 4.0</b> x16	Dual	40Gb/s per port	Mellanox ConnectX-5 Ex EN	Only for new project which supported PCIe 4.0
MCX515A-CCAT	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN	
MCX4421A-ACQN	SFP28	<b>QCP</b> PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN / Support OCP 2.0	
MCX4121A-ACAT	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Mellanox ConnectX-4 Lx EN	
Mellanox VPI Adapter Cards						
MCX653106A-HDAT	QSFP56	<b>PCIe 4.0</b> x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)	ATOS provide
MCX653105A-HDAT	QSFP56	<b>PCIe 4.0</b> x16	Single	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)	Only for new project which supported PCIe 4.0
MCX653105A-ECAT	QSFP56	<b>PCIe 4.0</b> x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)	Only for new project which supported PCIe 4.0
MCX653106A-ECAT	QSFP56	<b>PCIe 4.0</b> x16	Dual	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)	Only for new project which supported PCIe 4.0
MCX556A-EDAT	QSFP28	<b>PCIe 4.0</b> x16	Dual	100Gb/s per port	Mellanox ConnectX-5 Ex VPI (InfiniBand)	Only for new project which supported PCIe 4.0
MCX555A-ECAT	QSFP28	PCIe 3.0 x16	Single	100Gb/s per port	Mellanox ConnectX-5 VPI (InfiniBand)	
Qlogic LAN Adapters						
QL45611HLCU	QSFP28	PCIe x16 Gen3 x16	Single	100Gb/s per port		
QLE3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port		
Broadcom (Emulex) Ethernet Networking Adapters						
BCM957508-P2100G	QSFP56	<b>PCIe 4.0</b> x16	Dual	100Gb/s per port	BCM57508	Only for new project which supported PCIe 4.0
BCM957414A4142CC	SFP28	PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414	
BCM957508-N2100G	QSFP56	<b>QCP PCIe 4.0</b>	Dual	100Gb/s per port	BCM57508 / Support <b>QCP 3.0</b>	Only for new project which supported OCP 3.0 with PCIe 4.0
BCM957414N4140C	SFP28	<b>QCP</b> PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414 / Support <b>QCP 3.0</b>	Only for new project which supported OCP 3.0
BCM957416N4160C	RJ-45	<b>QCP</b> PCIe 3.0 x8	Dual	10Gb/s per port	BCM57416 / Support <b>QCP 3.0</b>	Only for new project which supported OCP 3.0
BCM957412N4120C	SFP+	<b>QCP</b> PCIe 3.0 x8	Dual	10Gb/s per port	BCM57412 / Support <b>QCP 3.0</b>	Only for new project which supported OCP 3.0
BCM957414M4142C	SFP28	<b>QCP</b> PCIe 3.0 x8	Dual	25Gb/s per port	BCM57414 / Support OCP 2.0 type1	
BCM957416A4160C	RJ-45	PCIe 3.0 x8	Dual	10Gb/s per port	BCM5741 (P210TP)	ATOS provide
BCM957416M4163C	RJ-45	<b>QCP</b> PCIe 2.0 x8	Dual	10Gb/s per port	BCM5741 / Support OCP 2.0 (M210TP)	ATOS provide
Broadcom FC Host Bus Adapter						
LPe32002-M2	SFP+	PCIe 3.0 x8	Dual	32Gb/s per port	XE501 controller	ATOS provide
Solarflare Onload Server Adapters						
SFN8522-PLUS	QSFP+	PCIe 3.1 x8	Dual	10Gb/s per port		
Chelsio Networking Adapters						
<b>USB Device</b>						
Product Name	Type	Vendor	Capacity	Note		
USB 3.0						
PURE CLASSIC X176B1FWBO75	HDD	Gigabyte	500G			



